

Günther Merkel Kranbetrieb

ATF 70G-4




Features

- 60 m maximale Systemlänge
- Unterwagen nur 2,66 m breit
- 16 m Doppelklappspitze

Operation · Einsatz · Utilisation
Uso · Эксплуатация

Working range · Arbeitsbereich · Rayon de travail
Zona de trabajo · Area di lavoro · Рабочая зона



MERKEL

Lifting capacities · Traglasten · Charges de levage
Cargas · portata · Грузоподъемность



m	11.0 m*	11.0 m	14.8 m	18.7 m	22.5 m	26.3 m	30.1 m	34.0 m	37.8 m	41.6 m	44.0 m
2.5	70.0	58.0									
3.0	59.6	54.8	50.0	49.5							
3.5	54.8	50.4	47.0	45.3	42.3						
4.0	50.2	46.2	43.4	42.0	41.2	30.0					
4.5	44.3	41.8	40.3	39.0	38.2	30.0	24.5				
5.0	39.6	38.0	37.6	36.4	35.6	30.0	23.3	18.8			
6.0	32.5	32.0	32.2	31.9	31.4	28.8	21.1	18.8	14.2		
7.0	27.4	27.4	27.7	27.7	27.5	26.4	19.2	17.7	14.2	10.8	9.6
8.0	23.6	23.7	23.9	23.9	23.9	24.1	17.9	16.3	14.2	10.8	9.6
9.0			20.9	21.2	20.9	21.1	16.7	15.0	13.8	10.8	9.6
10.0			18.5	18.8	18.9	18.7	15.7	13.9	12.9	10.8	9.6
11.0			16.8	16.8	17.0	16.8	14.9	13.0	12.1	10.8	9.6
12.0			14.8	15.4	15.3	15.0	14.0	12.1	11.3	10.4	9.0
14.0				12.0	11.9	11.6	11.8	10.7	10.0	9.3	7.8
16.0				9.7	9.7	9.6	9.6	9.3	8.9	8.3	6.9
18.0					8.2	8.3	7.9	8.0	7.8	7.5	6.1
20.0					7.1	7.0	6.7	6.8	6.7	6.5	5.3
22.0						6.0	6.0	5.8	5.7	5.5	4.8
24.0						4.5	5.2	5.0	4.9	4.7	4.2
26.0							4.6	4.4	4.2	4.0	3.8
28.0								3.8	3.7	3.4	3.4
30.0								3.3	3.2	2.9	2.9
32.0									2.8	2.5	2.5
34.0									2.4	2.2	2.2
36.0										1.9	1.8
38.0										1.6	1.6
40.0											1.3




m	11.0 m*	11.0 m	14.8 m	18.7 m	22.5 m	26.3 m	30.1 m	34.0 m	37.8 m	41.6 m	44.0 m
2.5	70.0	58.0									
3.0	59.6	54.8	50.0	49.5							
3.5	54.8	50.0	47.0	45.3	42.3						
4.0	47.8	44.7	43.4	42.0	41.2	30.0					
4.5	42.2	40.3	40.3	39.0	38.2	30.0	24.5				
5.0	37.7	36.6	36.9	36.4	35.6	30.0	23.3	18.8			
6.0	30.9	30.7	31.0	30.8	30.8	28.8	21.1	18.8	14.2		
7.0	26.0	26.1	26.3	26.3	26.3	26.4	19.2	17.7	14.2	10.8	9.6
8.0	22.4	22.5	22.7	23.0	22.7	22.9	17.9	16.3	14.2	10.8	9.6
9.0			19.8	20.1	20.3	19.8	16.7	15.0	13.8	10.8	9.6
10.0			17.8	17.8	18.0	17.2	15.7	13.9	12.9	10.8	9.6
11.0			15.2	15.5	15.4	15.1	14.8	13.0	12.1	10.8	9.6
12.0			13.1	13.4	13.3	13.0	13.2	12.1	11.3	10.4	9.0
14.0				10.4	10.6	10.5	10.4	10.0	10.0	9.3	7.8
16.0				8.4	8.5	8.6	8.3	8.5	8.2	8.1	6.9
18.0					7.2	7.1	7.2	6.9	6.9	6.6	6.1
20.0					6.1	5.9	6.0	5.8	5.7	5.5	5.3
22.0						5.1	5.1	4.9	4.8	4.5	4.5
24.0						4.4	4.4	4.2	4.1	3.8	3.8
26.0							3.8	3.6	3.5	3.2	3.2
28.0								3.1	2.9	2.7	2.7
30.0								2.7	2.5	2.3	2.3
32.0									2.2	1.9	1.9
34.0									1.9	1.6	1.6
36.0										1.3	1.3
38.0										1.1	1.1
40.0											0.9

* Over rear - Nach hinten - A l'arrière - Hacia atrás - Indietro - Hazaš


** With additional lifting equipment - Mit Zusatzhebaueinrichtung - Avec équipement de levage supplémentaire

Con equipamiento de elevación adicional - Con attrezzaggio di sollevamento supplementare - С дополнительным подъемным оборудованием

MERKEL



* ± 100



- ¹⁾ 385/95 R 25 (14.00 R25)
²⁾ 445/95 R 25 (16.00 R25)
³⁾ 525/80 R 25 (20.5 R25)

Kontakt Daten

Merkel Autokrane GmbH
Kellerberggring 27
98132 Schlössfeld
Telefon (0 95 52) 98 13 82
Telefax (0 95 52) 98 04 95
www.merkel-krane.de

Bamberg
Hafenstraße 34
96052 Bamberg
Telefon (09 51) 5 09 95 44
Telefax (09 51) 5 09 95 45

Burgkunstadt
Steinleite 3
96224 Burgkunstadt
Telefon (0 92 29) 9 73 62 94
Telefax (09 51) 5 09 95 45

Nürnberg
Bremer Straße 160-162
90451 Nürnberg
Telefon (09 11) 21 66 44 35
Telefax (09 51) 5 09 95 45