



Internal business information.
STRICTLY CONFIDENTIAL!

BikeReport_01

MY27

RAYMON

Die Gültigkeit dieser Ausgabe endet automatisch
mit der Veröffentlichung einer neueren Ausgabe.
*The validity of this edition automatically ends with
the publication of a newer edition.*

index

06

Intro

08

Model Overview

12

Drive Units

Avinox

Panasonic

Yamaha

Bosch

Oli

RAYMON

30

E-Bike

156

Bike

258

Geometry



Unser Versprechen

Jedes Raymon-Bike erzählt seine eigene Geschichte. Es ist entwickelt, um Freiheit und Fahrspaß erlebbar zu machen. Wir versprechen Ihnen hochwertige, zuverlässige Produkte mit modernster Technik und starkem Design – immer mit Blick auf das beste Preis-Leistungs-Verhältnis.

Our promise

Every Raymon bike tells a story. They are designed to give you freedom and riding pleasure. We promise you outstanding, reliable products with high-tech features and stylish designs – always with an eye on value for money.

RAYMON

Overview 27

E-Bike

Offroad

Enduro	Enduro	Enduro	AllMountain	AllMountain	Light AllMountain
The new Tarok	Ravor LT	Vamok	Durok	Ravor	Airok
Tarok Ultimate					
Tarok Ultra		Vamok Ultra	Durok Ultra		Airok Ultra
Tarok Pro	Ravor LT Pro	Vamok Pro	Durok Pro	Ravor Pro	Airok Pro
Tarok Comp	Ravor LT Comp	Vamok Comp	Durok Comp	Ravor Comp	Airok Comp
				Ravor Pure	Airok Pure
AVINOX	YAMAHA	BOSCH	AVINOX	YAMAHA	BOSCH

Allroad

Trekking FS		Trekking Sport			Trekking Comfort
Tavano		Varno			Tahona
		Varno Elite			
		Varno Ultimate			
Tavano Ultra		Varno Ultra			Tahona Ultra
Tavano Pro	Tavano Flow		Varno Pro		Tahona Pro
Tavano Sport	Tavano Base		Varno Comp		Tahona Comp
Tavano Comp	Tavano Pure			Varno Pure	
BOSCH	PANASONIC	AVINOX	PANASONIC	OLI	BOSCH

NEW

CARRY OVER

AllMountain		AllMountain		Hardtail		Gravel	
Korak		Ridok		Zorq		Norza	
				Zorq Elite			
				Zorq Ultimate			
Korak Ultra		Ridok Ultra			Zorq Ultra		Norza Ultra
Korak Pro		Ridok Pro	Street		Zorq Pro		Norza Pro Street
Korak Comp	Street	Ridok Comp	Street		Zorq Comp		Norza Comp Commute
						Zorq Pure	
BOSCH		PANASONIC		AVINOX	PANASONIC	OLI	BOSCH

Urban		City
Numa		Metmo
Numa Ultimate		
Numa Ultra		Metmo Ultra
Numa Pro		Metmo Pro
	Numa Comp	Metmo Comp
	Numa Pure	
PANASONIC	PICO	BOSCH

Overview 27

Bike

Allroad

Road Aero	Road Endurance	Road Sport	Triathlon
Arva	Kirana	Scorena	Lyra
Arva Ultimate	Kirana Ultimate		
Arva Elite			
Arva Evo			
Arva Ultra	Kirana Ultra		Lyra Ultra
Arva Pro	Kirana Pro	Scorena Pro	Lyra Pro
Arva Comp	Kirana Comp	Scorena Comp	
	Kirana Pure		

Offroad

Enduro	AllMountain	Hardtail	Hardtail
Rokua	Yara	Arid	Nayta
Rokua LT Ultra	Yara LT Ultra	Arid Ultra	Nayta Ultra
Rokua LT Pro	Yara LT Pro	Arid Pro	Nayta Pro
Rokua AM Pro	Yara Pro		
Rokua AM Comp	Yara Comp	Arid Comp	Nayta Comp
			Nayta Pure
			Street

NEW

CARRY OVER

Gravel	Gravel	Gravel		Trekking	
Kenthii	Soreno	Territ		Zayn	
Kenthii Ultimate					
Kenthii Ultra	Soreno Ultra	Territ Ultra		Zayn Ultra	
Kenthii Pro	Soreno Pro	Territ Pro	Street	Zayan Pro	
	Soreno Comp	Territ Comp	Commute	Zayn Comp	Zayn Flow
	Soreno Pure	Territ Pure		Zayn Pure	Zayn Ease
	Soreno Sport	Territ Sport		Zayn Sport	

Kids					
Nayta 26		Nayta 24		Yanga 24	Yanga 20
Nayta 26 Pro	Street	Nayta 24 Pro	Street		Yanga 20 Pro
Nayta 26 Comp		Nayta 24 Comp			
				Yanga 24 Pure Street	Yanga Pure Street

RAYMON

Drive Units



AVINOX | PANASONIC | YAMAHA | BOSCH | OLI

M2S

AVINOX

Hohe Leistung in kompaktem Design
High power in a compact design



	M2S
Gewicht <i>Weight</i>	2,6 kg
Voltage	36 V
Power <i>Power</i>	250 W
max. Drehmoment <i>max. Torque</i>	Avinox FP700 Battery: Regular Assist Modes: 1500 W / 130 Nm Boost Mode: 1500 W / 150 Nm Avinox RS800 Battery: Regular Assist Modes: 1300 W / 130 Nm Boost Mode: 1500 W / 150 Nm
Assist	up to 800%
Unterstützung bis <i>Support up to</i>	25 km/h

AVINOX

150 Nm
FULL POWER



700 Wh



FP700
Premium high power

Gewicht *Weight*

3,1 kg

Kapazität *Capacity*

700 Wh

Nahtlos in den Bike-Rahmen integriert, sorgt dieses Design für ein aufgeräumtes Erscheinungsbild, einen stabileren Schwerpunkt und ein natürlicheres Fahrgefühl.

Seamlessly integrated into the bike frame, this design delivers a cleaner look, a more stable center of gravity, and a more natural riding experience.

800 Wh



RS800
Standard removable

Gewicht *Weight*

3,9 kg

Kapazität *Capacity*

800 Wh

POWER

M2

AVINOX



	M2
Gewicht <i>Weight</i>	2,65 kg
Voltage	36 V
Power <i>Power</i>	250 W
max. Drehmoment <i>max. Torque</i>	Regular Assist Modes: 1100 W / 110 Nm Boost Mode: 1100 W / 125 Nm
Assist	up to 800%
Unterstützung bis <i>Support up to</i>	25 km/h

125 Nm

AVINOX

Nahtlose Bedienung für ein fokussiertes Fahrerlebnis *Seamless Interaction, Focused Riding*



Das 2-Zoll-OLED-Touchdisplay ist mit 326 ppi schärfer als ein Smartphone – und genauso leicht bedienbar, sogar bei Regen und mit Handschuhen.

The 2-inch OLED touchscreen display, with 326 ppi, is sharper than a smartphone – and just as easy to use, even in the rain or while wearing gloves.

Display

	DP100	DPC100	DP200
Screen	2" OLED Touchscreen	2" OLED Touchscreen	1.4" LCD Touchscreen
Type	Toptube	Toptube	handlebar
Connect	4G, BT	Find My, BT	Find My, BT
GPS	Yes	Yes	Yes
USB-C	Yes	Yes	Yes



Avinox BC100 Wireless Controller



Charger

FAST

Premium

Gewicht <i>Weight</i>	0,96 kg	
current	12 A	
FP700 High Power battery	0-80% – 1:24 h	0-100% – 1:55 h
RS800 battery	0-80% – 1:45 h	0-100% – 2:23 h

Standard

Gewicht <i>Weight</i>	0,52 kg	
current	4 A	
FP700 High Power battery	0-80% – 4:04 h	0-100% – 5:09 h
RS800 battery	0-80% – 4:54h	0-100% – 6:11 h



GXM 115 MG

Gewicht <i>Weight</i>	2,6 kg
Power <i>Power</i>	250 W / 700 W
max. Drehmoment <i>max. Torque</i>	115 Nm*
Unterstützung bis <i>Support up to</i>	25 km/h



NEW

115NM* | 2.6KG | MAGNESIUM

Erleben Sie die nächste Dimension des Radfahrens mit dem neuen Flaggschiff der Panasonic GXM-Reihe. Dieses außergewöhnliche Modell setzt neue Standards in der Fahrdynamik und begeistert mit einem ultraleichten Magnesiumgehäuse, das nicht nur für Stabilität sorgt, sondern auch für ein unvergleichliches Fahrgefühl.

Experience the next dimension of cycling with the new flagship of the Panasonic GXM series. This extraordinary model sets new standards in riding dynamics and impresses with an ultra-light magnesium housing that not only ensures stability but also delivers an incomparable riding experience.

*Leistungsupdate über die Panasonic App ab Q4/2026

*Performance update via the Panasonic app starting Q4 2026



eMOBILITY

Panasonic®

GXM

NEW

105NM* | 2.8KG | ALUMINIUM

GXM 105

Gewicht <i>Weight</i>	2,8 kg
Power <i>Power</i>	250 W / 700 W
max. Drehmoment <i>max. Torque</i>	105 Nm*
Unterstützung bis <i>Support up to</i>	25 km/h



Stark, robust und langlebig – der GXM 105 ist der wahre Alleskönner unter den E-Bike-Motoren.

Strong, robust, and durable – the GXM 105 is the true all-rounder among E-bike drive units.

*Leistungsupdate über die Panasonic App ab Q4/2026

**Performance update via the Panasonic app starting Q4 2026*

Integrated battery

800 / 720

Gewicht <i>Weight</i>	3,8 kg
Power <i>Power</i>	800 Wh / 720 Wh



Panasonic®

Welcome to the Smart E-Bike World:

Modernes Design, intelligente Funktionen und intuitive Bedienung
Modern design, intelligent features and intuitive operation

NEW



GXM-Side Display with Remote 801

Das neue seitliche Display GXM Remote 801 mit integrierten Bedienelementen bringt die wichtigsten Funktionen direkt an den Lenker – bequem bedienbar, ohne die Hände vom Griff zu nehmen.

The new GXM Remote 801 side display with integrated controls puts essential functions right at your fingertips – operable directly from the handlebar without releasing your grip.



GXM Display 501

Das übersichtliche und klare Design des Displays präsentiert alle wichtigen Informationen auf einen Blick. Die beleuchtete Fernbedienung ermöglicht eine einfache Bedienung auch ohne das Display.

The display features a clear and straightforward design that presents all the important information at a glance. The illuminated remote allows for easy operation, even without the display.



GXM Smartphone App

Alle Funktionen bequem vom Smartphone nutzen. Das gesamte System ist kompatibel mit Komoot und Wahoo, sodass Sie Ihre Fahrten optimal planen können. Erleben Sie die Zukunft des Radfahrens – einfach, intuitiv und smart!

Use your smartphone as a display to control all functions. The entire system is compatible with Komoot and Wahoo, enabling you to plan your rides optimally. Experience the future of cycling – simple, intuitive, and smart!



ONE SYSTEM, PERFECTLY POWERED.

PW-LINK EmPOWERED BY **YAMAHA**

Ultimate power with unrivalled riding feeling

YAMAHA PW-X4

Gewicht <i>Weight</i>	2,6 kg
Power <i>Power</i>	250 W / 800 W
max. Drehmoment <i>max. Torque</i>	100 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	EXPW HIGH STD ECO +ECO Automatic Support

100
Nm
max. Torque



Mehr Power 800 Watt
Mehr Drehmoment 100 Nm
Besseres Hitzemanagement
Präzise Steuerung für Zero cadence
Sanfteres Fahrverhalten, weniger Vibrationen
und Geräusche
*More Power 800 Watt
Better torque delivery 100 Nm
Better heat management
Precision control for zero cadence
Smoother ride, less vibration and noise*

Reliable support for seamless exploration

YAMAHA PW-S3

Gewicht <i>Weight</i>	2,8 kg
Power <i>Power</i>	250 W / 650 W
max. Drehmoment <i>max. Torque</i>	85 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	HIGH STD ECO +ECO Automatic Support



Mehr Power 650 Watt
Mehr Drehmoment 85 Nm
Besseres Hitzemanagement
Präzise Steuerung für Zero cadence
Sanfteres Fahrverhalten, weniger Vibration
*More Power 650 Watt
Better torque delivery 85 Nm
Better heat management
Precision control for zero cadence
Smoother ride, less vibration*

- Digitale Schaltzentrale
 - Digitaler Diebstahlschutz
 - Integration mit anderen Apps
 - Anzeige von Fahrdaten
 - Anpassbare Einstellungen
 - u.v.m.
- Digital control center
 - Digital theft protection
 - Integration with other apps
 - Display of driving data
 - Customizable settings
 - and much more



PW-LINK Integrated Display

Yamaha PW-LINK Integrated Display – minimalistisches, in den Rahmen integriertes Display - minimalistisches Design, robuste Verarbeitung, intuitive Bedienung.

Yamaha PW-LINK Integrated Display – minimalist frame embedded display – minimalist design, premium style, intuitive operation

YAMAHA PW-LINK APP

Adding another dimension to every ride.



Integrated battery

PW-Link ML 840

Gewicht <i>Weight</i>	4,2 kg
Power <i>Power</i>	840 Wh

YOUR E-BIKE WITH BOSCH SYSTEMS

Power meets Control *Power meets Control*

BOSCH PERFORMANCE LINE CX

Gewicht <i>Weight</i>	ca. 2,84 kg
Power <i>Power</i>	250 W / 750 W
max. Drehmoment <i>max. Torque</i>	120 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	Turbo Auto Tour+ Eco

120
Nm
max. Torque



Abenteuer neu definiert *Adventure redefined*

BOSCH PERFORMANCE LINE PX

Gewicht <i>Weight</i>	2,9 kg
Power <i>Power</i>	250 W / 700 W
max. Drehmoment <i>max. Torque</i>	90 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	Turbo Auto Tour Eco

Das smarte
System



Das smarte System *The smart system*

BOSCH PERFORMANCE LINE

Gewicht <i>Weight</i>	ca. 3,2 kg
Power <i>Power</i>	250 W / 600 W
max. Drehmoment <i>max. Torque</i>	75 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	Turbo Auto Tour Eco

Das smarte
System



Sportliche Leichtigkeit *Sporty lightness*

BOSCH PERFORMANCE LINE SX

Gewicht <i>Weight</i>	ca. 2,0 kg
Power <i>Power</i>	250 W / 600 W
max. Drehmoment <i>max. Torque</i>	60 Nm
Unterstützung bis <i>Support up to</i>	25 km/h
Modus <i>Mode</i>	Turbo Sprint Tour+ Eco

Das smarte
System





System Controller

Minimalistic display
Bluetooth LE
Ambient light sensor



LED Controller

Compact design
Intuitive LED display
USB-C port



LED Remote

Minimalistic display
Bluetooth LE
Ambient light sensor



Mini Remote

Wireless remote
Bluetooth LE
Control of eBike Flow APP



Integrated battery

PowerTube 800

Gewicht <i>Weight</i>	3,9 kg
Power <i>Power</i>	800 Wh



Purion 400

TFT color display
Buzzer for audible notifications
Ambient light sensor



Purion 200

TFT color display
Bluetooth LE
Ambient light sensor



Kiox 300

TFT color display
eBike lock function
Ambient light sensor

40% ↑



Kiox 500

TFT color display
eBike lock function
Ambient light sensor

Integrated battery

PowerTube 600

Gewicht <i>Weight</i>	3,0 kg
Power <i>Power</i>	600 Wh



Integrated battery

CompactTube 400

Gewicht <i>Weight</i>	2,0 kg
Power <i>Power</i>	400 Wh



OLI - eBike Systems PICO

PICO der neue Antrieb, der speziell für die urbane Mobilität entwickelt wurde.

Klein und fast unsichtbar ist der Antrieb im Rahmen integriert. Mit 70 Nm Drehmoment und einem Gewicht von weniger als 2,5 kg ist er nicht nur **zuverlässig** und **leistungsstark**, sondern auch unglaublich kompakt und leise.


PICO is the new drive unit designed specifically for urban mobility.

*Small and almost invisible, the motor is integrated into the frame. With 70 Nm of torque and weighing less than 2.5 kg, it is not only **reliable** and **powerful** but also incredibly compact and quiet.*



PICO

Gewicht <i>Weight</i>	2,5 kg
Power <i>Power</i>	250 W / 650 W
max. Drehmoment <i>max. Torque</i>	70 Nm
Unterstützung bis <i>Support up to</i>	25 km/h



Integrated battery

	504*	400
Gewicht <i>Weight</i>	2,8 kg	2,3 kg
Power <i>Power</i>	504 Wh	400 Wh

*bis zu **90 km** Reichweite
*up to 90 km range



Color LCD-Display



D500

Ein großes, informationsreiches Display, das bei jeder Fahrt vollständige Kontrolle bietet. Unterstützungsmodi, Akkustatus und Fahrdaten werden klar und deutlich angezeigt.

Large and data-rich display that offers total control on every ride. Assistance modes, battery status, and trip telemetry are displayed clearly and sharply.

	D500	D900
Screen	2,4" TFT	1,14" TFT
Type	Central	Toptube
Connect	BT, USB-C	BT

D900

Integriertes Display mit klarem Design und optimaler Ablesbarkeit. Es liefert detaillierte Informationen zu Geschwindigkeit, Unterstützungsstufen und Reichweite.

Integrated display with a clean design and maximum readability. It provides detailed information on speed, assistance levels, and range with smooth, intuitive interaction.





WE DEVELOP YOUR



E-Bike

THE NEW TAROK

strength. refined.

Display
Avinox DP100, USB-C

Battery
Avinox FP700 700 Wh
fast full charge

Drive Unit
Avinox M2S max. 150 Nm/Boost Mode
2,6 kg Assist up to 800%

29"

27.5"

150Nm

Full-Power E-MTB verpackt in ultraleichtem Vollcarbon. Angetrieben vom revolutionären Avinox M2S. Bereit für jeden Trail, den du dir zutraust.

Full-power e-MTB performance, wrapped in an ultra-light full-carbon frame. Powered by the revolutionary Avinox M2S. Ready for any trail you dare to take on.

AVINOX

Tarok Ultimate

OFFROAD



under development

-  HSC Carbon, fixed battery, 150 mm
-  FOX Float 36 Factory, Grip X2, air, 160 mm, tapered
-  FOX Float X Factory, air, 205x60 mm

-  Avinox M2S+, 250/1500W, 150 Nm
-  Avinox FP700, Premium Cell, 700 Wh, 36 V
-  Avinox DP100, LTE, Bluetooth, ANT+
-  Avinox BC100, double
-  Avinox Fast Charger, 12 A

-  Sram X0 Eagle Transmission AXS, 12-S
-  Sram AXS Pod Controller
-  Sram XS-1295, 10-52T
-  Sram X0 Eagle Transmission Flattop
-  Raymon FC07 SL, Carbon C7, ISIS
-  Sram Eagle Transmission E-MTB, 36T

-  Sram Maven Silver, 4-piston, hydr. disc brake
-  Sram HS2, 200 mm, 6-bolt
-  Sram HS2, 200 mm, 6-bolt
-  Raymon CO30, carbon, 15x110/12x148 mm, tubeless ready
-  Continental Kryptotal-F Enduro, SuperSoft, 60-622, 29x2.40, tubeless ready
-  Continental Kryptotal-R Enduro, Soft, 60x584, 27.5x2.40, tubeless ready
-  Raymon Ultra Carbon Riser, 35 mm, Sweep: 8 °, Rise: 26 mm
-  Raymon Ultra 35, 0 °, Ahead
-  Raymon Atmos 135, titanium
-  Fox Transfer Factory, 31,6 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
-  20,4

*EUR	9.999	CHF	9.999	PLN	42.999	CZK	249.990
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer / Item#

carbon stealth

2102713030	S
2102713050	M
2102713070	L
2102713090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tarok Ultra

OFFROAD



under development

-  HSC Carbon, fixed battery, 150 mm
-  RockShox Lyrik Select+, air, 160 mm, tapered
-  RockShox Super Deluxe, air, 205x60 mm

-  Avinox M2S+, 250/1500W, 150 Nm
-  Avinox FP700, Premium Cell, 700 Wh, 36 V
-  Avinox DP100, LTE, Bluetooth, ANT+
-  Avinox BC100, double
-  Avinox Fast Charger, 12 A

-  Sram S1000 Eagle Transmission AXS, 12-S
-  Sram AXS Pod Controller
-  Sram XS-1270, 10-52T
-  Sram GX Eagle Transmission Flattop
-  Raymon FC32, forged alloy, ISIS
-  Sram Eagle Transmission E-MTB, 36T

-  Magura Gustav Elite, 4-piston, hydr. disc brake
-  Magura MDR-S 2.5, 203 mm, 6-bolt
-  Magura MDR-S 2.5, WSS, 203 mm, 6-bolt
-  DT Swiss H1900 Spline, 15x110/12x148 mm, tubeless ready
-  Continental Kryptotal-F Enduro, SuperSoft, 60-622, 29x2.40, tubeless ready
-  Continental Kryptotal-R Enduro, Soft, 60x584, 27.5x2.40, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon Atmos 135
-  Raymon, 31,6 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
-  22

*EUR 7.999	CHF 7.999	PLN 33.999	CZK 199.990
------------	-----------	------------	-------------

Artikelnummer / Item#

black/white

2102712030	S
2102712050	M
2102712070	L
2102712090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tarok Pro

OFFROAD



under development

- HSC Carbon, fixed battery, 150 mm
- RockShox Psylo Gold RC, air, 160 mm, tapered
- RockShox Deluxe, air, 205x60 mm

- Avinox M2S+, 250/1500W, 150 Nm
- Avinox FP700, Premium Cell, 700 Wh, 36 V
- Avinox DP100, LTE, Bluetooth, ANT+
- Avinox BC100, double
- Avinox Charger, 4 A

- Shimano Deore XT, LG, RD-M8230, 11-S
- Shimano Deore, SL-M6230, Rapidfire Plus
- Shimano Cues, CS-LG400, 11-50T
- Shimano CN-LG500
- Raymon FC32, forged alloy, ISIS
- Raymon, Narrow Wide, 36T

- Shimano Deore, BR-M6220, 4-piston, hydr. disc brake
- Shimano SM-RT66, 203 mm, 6-bolt
- Shimano SM-RT66, 203 mm, 6-bolt
- Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
- Continental Kryptotal-F Enduro, SuperSoft, 60-622, 29x2.40, tubeless ready
- Continental Kryptotal-R Enduro, Soft, 60x584, 27.5x2.40, tubeless ready
- Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon Atmos 135
- Raymon, 31,6 mm, Dropper Post
- Raymon, thermoplastic
- IC44, compatible
- 130
- 22,3

*EUR	5.999	CHF	5.999	PLN	25.499	CZK	149.990
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer / Item#

carbon/galaxy

2102711030	S
2102711050	M
2102711070	L
2102711090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tarok Pro

OFFROAD



under development

-  HSC Carbon, fixed battery, 150 mm
-  RockShox Psylo Gold RC, air, 160 mm, tapered
-  RockShox Deluxe, air, 205x60 mm

-  Avinox M2S+, 250/1500W, 150 Nm
-  Avinox FP700, Premium Cell, 700 Wh, 36 V
-  Avinox DP100, LTE, Bluetooth, ANT+
-  Avinox BC100, double
-  Avinox Charger, 4 A

-  Shimano Deore XT, LG, RD-M8230, 11-S
-  Shimano Deore, SL-M6230, Rapidfire Plus
-  Shimano Cues, CS-LG400, 11-50T
-  Shimano CN-LG500
-  Raymon FC32, forged alloy, ISIS
-  Raymon, Narrow Wide, 36T

-  Shimano Deore, BR-M6220, 4-piston, hydr. disc brake
-  Shimano SM-RT66, 203 mm, 6-bolt
-  Shimano SM-RT66, 203 mm, 6-bolt
-  Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
-  Continental Kryptotal-F Enduro, SuperSoft, 60-622, 29x2.40, tubeless ready
-  Continental Kryptotal-R Enduro, Soft, 60x584, 27.5x2.40, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon Atmos 135
-  Raymon, 31,6 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
-  22,3

*EUR	5.999	CHF	5.999	PLN	25.499	CZK	149.990
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer / Item#

titansilver

2102711230	S
2102711250	M
2102711270	L
2102711290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tarok Comp

OFFROAD



under development

-  HSC Carbon/AL61-T6, fixed battery, 150 mm
-  RockShox Psylo Silver RC, air, 160 mm, tapered
-  RockShox Deluxe, air, 205x60 mm
-  Avinox M2, 250/1100W, 125 Nm
-  Avinox FP700, Premium Cell, 700 Wh, 36 V
-  Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double
-  Avinox Charger, 4 A

-  Shimano Cues, LG, RD-U6000, 11-S
-  Shimano Cues, SL-U6001, Rapidfire Plus
-  Shimano Cues, CS-LG400, 11-50T
-  Shimano CN-LG500
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

-  Tektro Orion M6041, 4-piston, hydr. disc brake
-  Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt
-  Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Nobby Nic Perf, 65-622, 29x2.60, tubeless ready
Schwalbe Nobby Nic Perf, 65-584, 27.5x2.60, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon Atmos 135
-  Raymon, 31,6 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
-  23,4

*EUR 5.299	CHF 5.299	PLN 22.499	CZK 132.490
------------	-----------	------------	-------------

Artikelnummer / Item#

carbon/northernlight

2102710030	S
2102710050	M
2102710070	L
2102710090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tarok Comp

OFFROAD



under development

-  HSC Carbon/AL61-T6, fixed battery, 150 mm
-  RockShox Psylo Silver RC, air, 160 mm, tapered
-  RockShox Deluxe, air, 205x60 mm
-  Avinox M2, 250/1100W, 125 Nm
-  Avinox FP700, Premium Cell, 700 Wh, 36 V
-  Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double
-  Avinox Charger, 4 A

-  Shimano Cues, LG, RD-U6000, 11-S
-  Shimano Cues, SL-U6001, Rapidfire Plus
-  Shimano Cues, CS-LG400, 11-50T
-  Shimano CN-LG500
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

-  Tektro Orion M6041, 4-piston, hydr. disc brake
-  Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt
-  Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Nobby Nic Perf, 65-622, 29x2.60, tubeless ready
Schwalbe Nobby Nic Perf, 65-584, 27.5x2.60, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon Atmos 135
-  Raymon, 31,6 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
-  23,4

*EUR 5.299	CHF 5.299	PLN 22.499	CZK 132.490
------------	-----------	------------	-------------

Artikelnummer / Item#

starwhite/granite

2102710230	S
2102710250	M
2102710270	L
2102710290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Raymon factor: Ready to Ride



Total control – alles im Einklang.

Power ist nichts wert, wenn du sie nicht kontrollieren kannst. Damit das klappt, müssen die Parameter passen. Das TAROK wurde nach dem Grundsatz TOTAL CONTROL entwickelt. Fahrwerk, Reifen und die Kinematik greifen als Einheit ineinander und machen aus jedem Meter maximalen Vortrieb in Traktion.

Total control – everything in harmony.

Power means nothing if you cannot control it. To make it happen, every parameter has to work in sync. The TAROK was developed around one core principle: TOTAL CONTROL. Suspension, tires, and kinematics interlock as one unit, turning every meter into direct, controlled traction.



Nahtlose Integration & dein Flow im Fokus.

Nichts wirkt. Nichts stört. Alles wirkt wie aus einem Guss. Das schlanke Unterrohr integriert die Batterie nahezu unsichtbar - mit hoher Energiedichte für maximale Reichweite bei minimalem Gewicht. Die Silhouette des TAROK verrät nicht, was in ihm steckt. Das extrem flache Oberrohr und das schlanke Unterrohr lassen kaum vermuten, dass du auf einem Full-Power E-MTB sitzt.

Seamless integration, with your flow at the center.

Nothing feels intrusive, combining high energy density with maximum range at minimal weight. The TAROK's silhouette gives little away about what is inside. Its exceptionally low top tube and slender down tube barely suggest that you are riding a full-power e-MTB.



Haftbefehl für deinen Grip.

Das TAROK setzt bei den Topmodellen konsequent auf Continental-Kryptotal-Reifen mit starker Karkasse. Selbst spitze Felsen werden souverän gemeistert - und du bist zuverlässig vor Snakebites und Durchschlägen geschützt.

A warrant for your grip.

On its top models, TAROK consistently relies on Continental Kryptotal tires with a robust casing. Even sharp rocks are handled with confidence - while you stay reliably protected against rim flats and hard impacts.

RAVOR LT

Tech Facts

- glatt verschweißter Aluminiumrahmen
- 48 Volt Yamaha PW Link System
- entnehmbare 840 Wh Batterie
- wendige Mullet Laufräder
- satte 170 mm Federweg vorne und hinten
- neueste TrueSize Rahmengeometrie

- smooth welded aluminium frames
- 48 Volt Yamaha PW Link system
- removable 840 Wh battery
- agile mullet wheels
- supple 170 mm travel front and rear
- latest TrueSize frame geometry

Ravor LT Pro

OFFROAD



under development

 29/27.5", Alloy 6061, removable battery, boost, 170 mm

 RockShox ZEB Select, air, 170 mm, tapered

 RockShox Agile Base, air, 230x65 mm

 Yamaha PW-X4, 250/800 W, 100 Nm

 Yamaha Link, 840 Wh, 48 V

 Yamaha Link Integrated Display
Yamaha Link Remote

 Yamaha Link Charger, 4 A

 Sram S1000 Eagle Transmission AXS, 12-S

 Sram AXS Pod Controller

 Sram XS-1270, 10-52T

 Sram GX Eagle Transmission Flattop

 Raymon FC53 PRO, forged alloy, ISIS
Sram Eagle Transmission XX, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

 Schwalbe Albert Evo, Trail Pro, Ultra Soft, 63-622, 29x2.50
tubeless ready
Schwalbe Albert Evo, Gravity Pro, Soft, 63-584, 27.5x2.50
tubeless ready

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0 °, Ahead

 Raymon 143 VM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 26,7

*EUR 5.999	CHF 5.999	PLN 25.999	CZK 149.500
------------	-----------	------------	-------------

Artikelnummer / Item#

white sparkle

2102601730	S
2102601750	M
2102601770	L
2102601790	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ravor LT Comp

OFFROAD



under development

29/27.5", Alloy 6061, removable battery, boost, 170 mm

SR Suntour Aion38X RC, air, 170 mm, tapered

SR Suntour TriAir2 R, air, 230x65 mm

Yamaha PW-X4, 250/800 W, 100 Nm

Yamaha Link, 840 Wh, 48 V

Yamaha Link Integrated Display
Yamaha Link Remote

Yamaha Link Charger, 4 A

Shimano Deore, RD-M6100, Shadow Plus, 12-S

Shimano Deore, SL-M6100, Rapidfire Plus

Shimano CS-M6100, 10-51T

Shimano CN-M6100

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 36T

Tektro Gemini SL, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

Schwalbe Nobby Nic Perf, 65-622, 29x2.60
tubeless ready
Schwalbe Nobby Nic Perf, 65-584, 27.5x2.60
tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130

26,2

*EUR 4.799

CHF 4.799

PLN 19.999

CZK 119.900

Artikelnummer / Item#

jadegreen

2102601630	S
2102601650	M
2102601670	L
2102601690	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ravor LT Comp

OFFROAD



under development

29/27.5", Alloy 6061, removable battery, boost, 170 mm

SR Suntour Aion38X RC, air, 170 mm, tapered

SR Suntour TriAir2 R, air, 230x65 mm

Yamaha PW-X4, 250/800 W, 100 Nm

Yamaha Link, 840 Wh, 48 V

Yamaha Link Integrated Display
Yamaha Link Remote

Yamaha Link Charger, 4 A

Shimano Deore, RD-M6100, Shadow Plus, 12-S

Shimano Deore, SL-M6100, Rapidfire Plus

Shimano CS-M6100, 10-51T

Shimano CN-M6100

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 36T

Tektro Gemini SL, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

Schwalbe Nobby Nic Perf, 65-622, 29x2.60
tubeless ready
Schwalbe Nobby Nic Perf, 65-584, 27.5x2.60
tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130

26,2

*EUR 4.799

CHF 4.799

PLN 19.999

CZK 119.900

Artikelnummer / Item#

kurkuma

2102602730	S
2102602750	M
2102602770	L
2102602790	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

VAMOK

Tech Facts

- glatt verschweißter Aluminiumrahmen
- Bosch Performance Line CX
- entnehmbare 800 Wh Batterie
- wendige Mullet Laufräder
- satte 160 mm Federweg vorne und hinten
- neueste TrueSize Rahmengeometrie

- smooth welded aluminium frames
- Bosch Performance Line CX
- removable 800 Wh battery
- agile mullet wheels
- supple 160 mm travel front and rear
- latest TrueSize frame geometry



BOSCH

Vamok Ultra

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 160 mm

 RockShox ZEB Base, air, 160 mm, tapered

 RockShox Super Deluxe Select, air, 205x65 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 400, Bluetooth
Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Shimano Deore XT Di2, RD-M8260, 12-S

 Shimano Deore Di2, SW-M6250, shift switch

 Shimano Deore, CS-M6200, 10-51T

 Shimano CN-M6100

 Raymon FC02, forged alloy, BISIS
FSA, MegaTooth SH12, 34T

 Shimano XT, BR-M8220, 4-piston, hydr. disc brake

 Shimano RT-CL800, 203 mm, 6-bolt
Shimano RT-CL800, 203 mm, 6-bolt

 Raymon VR23/DT210, Center Lock, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Albert Evo, Trail Pro, Ultra Soft, 63-622, 29x2.50,
tubeless ready
Schwalbe Albert Evo, Gravity Pro, Soft, 63-584, 27.5x2.50,
tubeless ready

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,6

*EUR	6.299	CHF	6.299	PLN	26.799	CZK	157.490
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer / Item#

darksilver marble

2102704430	S
2102704450	M
2102704470	L
2102704490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Vamok Pro

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding, 160 mm
- RockShox Domain Gold R, air, 160 mm, tapered
- RockShox Super Deluxe Select, air, 205x65 mm

- Bosch Performance Line CX, 250/750 W, 120 Nm

- Bosch PowerTube, 800 Wh, 36 V

- Bosch Purion 400, Bluetooth
- Bosch Mini Remote, Bluetooth

- Bosch Charger, 4 A

- Shimano Deore XT, RD-M8200, 12-S
- Shimano Deore, SL-M6200, Rapidfire Plus
- Shimano Deore, CS-M6200, 10-51T
- Shimano CN-M6100
- Raymon FC02, forged alloy, BISIS
- FSA, MegaTooth SH12, 34T

- Magura Luise Elite, 4-piston, hydr. disc brake
- Magura MDR-S, 203 mm, 6-bolt
- Magura MDR-S, 203 mm, 6-bolt
- Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm, tubeless compatible
- Schwalbe Albert Evo, Trail Pro, Ultra Soft, 63-622, 29x2.50, tubeless ready
- Schwalbe Albert Evo, Gravity Pro, Soft, 63-584, 27.5x2.50, tubeless ready
- Raymon Riser 35 mm, Sweep: 9°, Rise: 20 mm
- Raymon 35, 0°, Ahead
- Raymon 150 VacTech
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- IC44, compatible
- 130
- 25,9

*EUR	5.499	CHF	5.499	PLN	23.399	CZK	137.490
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer / Item#

smoke lavender / black

2102704230	S
2102704250	M
2102704270	L
2102704290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Vamok Comp

OFFROAD



under development

AL61-T6 Aluminium, seamless welding, 160 mm

RockShox Psylo Silver RC, air, 160 mm, tapered

RockShox Deluxe Select, air, 205x65 mm

Bosch Performance Line CX, 250/750 W, 120 Nm

Bosch PowerTube, 800 Wh, 36 V

Bosch Purion 400, Bluetooth
Bosch Mini Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore, RD-M6200, 12-S

Shimano Deore, SL-M6230, Rapidfire Plus

Shimano Deore, CS-M6200, 10-51T

Shimano CN-M6100

FSA CK-747, forged alloy, BISIS
FSA, MegaTooth SH12, 34T

Tektro HD-M5141, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

Schwalbe Magic Mary Perf, 60-622, 29x2.40
Schwalbe Magic Mary Perf, 60-584, 27.5x2.40

Raymon Riser 35 mm, Sweep: 9°, Rise: 20 mm

Raymon 35, 0°, Ahead

Raymon 150 VacTech

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130

26,9



*EUR 4.999	CHF 4.999	PLN 21.299	CZK 124.990
------------	-----------	------------	-------------

Artikelnummer / Item#

silver / white		black / seagreen	
2102704030	S	2102704130	S
2102704050	M	2102704150	M
2102704070	L	2102704170	L
2102704090	XL	2102704190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

DUROK

Tech Facts

- glatt verschweißter Aluminiumrahmen
- leistungsstarker Avinox M2S mit 150 Nm
- entnehmbare 800 Wh Batterie
- Rahmenhöhe S in 27.5"
- 150 mm Federweg vorne und hinten
- neueste TrueSize Rahmengometrie

- smooth welded aluminium frames
- powerful Avinox M2S with 150 Nm
- removable 800 Wh battery
- size S in 27.5"
- supple 150 mm travel front and rear
- latest TrueSize frame geometry

AVINOX

Durok Ultra

OFFROAD



under development

-  AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm
-  FOX Float 36 Rhythm, Grip, air, 150 mm, tapered
-  FOX Float Rhythm, air, 205x65 mm
-  Avinox M2S, 250/1500W, 150 Nm
-  Avinox RS800, 800 Wh, 36 V
-  Avinox DP100, LTE, Bluetooth, ANT+
Avinox BC100, double
-  Avinox Charger, 4 A
-  Sram S1000 Eagle Transmission AXS, 12-S
-  Sram AXS Pod Controller
-  Sram XS-1270, 10-52T
-  Sram GX Eagle Transmission Flattop
-  Raymon FC32, forged alloy, ISIS
Sram Eagle Transmission E-MTB, 36T
-  Magura Luise Elite Sport, 4-piston, hydr. disc brake
-  Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, WSS, 203 mm, 6-bolt
-  Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Romy Trail, Soft, 62-622, 29x2.40, tubeless ready
Schwalbe Romy Trail, Mid, 62-622, 29x2.40, tubeless ready
27.5": Schwalbe Romy Trail, Soft, 62-584, 27.5x2.40, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 34,9 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
- 

*EUR 5.699	CHF 5.699	PLN 24.499	CZK 142.490
------------	-----------	------------	-------------

Artikelnummer / Item#

anthracite marble

2102722030	S	27.5"
2102722050	M	
2102722070	L	
2102722090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Durok Ultra

OFFROAD



under development

 AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm

 FOX Float 36 Rhythm, Grip, air, 150 mm, tapered

 FOX Float Rhythm, air, 205x65 mm

 Avinox M2S, 250/1500W, 150 Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DP100, LTE, Bluetooth, ANT+
Avinox BC100, double

 Avinox Charger, 4 A

 Sram S1000 Eagle Transmission AXS, 12-S

 Sram AXS Pod Controller

 Sram XS-1270, 10-52T

 Sram GX Eagle Transmission Flattop

 Raymon FC32, forged alloy, ISIS
Sram Eagle Transmission E-MTB, 36T

 Magura Luise Elite Sport, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, WSS, 203 mm, 6-bolt

 Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Romy Trail, Soft, 62-622, 29x2.40, tubeless ready
Schwalbe Romy Trail, Mid, 62-622, 29x2.40, tubeless ready
27.5": Schwalbe Romy Trail, Soft, 62-584, 27.5x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 5.699	CHF 5.699	PLN 24.499	CZK 142.490
------------	-----------	------------	-------------

Artikelnummer / Item#

white marble

2102722230	S	27.5"
2102722250	M	
2102722270	L	
2102722290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Durok Pro

OFFROAD



under development

 AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm

 RockShox Psylo Silver RC, air, 150 mm, tapered

 RockShox Deluxe, air, 205x65 mm

 Avinox M2S, 250/1500W, 150 Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

 Avinox Charger, 4 A

 Shimano Deore XT, LG, RD-M8230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Magura Luise Elite Sport, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, WSS, 203 mm, 6-bolt

 Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Romy Trail, Soft, 62-622, 29x2.40, tubeless ready
Schwalbe Romy Trail, Mid, 62-622, 29x2.40, tubeless ready
27.5": Schwalbe Romy Trail, Soft, 62-584, 27.5x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,6

*EUR 4.699

CHF 4.699

PLN 19.999

CZK 117.490

Artikelnummer / Item#

toffeebrown

2102721030	S	27.5"
2102721050	M	
2102721070	L	
2102721090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Durok Pro

OFFROAD



under development

 AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm

 RockShox Psylo Silver RC, air, 150 mm, tapered

 RockShox Deluxe, air, 205x65 mm

 Avinox M2S, 250/1500W, 150 Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

 Avinox Charger, 4 A

 Shimano Deore XT, LG, RD-M8230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Magura Luise Elite Sport, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, WSS, 203 mm, 6-bolt

 Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Romy Trail, Soft, 62-622, 29x2.40, tubeless ready
Schwalbe Romy Trail, Mid, 62-622, 29x2.40, tubeless ready
27.5": Schwalbe Romy Trail, Soft, 62-584, 27.5x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,6

*EUR 4.699

CHF 4.699

PLN 19.999

CZK 117.490

Artikelnummer / Item#

raw alloy

2102721230	S	27.5"
2102721250	M	
2102721270	L	
2102721290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Durok Comp

OFFROAD



under development

 AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm

 SR Suntour XCR36X R, air, 150 mm, tapered

 SR Suntour EdgeX R, air, 205x65 mm

 Avinox M2, 250/1100W, 125 Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

 Avinox Charger, 4 A

 Shimano Deore, LG, RD-M7230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Tektro Orion M6041, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

 Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Nobby Nic, 62-584, 27.5x2.40, tubeless ready
Schwalbe Nobby Nic, 62-622, 29x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.999	CHF 3.999	PLN 16.999	CZK 99.990
------------	-----------	------------	------------

Artikelnummer / Item#

black/galaxy

2102720030	S	27.5"
2102720050	M	
2102720070	L	
2102720090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Durok Comp

OFFROAD



under development

 AL61-T6 Aluminium, hydroformed, seamless welding, 150 mm

 SR Suntour XCR36X R, air, 150 mm, tapered

 SR Suntour EdgeX R, air, 205x65 mm

 Avinox M2, 250/1100W, 125 Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

 Avinox Charger, 4 A

 Shimano Deore, LG, RD-M7230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Tektro Orion M6041, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

 Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Nobby Nic, 62-584, 27.5x2.40, tubeless ready
Schwalbe Nobby Nic, 62-622, 29x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.999	CHF 3.999	PLN 16.999	CZK 99.990
------------	-----------	------------	------------

Artikelnummer / Item#

flare sagegreen

2102720230	S	27.5"
2102720250	M	
2102720270	L	
2102720290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Raymon factor: Ready to Ride



Draufsetzen, wohlfühlen, losfahren. Ohne Setup-Marathon.

Du willst fahren und nicht stundenlang Einstellungen vergleichen. Deshalb setzt das DUROK auf 150 mm Federweg mit einer ausgewogenen Abstimmung: sensibel bei kleinen Schlägen, mit ausreichend Reserven für anspruchsvolle Trails und gleichzeitig effizient genug für aktives Fahren.

Jump on, feel good, and ride. No marathon setup sessions.

You want to ride, not spend hours comparing settings. That's why the DUROK features 150 mm of travel with a balanced tune: sensitive to small bumps, with enough reserves for demanding trails, yet efficient enough for active riding.



Die DUROK Garantie

Das DUROK ist eine komplette Neuentwicklung mit einer klaren Philosophie: ein echtes Real-World-Bike ohne unnötige Komplexität. Von der durchdachten Kabelverlegung bis zu den einfach zugänglichen Lagern wurde jedes Detail auf Langlebigkeit und Wartungsfreundlichkeit ausgelegt.

The DUROK warranty

The DUROK is a completely new design with a clear philosophy: a genuine real-world bike free from unnecessary complexity. From the well-thought-out cable routing to the easily accessible bearings, every detail has been engineered for durability and ease of maintenance.



Grip-Monster in Serie

Die Reifenwahl folgt konsequent dem Anspruch an Traktion und Haltbarkeit. Statt ultraleichter XC-Reifen kommen robuste Modelle mit stabiler Karkasse und viel Grip zum Einsatz.

Egal ob nasser Waldboden, lose Steine oder Bikepark-Lines – diese Reifen sind bereit

Stock Grip Monsters

The choice of tires prioritizes traction and durability above all else. Instead of ultra-light XC tires, the bikes are fitted with robust models featuring sturdy casings and high levels of grip.

Whether it's wet forest trails, loose rocks, or bike park lines – these tires are ready for the challenge.

RAVOR

Tech Facts

- glatt verschweißter Aluminiumrahmen
 - Yamaha PW-X4 mit 100 Nm
 - entnehmbare 840 Wh Batterie
 - wendige Mullet Laufräder
 - 150 mm Federweg vorne und hinten
 - neueste TrueSize Rahmengeometrie
-
- smooth welded aluminium frames
 - powerful Avinox M2S with 150 Nm
 - removable 840 Wh battery
 - agile mullet wheels
 - supple 150 mm travel front and rear
 - latest TrueSize frame geometry

Ravor Pro

OFFROAD



under development

29/27.5", Alloy 6061, removable battery, boost, 150 mm

RockShox Psylo Gold RC, air, 150 mm, tapered

RockShox Deluxe Select, air, 230x57,5 mm

Yamaha PW-X4, 250/800 W, 100 Nm

Yamaha Link, 840 Wh, 48 V

Yamaha Link Integrated Display
Yamaha Link Remote

Yamaha Link Charger, 4 A

Sram S1000 Eagle Transmission AXS, 12-S

Sram AXS Pod Controller

Sram XS-1270, 10-52T

Sram GX Eagle Transmission Flattop

Raymon FC53 PRO, forged alloy, ISIS
Sram Eagle Transmission XX, 36T

Magura Luise Elite, 4-piston, hydr. disc brake

Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

Schwalbe Albert Evo, Trail Pro, Ultra Soft, 63-622, 29x2.50
tubeless ready
Schwalbe Albert Evo, Trail Pro, Soft, 63-584, 27.5x2.50
tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130

24,8

*EUR 5.499	CHF 5.499	PLN 23.399	CZK 136.900
------------	-----------	------------	-------------

Artikelnummer / Item#

rubyred

2102602230	S
2102602250	M
2102602270	L
2102602290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ravor Comp

OFFROAD



under development

 29/27.5", Alloy 6061, removable battery, boost, 150 mm

 RockShox Psylo Gold RC, air, 150 mm, tapered

 RockShox Deluxe Select, air, 230x57,5 mm

 Yamaha PW-X4, 250/800 W, 100 Nm

 Yamaha Link, 840 Wh, 48 V

 Yamaha Link Integrated Display
Yamaha Link Remote

 Yamaha Link Charger, 4 A

 Shimano Deore, RD-M6100, Shadow Plus, 12-S

 Shimano Deore, SL-M6100, Rapidfire Plus

 Shimano CS-M6100, 10-51T

 Shimano CN-M6100

 Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

 Schwalbe Nobby Nic Perf, 62-622, 29x2.40
tubeless ready
Schwalbe Nobby Nic Perf, 65-584, 27.5x2.60
tubeless ready

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0 °, Ahead

 Raymon 143 VM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,6



*EUR 4.999

CHF 4.999

PLN 20.999

CZK 124.900

Artikelnummer / Item#

floridplum

2102602130

S

2102602150

M

2102602170

L

2102602190

XL

darksilver marble

2102602030

S

2102602050

M

2102602070

L

2102602090

XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ravor Pure

OFFROAD



under development

29/27.5", Alloy 6061, removable battery, boost, 150 mm

SR Suntour XCR36X R, air, 150 mm, tapered

SR Suntour Raidon R, air, 230x57,5 mm

Yamaha PW-S3, 250/750 W, 85 Nm

Yamaha Link Integrated Display
Yamaha Link Remote

Yamaha Link, 840 Wh, 48 V

Yamaha Link Charger, 4 A

Shimano Cues, RD-U6000, Shadow, 10-S

Shimano Cues, SL-U6000, Rapidfire Plus

Shimano CS-LG300, 11-48T

Shimano CN-LG500

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 36T

Tektro Gemini SL, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

Schwalbe Nobby Nic Perf, ADDIX, 62-622, 29x2.40,
Tubeless ready
Schwalbe Nobby Nic Perf, ADDIX, 62-584, 27.5x2.35,
Tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130 kg

26,1 kg

*EUR 4.299	CHF 4.299	PLN 18.399	CZK 106.900
------------	-----------	------------	-------------

Artikelnummer / Item#

resedagreen

2102601930	S
2102601950	M
2102601970	L
2102601990	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.



AIROK

Tech Facts

- Ultra Ausstattung unter 19 kg
- leichter HSC Carbon-Rahmen, nur 2,5 kg
- Bosch SX Motor, max. 600 W, 60 Nm
- entnehmbare 400 Wh Batterie
- RangeExtender optional
- rege 150 mm Federweg
- agile 29er Laufräder
- exzellentes Gewicht/Leistungsverhältnis

- Ultra level below 19 kg
- light HSC Carbon frame 2.9 kg
- Bosch SX Motor, max. 600 W, 60 Nm
- removable 400 Wh battery
- RangeExtender optional
- nimble 150 mm travel
- agile 29er wheels
- excellent weight/performance ratio



BOSCH

Airok Ultra

OFFROAD



under development

-  29", Carbon HSC Composite, removable battery, boost, 150 mm
-  RockShox Lyrik Ultimate, air, 150 mm, tapered
-  RockShox Deluxe Ultimate, air, 205x65 mm
-  Bosch Performance Line SX, 250/600 W, 60 Nm
-  Bosch CompactTube, 400 Wh, 36 V
-  Bosch Purion 400, Bluetooth
-  Bosch Mini Remote, Bluetooth
-  Bosch Charger, 4 A
-  Shimano XTR Di2, RD-M9250, 12-S
-  Shimano XTR, SW-M9250, shift switch
-  Shimano CS-M9200, 10-51T
-  Shimano Deore XT, CN-M8100
-  Raymon FC01 SL, Carbon C7, BIS
-  Raymon, Narrow Wide, 34T
-  Shimano XTR, BR-M9220, 4-piston, hydr. disc brake
-  Shimano RT-CL900, 203 mm, Center Lock
-  Shimano RT-CL900, 203 mm, Center Lock
-  FSA SC i30, Tubeless ready, Center Lock, 15x110/12x148mm
-  Continental Kryptotal-F, Trail, Soft, 60x622, 29x2.40, Tubeless ready
-  Continental Kryptotal-R, Trail, Endurance, 60x622, 29x2.40, Tubeless ready
-  FSA Gradient Carbon Riser; Lenkerbreite: 800 mm, Rise: 30 mm
-  FSA Comet OS; Länge: 35 mm
-  Raymon 143 VM Fit
-  Raymon, SL, 31,6 mm, Dropper Post
-  Raymon, Aluminium
-  IC44, compatible
-  130 kg
-  18,2 kg

*EUR 8.299	CHF 8.299	PLN 35.399	CZK 206.900
------------	-----------	------------	-------------

Artikelnummer / Item#

steelblue / chrome

2102600430	S
2102600450	M
2102600470	L
2102600490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Airok Pro

OFFROAD



under development

29", Carbon HSC Composite, removable battery, boost, 150 mm

RockShox Lyrik Select+, air, 150 mm, tapered

RockShox Deluxe Select+, air, 205x65 mm

Bosch Performance Line SX, 250/600 W, 60 Nm

Bosch CompactTube, 400 Wh, 36 V

Bosch Purion 400, Bluetooth
Bosch Mini Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore XT Di2, RD-M8260, 12-S

Shimano Deore XT, SW-M8250, shift switch

Shimano CS-M8200, 10-51T

Shimano Deore XT, CN-M8100

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 34T

Shimano Deore XT, BR-M8220, 4-piston, hydr. disc brake

Shimano RT-CL800, 203 mm, Center Lock
Shimano RT-CL800, 203 mm, Center Lock

DT Swiss H 1900 Spline LS, Tubeless ready, Center Lock,
15x110/12x148mm

Continental Kryptotal-F, Trail, Soft, 60x622, 29x2.40, Tubeless ready
Continental Kryptotal-R, Trail, Endurance, 60x622, 29x2.40, Tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, SL, 31,6 mm, Dropper Post

Raymon, Aluminium

IC44, compatible

130 kg

19,2 kg

*EUR 6.799

CHF 6.799

PLN 31.699

CZK 169.000

Artikelnummer / Item#

pipegrey / black


2102600330	S
2102600350	M
2102600370	L
2102600390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Airok Comp

OFFROAD



under development

-  29", Carbon HSC Composite, removable battery, boost, 150 mm
-  RockShox Psylo Silver RC, air, 150 mm, tapered
-  RockShox Deluxe Select, air, 205x65 mm
-  Bosch Performance Line SX, 250/600 W, 60 Nm
-  Bosch CompactTube, 400 Wh, 36 V
-  Bosch Purion 400, Bluetooth
Bosch Mini Remote, Bluetooth
-  Bosch Charger, 4 A
-  Shimano Deore, RD-M6100, Shadow Plus, 12-S
-  Shimano Deore, SL-M6100, Rapidfire Plus
-  Shimano CS-M6100, 10-51T
-  Shimano CN-M6100
-  FSA CK-747, forged alloy, BIS
Raymon, Narrow Wide, 34T
-  Tektro Gemini SL, 4-piston, hydr. disc brake
-  Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt
-  Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm
-  Schwalbe Nobby Nic Perf, ADDIX, 62-622, 29x2.40, Tubeless ready
-  Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 35, 0 °, Ahead
-  Raymon 143 VM Fit
-  Raymon, 31,6 mm, Dropper Post
-  Raymon, Aluminium
-  IC44, compatible
-  130 kg
-  20,1 kg

*EUR 5.499	CHF 5.499	PLN 23.499	CZK 137.000
------------	-----------	------------	-------------

Artikelnummer / Item#

floridplum / sulfur

2102600230	S
2102600250	M
2102600270	L
2102600290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Airok Comp

OFFROAD



under development

29", Carbon HSC Composite, removable battery, boost, 150 mm

RockShox Psylo Silver RC, air, 150 mm, tapered

RockShox Deluxe Select, air, 205x65 mm

Bosch Performance Line SX, 250/600 W, 60 Nm

Bosch CompactTube, 400 Wh, 36 V

Bosch Purion 400, Bluetooth
Bosch Mini Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore, RD-M6100, Shadow Plus, 12-S

Shimano Deore, SL-M6100, Rapidfire Plus

Shimano CS-M6100, 10-51T

Shimano CN-M6100

FSA CK-747, forged alloy, BIS
Raymon, Narrow Wide, 34T

Tektro Gemini SL, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm

Schwalbe Nobby Nic Perf, ADDIX, 62-622, 29x2.40, Tubeless ready

Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

Raymon 35, 0 °, Ahead

Raymon 143 VM Fit

Raymon, 31,6 mm, Dropper Post

Raymon, Aluminium

IC44, compatible

130 kg

20,1 kg

*EUR 5.499	CHF 5.499	PLN 23.499	CZK 137.000
------------	-----------	------------	-------------

Artikelnummer / Item#

kurkuma / brown

2102602530	S
2102602550	M
2102602570	L
2102602590	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Airok Pure

OFFROAD



under development

- 29", Carbon HSC Composite, removable battery, boost, 150 mm
- SR Suntour XCR36X R, air, 150 mm, tapered
- SR Suntour EdgeX R, air, 205x65 mm
- Bosch Performance Line SX, 250/600 W, 60 Nm
- Bosch CompactTube, 400 Wh, 36 V
- Bosch Mini Remote, Bluetooth
- Bosch Charger, 4 A
- Shimano Cues, RD-U6000, Shadow, 10-S
- Shimano Cues, SL-U6000, Rapidfire Plus
- Shimano CS-LG300, 11-48T
- Shimano CN-LG500
- FSA CK-747, forged alloy, BIS Raymon, Narrow Wide, 34T
- Tektro Gemini SL, 4-piston, hydr. disc brake
- Tektro TR54, 203 mm, 6-bolt
- Tektro TR54, 203 mm, 6-bolt
- Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm
- Schwalbe Nobby Nic Perf, ADDIX, 62-622, 29x2.40, Tubeless ready
- Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm
- Raymon 35, 0 °, Ahead
- Raymon 143 VM Fit
- Raymon, 31,6 mm, Dropper Post
- Raymon, Aluminium
- IC44, compatible
- 130 kg
- 20,5 kg

*EUR 4.999	CHF 4.999	PLN 21.299	CZK 124.500
------------	-----------	------------	-------------

Artikelnummer / Item#

star white / brushed black

2102600130	S
2102600150	M
2102600170	L
2102600190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

KORAK

Tech Facts

- smooth welded AL61-T6 Alloy Rahmen
- bewährtes Bosch Smart System
- entnehmbare 800 Wh Batterie
- optionaler RangeExtender
- agile 29er Laufräder
- rege 140 mm Federweg vorne und hinten
- neueste TrueSize Rahmengemetrie

- smooth welded AL61-T6 Alloy frame
- established Bosch Smart system
- removable 800 Wh battery
- RangeExtender ready
- agile 29er wheels
- 140 mm travel front and rear
- latest TrueSize frame geometry

Your everyday adventures begins here.

Du willst raus. Frische Luft, Waldgeruch, Schotter unter den Reifen – das echte Leben spüren. Nicht irgendwann. Sondern jetzt. Vielleicht nach der Arbeit. Vielleicht am Samstagvormittag, wenn alle noch schlafen. Vielleicht einfach, weil du kurz raus willst. Raus aus dem Kopf. Rauf auf's Bike.

Genau dafür gibt's das Korak. 140 mm Federweg vorn wie hinten sind perfekt für deine Feierabendrunde, den Wochenend-Ausflug oder einfach mal über den Feldweg statt durch die Stadt. Das Korak nimmt dir ab, was dich sonst bremst und bringt dich genau dahin, wo du am liebsten bist: Raus ins Leben.

You want to get out. Fresh air, the smell of the forest, gravel under your tires - feel real life. Not at some point. But now. Maybe after work. Maybe on a Saturday morning when everyone is still asleep. Maybe just because you want to get out for a moment. Get out of your head. Get on your bike.

That's exactly what the Korak is for. 140 mm front and rear suspension travel are perfect for your after-work ride, a weekend excursion or simply a ride along a country lane instead of through the city. The Korak takes over what would otherwise slow you down and takes you exactly where you want to be: out into life.

Your everyday adventures begin here.

Korak Ultra

OFFROAD



120
Nm
max. Torque

under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Lyrik Base, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 400, Bluetooth
Bosch LED Controller

 Bosch Charger, 4 A

 Shimano Deore XT Di2, RD-M8260, 12-S

 Shimano Deore Di2, SW-M6250, shift switch

 Shimano Deore, CS-M6200, 10-51T

 Shimano CN-M6100

 Raymon FC02, forged alloy, BISIS
FSA, MegaTooth SH12, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Hans Damp Evo, ADDIX, 60-622, 29x2.35, tubeless ready

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25

*EUR 5.999

CHF 5.999

PLN 25.499

CZK 149.990

Artikelnummer / Item#

micablack/chrome

2102701530	S
2102701550	M
2102701570	L
2102701590	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Korak Pro

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Psylo Silver RC, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 400, Bluetooth
Bosch LED Controller

 Bosch Charger, 4 A

 Shimano Deore, RD-M6200, 12-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Deore, CS-M6200, 10-51T

 Shimano CN-M6100

 Raymon FC02, forged alloy, BISIS
FSA, MegaTooth SH12, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Hans Damp Perf, ADDIX, 60-622, 29x2.35

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,7

*EUR 5.299

CHF 5.299

PLN 22.499

CZK 132.490

Artikelnummer / Item#

pipegrey/black

2102701430	S
2102701450	M
2102701470	L
2102701490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Korak Pro

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Psylo Silver RC, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 400, Bluetooth
Bosch LED Controller

 Bosch Charger, 4 A

 Shimano Deore, RD-M6200, 12-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Deore, CS-M6200, 10-51T

 Shimano CN-M6100

 Raymon FC02, forged alloy, BISIS
FSA, MegaTooth SH12, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 203 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR23/DT210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Hans Damp Perf, ADDIX, 60-622, 29x2.35

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 25,7

*EUR 5.299

CHF 5.299

PLN 22.499

CZK 132.490

Artikelnummer / Item#

pepperwhite/copper

2102701330	S
2102701350	M
2102701370	L
2102701390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Korak Comp

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Recon Silver LC, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 200, Bluetooth integrated in display

 Bosch Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano CS-LG300, 11-48T

 KMC eGlide

 FSA CK-747, forged alloy, BISIS
FSA, MegaTooth A, 36T

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

 Raymon VR23/DA210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Nobby Nic Perf, 62-622, 29x2.40

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 26,3

*EUR 4.799	CHF 4.799	PLN 19.999	CZK 119.990
------------	-----------	------------	-------------

Artikelnummer / Item#

black/sportblue

2102700030	S
2102700050	M
2102700070	L
2102700090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Korak Comp

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Recon Silver LC, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 200, Bluetooth integrated in display

 Bosch Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano CS-LG300, 11-48T

 KMC eGlide

 FSA CK-747, forged alloy, BISIS
FSA, MegaTooth A, 36T

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

 Raymon VR23/DA210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Nobby Nic Perf, 62-622, 29x2.40

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130

 26,3

*EUR 4.799

CHF 4.799

PLN 19.999

CZK 119.990

Artikelnummer / Item#

heatherlilac


2102700230	S
2102700250	M
2102700270	L
2102700290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Korak Comp Street

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 140 mm

 RockShox Recon Silver LC, air, 140 mm, tapered

 RockShox Deluxe Select, air, 205x60 mm

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Purion 200, Bluetooth integrated in display

 Bosch Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano CS-LG300, 11-48T

 KMC eGlide

 FSA CK-747, forged alloy, BISIS
FSA, MegaTooth A, 36T

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 203 mm, 6-bolt

 Raymon VR23/DA210, 6-bolt, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 60-622, 29x2.35

 Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 35, 0°, Ahead

 Raymon 150 VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 4.999

CHF 4.999

PLN 21.299

CZK 124.990

Artikelnummer / Item#

toffeebrown

2102700430	S
2102700450	M
2102700470	L
2102700490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

RIDOK

Tech Facts

- AL61-T6 Rahmen mit geglätteten Schweißnähten
- Panasonic Motoren mit bis zu 115 Nm
- 29" und 27" Version
- 130 mm Federweg
- aktiver 4-Gelenk Hinterbau
- integrierte Kabelführung
- State of the art Bike Geometrie

- AL61-T6 Frame with smoothed weld seams
- Panasonic drive units with up to 85 Nm
- 29" and 27" versions
- up to 130 mm travel
- activ 4-bar-linkage
- Integrated cable routing
- state-of-the-art bike geometry

Panasonic®

Pure Cross-Country Vibes.

Mhm, es riecht nach Tanne. Vor dir schlängelt sich der Weg durch den Wald. Du drückst aufs Pedal und fühlst, wie das Ridok auf dich reagiert. Leise summt es an deinen Füßen und die Panasonic-Power setzt geschmeidig ein. Du spürst den Boden unter dir, genießt die ehrliche Fahrt.

Vor dir taucht ein Anstieg auf. Easy - du schaltest einen Gang runter und dein Ridok zieht dich mühelos hoch. Egal, welches Terrain kommt, du weißt: Du wirst es erobern.

Mmm, it smells of fir. The path winds through the forest in front of you. You press the pedal and feel how the Ridok responds to you. It hums softly at your feet and the Panasonic power kicks in smoothly. You feel the ground beneath you and enjoy the honest ride.

A climb appears in front of you. Easy - you shift down a gear and your Ridok pulls you up effortlessly. Whatever the terrain, you know you will conquer it.

Ridok Ultra

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 130 mm

 FOX Float 34 Rhythm, Grip, air, 130 mm, tapered

 FOX Float Rhythm, air, 210x47,5 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth integrated in display

 GW Charger, 4 A

 Shimano Deore XT, LG, RD-M8230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Magura Luise Elite, 4-piston, hydr. disc brake

 Magura MDR-S, 180 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt

 Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

 29": Continental Magnotail Trail, Soft, 60-622, 29x2.40, tubeless ready
27.5": Continental Magnotail Trail, Soft, 60-584, 27.5x2.40, tubeless ready

 Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 145 HM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 4.499

CHF 4.499

PLN 18.999

CZK 112.490

Artikelnummer / Item#

galaxygrey

2102734030	S	27.5"
2102734050	M	
2102734070	L	
2102734090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Ultra

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding, 130 mm
-  FOX Float 34 Rhythm, Grip, air, 130 mm, tapered
-  FOX Float Rhythm, air, 210x47,5 mm
-  Panasonic GXMmg, 250/700 W, 115 Nm
-  GW 800 Wh, 36 V
-  Panasonic Remote 801, Bluetooth integrated in display
-  GW Charger, 4 A
-  Shimano Deore XT, LG, RD-M8230, 11-S
-  Shimano Deore, SL-M6230, Rapidfire Plus
-  Shimano Cues, CS-LG400, 11-50T
-  KMC eGlide
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T
-  Magura Luise Elite, 4-piston, hydr. disc brake
-  Magura MDR-S, 180 mm, 6-bolt
Magura MDR-S, 203 mm, 6-bolt
-  Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible
-  29": Continental Magnotal Trail, Soft, 60-622, 29x2.40, tubeless ready
27.5": Continental Magnotal Trail, Soft, 60-584, 27.5x2.40, tubeless ready
-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 145 HM Fit
-  Raymon, 34,9 mm, Dropper Post
-  Raymon, thermoplastic
-  IC44, compatible
-  130
- 

*EUR 4.499

CHF 4.499

PLN 18.999

CZK 112.490

Artikelnummer / Item#

smokeblue

2102734230	S	27.5"
2102734250	M	
2102734270	L	
2102734290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Pro

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 130 mm

 RockShox Recon Silver RC, air, 130 mm, tapered

 RockShox Deluxe, air, 210x47,5 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth integrated in display

 GW Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-48T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35

 Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 145 HM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.699	CHF 3.699	PLN 15.799	CZK 92.490
------------	-----------	------------	------------

Artikelnummer / Item#

northgrey

2102732030	S	27.5"
2102732050	M	
2102732070	L	
2102732090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Pro

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 130 mm

 RockShox Recon Silver RC, air, 130 mm, tapered

 RockShox Deluxe, air, 210x47,5 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth integrated in display

 GW Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-48T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35

 Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 145 HM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.699

CHF 3.699

PLN 15.799

CZK 92.490

Artikelnummer / Item#

grey marble

2102732230	S	27.5"
2102732250	M	
2102732270	L	
2102732290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Pro Street

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 130 mm

 RockShox Recon Silver RC, air, 130 mm, tapered

 RockShox Deluxe, air, 210x47,5 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth integrated in display

 GW Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-48T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

 Tektro HD-M5141, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

 29": Schwalbe Advancer Hybrid, Reflex, 60-622, 29x2.35
27.5": Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

 Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 31,8, Ahead

 Raymon 145 HM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.899

CHF 3.899

PLN 16.599

CZK 97.490

Artikelnummer / Item#

oceanblue

2102733030	S	27.5"
2102733050	M	
2102733070	L	
2102733090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Comp

OFFROAD



under development

AL61-T6 Aluminium, seamless welding, 130 mm

SR Suntour XCR34X R, air, 130 mm, tapered

SR Suntour Raidon R, air, 210x47,5 mm

Panasonic GXM, 250/700 W, 105 Nm

GW 720 Wh, 36 V

Panasonic Remote 801, Bluetooth integrated in display

GW Charger, 4 A

Shimano Cues, LG, RD-U4000, 9-S

Shimano Cues, SL-U4001, Rapidfire Plus

Shimano Cues, CS-LG300, 11-46T

KMC eGlide

Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR52, 203 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35

Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

Raymon 35, ICS, 0°, Ahead

Raymon 145 HM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130

*EUR 3.299	CHF 3.299	PLN 13.999	CZK 82.490
------------	-----------	------------	------------

Artikelnummer / Item#

moonblack

2102730030	S	27.5"
2102730050	M	
2102730070	L	
2102730090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Comp

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding, 130 mm

 SR Suntour XCR34X R, air, 130 mm, tapered

 SR Suntour Raidon R, air, 210x47,5 mm

 Panasonic GXM, 250/700 W, 105 Nm

 GW 720 Wh, 36 V

 Panasonic Remote 801, Bluetooth integrated in display

 GW Charger, 4 A

 Shimano Cues, LG, RD-U4000, 9-S

 Shimano Cues, SL-U4001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-46T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T

 Tektro HD-M3121, 2-piston, hydr. disc brake

 Tektro TR52, 203 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

 Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35

 Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

 Raymon 35, ICS, 0°, Ahead

 Raymon 145 HM Fit

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130



*EUR 3.299

CHF 3.299

PLN 13.999

CZK 82.490

Artikelnummer / Item#

pink grapefruit

2102730230	S	27.5"
2102730250	M	
2102730270	L	
2102730290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Ridok Comp Street

OFFROAD



under development

AL61-T6 Aluminium, seamless welding, 130 mm

SR Suntour XCR34X R, air, 130 mm, tapered

SR Suntour Raidon R, air, 210x47,5 mm

Panasonic GXM, 250/700 W, 105 Nm

GW 720 Wh, 36 V

Panasonic Remote 801, Bluetooth integrated in display

GW Charger, 4 A

Shimano Cues, LG, RD-U4000, 9-S

Shimano Cues, SL-U4001, Rapidfire Plus

Shimano Cues, CS-LG300, 11-46T

KMC eGlide

Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR52, 203 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible

29": Schwalbe Advancer Hybrid, Reflex, 60-622, 29x2.35
27.5": Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

Raymon 31,8, Ahead

Raymon 145 HM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

IC44, compatible

130



*EUR 3.499	CHF 3.499	PLN 14.899	CZK 87.490
------------	-----------	------------	------------

Artikelnummer / Item#

anthracite stealth

2102731030	S	27.5"
2102731050	M	
2102731070	L	
2102731090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

ZOROQ

Tech Facts

- AL61-T6 Rahmen mit geglätteten Schweißnähten
- Avinox, Panasonic und Oli Antriebsoptionen
- leistungsstarke Batterie mit bis zu 800 Wh
- 27.5 size S / 29 size M/L/XL
- 120 mm Federweg
- Seitenständer/Schutzbleche/Gepäckträger nachrüstbar
- Steckachse vorne und hinten

- AL61-T6 Frame with smoothed weld seams
- Avinox, Panasonic and Oli drive unit options
- powerful battery with up to 800 Wh
- 27.5 size S / 29 size M/L/XL
- 120 mm Travel
- retrofittable for Kickstand/Fender/Carrier
- Through Axle front and rear

AVINOX

Panasonic®

 **OLI** - eBike Systems

Zorq Elite

OFFROAD



under development

AL61-T6 Aluminium, hydroformed, seamless welding

29": RockShox Recon Gold RL, air, 120 mm, tapered
27.5": RockShox Recon Gold RL, air, 100 mm, tapered

-

Avinox M2S, 250/1500W, 150 Nm

Avinox RS800, 800 Wh, 36 V

Avinox DP100, LTE, Bluetooth, ANT+
Avinox BC100, double

Avinox Charger, 4 A

Shimano Deore XT, LG, RD-M8230, 11-S

Shimano Deore, SL-M6230, Rapidfire Plus

Shimano Cues, CS-LG400, 11-50T

Shimano CN-LG500

Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

Magura Luise Elite, 4-piston, hydr. disc brake

Magura MDR-S 2.5, 203 mm, 6-bolt
Magura MDR-S 2.5, WSS, 203 mm, 6-bolt

Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible

29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35

Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm

Raymon 35, ICS, 0°, Ahead

Raymon 145 HM Fit

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

KSA40, compatible

130

*EUR 4.299	CHF 4.299	PLN 18.299	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer / Item#

galaxygrey

2102745030	S	27.5"
2102745050	M	
2102745070	L	
2102745090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Ultimate

OFFROAD



under development

- AL61-T6 Aluminium, hydroformed, seamless welding
- 29": SR Suntour MAG32 Boost LO, air, 120 mm, tapered
- 27.5": SR Suntour MAG32 Boost LO, air, 100 mm, tapered
-

Avinox M2, 250/1100W, 125Nm

Avinox RS800, 800 Wh, 36 V

Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

Avinox Charger, 4 A

- Shimano Cues, LG, RD-U6000, 10-S
- Shimano Cues, SL-U6001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-48T
- Shimano CN-LG500
- Raymon FC58, forged alloy, ISIS
- Raymon, Narrow Wide, 36T, CG

- Tektro HD-M5141, 4-piston, hydr. disc brake
- Tektro TR54, 180 mm, 6-bolt
- Tektro TR54, 180 mm, 6-bolt
- Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
- 27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 3.799	CHF 3.799	PLN 16.199	CZK 94.990
------------	-----------	------------	------------

Artikelnummer / Item#

stormwhite


2102744230	S	27.5"
2102744250	M	
2102744270	L	
2102744290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Ultimate

OFFROAD



under development

- AL61-T6 Aluminium, hydroformed, seamless welding
- 29": SR Suntour MAG32 Boost LO, air, 120 mm, tapered
- 27.5": SR Suntour MAG32 Boost LO, air, 100 mm, tapered
-

Avinox M2, 250/1100W, 125Nm

Avinox RS800, 800 Wh, 36 V

Avinox DPC100, Bluetooth, Apple Find My
Avinox BC100, double

Avinox Charger, 4 A

- Shimano Cues, LG, RD-U6000, 10-S
- Shimano Cues, SL-U6001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-48T
- Shimano CN-LG500
- Raymon FC58, forged alloy, ISIS
- Raymon, Narrow Wide, 36T, CG

- Tektro HD-M5141, 4-piston, hydr. disc brake
- Tektro TR54, 180 mm, 6-bolt
- Tektro TR54, 180 mm, 6-bolt
- Raymon VR33/DE207, 15x110/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
- 27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 3.799	CHF 3.799	PLN 16.199	CZK 94.990
------------	-----------	------------	------------

Artikelnummer / Item#

floridplum

2102744030	S	27.5"
2102744050	M	
2102744070	L	
2102744090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Ultra

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": RockShox Judy Silver TK, air, 120 mm, tapered
27.5": RockShox Judy Silver TK, air, 100 mm, tapered
-

Panasonic GXMmg, 250/700 W, 115 Nm

GW 800 Wh, 36 V

Panasonic Remote 801, Bluetooth integrated in display

GW Charger, 4 A

- Shimano Cues, LG, RD-U6000, 11-S
- Shimano Cues, SL-U6001, Rapidfire Plus
- Shimano Cues, CS-LG400, 11-50T
- KMC eGlide
- Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

- Tektro HD-M3121, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 3.299	CHF 3.299	PLN 13.999	CZK 82.490
------------	-----------	------------	------------

Artikelnummer / Item#

black/galaxy

2102743030	S	27.5"
2102743050	M	
2102743070	L	
2102743090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Ultra

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": RockShox Judy Silver TK, air, 120 mm, tapered
27.5": RockShox Judy Silver TK, air, 100 mm, tapered
-

Panasonic GXMmg, 250/700 W, 115 Nm

GW 800 Wh, 36 V

Panasonic Remote 801, Bluetooth integrated in display

GW Charger, 4 A

- Shimano Cues, LG, RD-U6000, 11-S
- Shimano Cues, SL-U6001, Rapidfire Plus
- Shimano Cues, CS-LG400, 11-50T
- KMC eGlide
- Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

- Tektro HD-M3121, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- KSA40, compatible
- 130

*EUR 3.299	CHF 3.299	PLN 13.999	CZK 82.490
------------	-----------	------------	------------

Artikelnummer / Item#

flare sagegreen

2102743230	S	27.5"
2102743250	M	
2102743270	L	
2102743290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Pro

OFFROAD



under development



AL61-T6 Aluminium, seamless welding



29": SR Suntour MAG32 Boost LO, air, 120 mm, tapered
27.5": SR Suntour MAG32 Boost LO, air, 100 mm, tapered



-



Panasonic GXMmg, 250/700 W, 115 Nm



GW 800 Wh, 36 V



Panasonic Remote 801, Bluetooth integrated in display



GW Charger, 4 A



Shimano Cues, LG, RD-U6000, 10-S



Shimano Cues, SL-U6001, Rapidfire Plus



Shimano Cues, CS-LG300, 11-48T



KMC eGlide



Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG



Tektro HD-M3121, 2-piston, hydr. disc brake



Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt



Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible



29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35



Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm



Raymon 35, ICS, 0°, Ahead



Raymon 145 HM Fit



Raymon, 34,9 mm



Raymon, thermoplastic



KSA40, compatible



130



*EUR	2.999	CHF	2.999	PLN	12.799	CZK	74.990
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

micablack stealth

2102742030	S	27.5"
2102742050	M	
2102742070	L	
2102742090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Pro

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": SR Suntour MAG32 Boost LO, air, 120 mm, tapered
27.5": SR Suntour MAG32 Boost LO, air, 100 mm, tapered
-

Panasonic GXMmg, 250/700 W, 115 Nm

GW 800 Wh, 36 V

Panasonic Remote 801, Bluetooth integrated in display

GW Charger, 4 A

- Shimano Cues, LG, RD-U6000, 10-S
- Shimano Cues, SL-U6001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-48T
- KMC eGlide
- Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

- Tektro HD-M3121, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR33/DA210 15x110/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 2.999	CHF 2.999	PLN 12.799	CZK 74.990
------------	-----------	------------	------------

Artikelnummer / Item#

heatherlilac

2102742230	S	27.5"
2102742250	M	
2102742270	L	
2102742290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Comp

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": SR Suntour XCM32, coil, 120 mm, tapered
- 27.5" SR Suntour XCM32, coil, 100 mm, tapered
-

- Panasonic GXM, 250/700 W, 105 Nm
- GW 720 Wh, 36 V
- Panasonic Remote 801, Bluetooth integrated in display
- GW Charger, 4 A

- Shimano Cues, LG, RD-U4000, 9-S
- Shimano Cues, SL-U4001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-46T
- KMC eGlide
- Raymon FC58, forged alloy, ISIS
- Raymon, Narrow Wide, 36T, CG

- Tektro HD-M3121, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
- Tektro TR52, 180 mm, 6-bolt
- Raymon VR33/DA210 5x100/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
- 27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7°, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 2.699	CHF 2.699	PLN 11.499	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

ultramarine blue

2102741030	S	27.5"
2102741050	M	
2102741070	L	
2102741090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Comp

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": SR Suntour XCM32, coil, 120 mm, tapered
27.5" SR Suntour XCM32, coil, 100 mm, tapered
-

- Panasonic GXM, 250/700 W, 105 Nm
- GW 720 Wh, 36 V
- Panasonic Remote 801, Bluetooth integrated in display
- GW Charger, 4 A

- Shimano Cues, LG, RD-U4000, 9-S
- Shimano Cues, SL-U4001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-46T
- KMC eGlide
- Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 36T, CG

- Tektro HD-M3121, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR33/DA210 5x100/12x148 mm, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
- Raymon 35, ICS, 0°, Ahead
- Raymon 145 HM Fit
- Raymon, 34,9 mm
- Raymon, thermoplastic
- KSA40, compatible
- 130
-

*EUR 2.699	CHF 2.699	PLN 11.499	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

titansilver

2102741230	S	27.5"
2102741250	M	
2102741270	L	
2102741290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Pure

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": SR Suntour XCM32, coil, 120 mm, tapered
27.5": SR Suntour XCM32, coil, 100 mm, tapered
-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D900, bluetooth
Oli Remote K31

PH Charger, 2 A

- Shimano Essa, RD-U2000, 8-S
- Shimano SL-M315, Rapidfire Plus
- Shimano CS-HG300-8, 11-45T
- KMC e8S
- Raymon FC05, forged alloy, JIS
Raymon, Narrow Wide, 38T, CG

- Tektro HD-M3120, 2-piston, hydr. disc brake
- Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock
- Raymon X25/DN622/KRA210, 9x100/12x148, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 31,8 mm, Sweep: 9°, Rise: 20 mm
- Raymon 31,8, 5°, Ahead
- Raymon 145 HM Fit
- Raymon, 31,6 mm
- Raymon, thermoplastic
- KSA40, compatible
- 130

*EUR 1.999	CHF 1.999	PLN 8.499	CZK 49.990
------------	-----------	-----------	------------

Artikelnummer / Item#

grey marble

2102740030	S	27.5"
2102740050	M	
2102740070	L	
2102740090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Pure

OFFROAD



under development

- AL61-T6 Aluminium, seamless welding
- 29": SR Suntour XCM32, coil, 120 mm, tapered
- 27.5": SR Suntour XCM32, coil, 100 mm, tapered
-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D900, bluetooth
Oli Remote K31

PH Charger, 2 A

- Shimano Essa, RD-U2000, 8-S
- Shimano SL-M315, Rapidfire Plus
- Shimano CS-HG300-8, 11-45T
- KMC e8S
- Raymon FC05, forged alloy, JIS
- Raymon, Narrow Wide, 38T, CG

- Tektro HD-M3120, 2-piston, hydr. disc brake
- Tektro TR35A, 180 mm, Center Lock
- Tektro TR35A, 180 mm, Center Lock
- Raymon X25/DN622/KRA210, 9x100/12x148, tubeless compatible
- 29": Schwalbe Smart Sam, 60-622, 29x2.35
- 27.5": Schwalbe Smart Sam, 60-584, 27.5x2.35
- Raymon Riser 31,8 mm, Sweep: 9°, Rise: 20 mm
- Raymon 31,8, 5°, Ahead
- Raymon 145 HM Fit
- Raymon, 31,6 mm
- Raymon, thermoplastic
- KSA40, compatible
- 130

*EUR 1.999	CHF 1.999	PLN 8.499	CZK 49.990
------------	-----------	-----------	------------

Artikelnummer / Item#

kurkuma

2102740230	S	27.5"
2102740250	M	
2102740270	L	
2102740290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zorq Pure 26"

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding

 SR Suntour XCS28, coil, 80 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 400 Wh, 36 V

 Oli D900, bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Essa, RD-U2000, 8-S

 Shimano SL-M315, Rapidfire Plus

 Shimano CS-HG300-8, 11-45T

 KMC e8S

 Raymon FC05, forged alloy, JIS
Raymon, Narrow Wide, 36T, CG

 Tektro J2820, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

 Raymon X21/DN622/KRA210, 9x100/12x148, tubeless compatible

 Maxxis Pace, 57-559, 26x2.25

 Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 31,8, 5°, Ahead

 Raymon 145 HM Fit

 Raymon, 31,6 mm

 Raymon, thermoplastic

 KSA40, compatible

 100



*EUR 1.899	CHF 1.899	PLN 7.999	CZK 47.490
------------	-----------	-----------	------------

Artikelnummer / Item#

black/galaxy

2002726000

uni

Zorq Pure 26"

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding

 SR Suntour XCS28, coil, 80 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 400 Wh, 36 V

 Oli D900, bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Essa, RD-U2000, 8-S

 Shimano SL-M315, Rapidfire Plus

 Shimano CS-HG300-8, 11-45T

 KMC e8S

 Raymon FC05, forged alloy, JIS
Raymon, Narrow Wide, 36T, CG

 Tektro J2820, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

 Raymon X21/DN622/KRA210, 9x100/12x148, tubeless compatible

 Maxxis Pace, 57-559, 26x2.25

 Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 31,8, 5°, Ahead

 Raymon 145 HM Fit

 Raymon, 31,6 mm

 Raymon, thermoplastic

 KSA40, compatible

 100



*EUR 1.899	CHF 1.899	PLN 7.999	CZK 47.490
------------	-----------	-----------	------------

Artikelnummer / Item#

galaxygrey

2002726100

uni

Zorq Pure 24"

OFFROAD



under development

 AL61-T6 Aluminium, seamless welding

 SR Suntour XCT-JR, coil, 80 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 400 Wh, 36 V

 Oli D900, bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Essa, RD-U2000, 8-S

 Shimano SL-M315, Rapidfire Plus

 Shimano CS-HG300-8, 11-45T

 KMC e8S

 Raymon FC0Q, forged alloy, JIS
Raymon, Narrow Wide, 36T, CG

 Tektro J2820, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

 Raymon X21/DN622/KRA210, 9x100/12x148, tubeless compatible

 Maxxis Pace, 57-507, 24x2.25

 Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

 Raymon 31,8, 5°, Ahead

 Raymon 134 active control

 Raymon, 31,6 mm

 Raymon, thermoplastic

 KSA40, compatible

 80



*EUR 1.899

CHF 1.899

PLN 7.999

CZK 47.490

Artikelnummer / Item#

hyacinth

2002724100

uni

Zorq Pure 24"

OFFROAD



under development

AL61-T6 Aluminium, seamless welding

SR Suntour XCT-JR, coil, 80 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 400 Wh, 36 V

Oli D900, bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Essa, RD-U2000, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG300-8, 11-45T

KMC e8S

Raymon FC0Q, forged alloy, JIS
Raymon, Narrow Wide, 36T, CG

Tektro J2820, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

Raymon X21/DN622/KRA210, 9x100/12x148, tubeless compatible

Maxxis Pace, 57-507, 24x2.25

Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm

Raymon 31,8, 5°, Ahead

Raymon 134 active control

Raymon, 31,6 mm

Raymon, thermoplastic

KSA40, compatible

80

*EUR 1.899	CHF 1.899	PLN 7.999	CZK 47.490
------------	-----------	-----------	------------

Artikelnummer / Item#

starblack

2002724000

uni

NORZA

Tech Facts

- leichter MLC Carbon-Rahmen mit integrierter Sattelklemme
- Bosch SX Motor, max. 600 W, 60 Nm
- entnehmbare 400 Wh Batterie
- RangeExtender optional
- viele Anschraubpunkte für Zubehör
- UDH Ausfallende
- 50 mm Reifenfreiheit
- neueste TrueSize Rahmengemetrie

- light MLC carbon frame with integrated seat clamp
- Bosch SX Motor, max. 600 W, 60 Nm
- removable 400 Wh battery
- RangeExtender optional
- multiple mounting points for accessories
- UDH Dropout
- 50 mm tire clearance
- latest TrueSize frame geometry



BOSCH

Norza Ultra

OFFROAD



under development

 28" Carbon MLC, removable battery

 Carbon Gravel Disc

 -

 Bosch Performance Line SX, 250/600 W, 60 Nm

 Bosch CompactTube, 400 Wh, 36 V

 Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Sram Force XPLR AXS, 13-S

 Sram ED Force AXS E1

 Sram XG 1351 E1 XPLR, 10-46T

 Sram CN Rival E1

 Raymon FC58, forged alloy, ISIS, 42T

 Sram Force, 2-piston, hydr. disc brake

 Sram Paceline, 160 mm, Center Lock
Sram Paceline, 160 mm, Center Lock

 Fulcrum Soniq CF, Center Lock, 12x100/12x142 mm

 Continental Terra Speed ,45-622

 FSA K-Wing, carbon, 31,8mm

 Raymon, 31,8mm

 Selle Italia Model X Evo

 Raymon, 31,6 mm, Dropper Post

 Raymon, thermoplastic

 IC44, compatible

 130 kg

 14,5 kg

*EUR 6.999

CHF 6.999

PLN 29.799

CZK 174.990

Artikelnummer / Item#

carbon sparkle

2402600530	S
2402600550	M
2402600570	L
2402600590	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Norza Pro

OFFROAD



under development

 28" Carbon MLC, removable battery

 Carbon Gravel Disc

 -

 Bosch Performance Line SX, 250/600 W, 60 Nm

 Bosch CompactTube, 400 Wh, 36 V

 Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Shimano Deore XT Di2, RD-M8260, 12-S

 Shimano GRX Di2, ST-RX825

 Shimano CS-M6100, 10-51T

 Shimano CN-M6100

 Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 42T

 Shimano GRX BR-RX820, 2-piston, hydr. disc brake

 Shimano SM-RT64, 160 mm, Center Lock
Shimano SM-RT64, 160 mm, Center Lock

 Fulcrum E-Racing Lite DB, Center Lock, 12x100/12x142 mm

 Schwalbe G-ONE ALLROUND Perf, Race Guard, 45-622

 Raymon alloy 31,8 mm

 Raymon, 31,8mm

 Selle Italia Model X Evo

 Raymon, 31,6 mm

 Raymon, thermoplastic

 IC44, compatible

 130 kg

 14,7 kg

*EUR 5.299

CHF 5.299

PLN 22.599

CZK 132.490

Artikelnummer / Item#

pinegreen


2402600330	S
2402600350	M
2402600370	L
2402600390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Norza Pro Street

OFFROAD



under development

 28" Carbon MLC, removable battery

 Carbon Gravel Disc

 -

 Bosch Performance Line SX, 250/600 W, 60 Nm

 Bosch CompactTube, 400 Wh, 36 V

 Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Shimano Deore XT Di2, RD-M8260, 12-S

 Shimano GRX Di2, ST-RX825

 Shimano CS-M6100, 10-51T

 Shimano CN-M6100

 Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 42T, CG

 Shimano GRX BR-RX820, 2-piston, hydr. disc brake

 Shimano SM-RT64, 160 mm, Center Lock
Shimano SM-RT64, 160 mm, Center Lock

 Fulcrum E-Racing Lite DB, Center Lock, 12x100/12x142 mm

 Schwalbe G-ONE ALLROUND Perf, Race Guard, 45-622

 Raymon alloy 31,8 mm

 Raymon, 31,8mm

 Selle Italia Model X Evo

 Raymon, 31,6 mm

 Raymon, thermoplastic

 IC44, compatible

 130 kg

 16,3 kg

 -

 Alloy

 B&M Briq-S E, 60 lx

 Litemove TL-FD

*EUR 5.499

CHF 5.499

PLN 23.399

CZK 137.490

Artikelnummer / Item#

pipegrey

2402600430	S
2402600450	M
2402600470	L
2402600490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Norza Comp

OFFROAD



under development

 28" Carbon MLC, removable battery

 Carbon Gravel Disc

 -

 Bosch Performance Line SX, 250/600 W, 60 Nm

 Bosch CompactTube, 400 Wh, 36 V

 Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Shimano Cues, RD-U6000, Shadow, 11-S

 Shimano Cues, ST-U6030

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 42T

 Shimano Cues BR-U6030, 2-piston, hydr. disc brake

 Shimano SM-RT54, 180 mm, Center Lock
Shimano SM-RT54, 180 mm, Center Lock

 Raymon VR32/DA210 12x100/12x142 mm

 Continental Terra Trail ,45-622

 Raymon alloy 31,8 mm

 Raymon, 31,8mm

 Selle Italia Model X Evo

 Raymon, 31,6 mm

 Raymon, thermoplastic

 IC44, compatible

 130 kg

 15,9 kg

*EUR 4.299	CHF 4.299	PLN 18.299	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer / Item#

greige freckels

2402600130	S
2402600150	M
2402600170	L
2402600190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Norza Comp Commute

OFFROAD



under development

 28" Carbon MLC, removable battery

 Carbon Gravel Disc

 -

 Bosch Performance Line SX, 250/600 W, 60 Nm

 Bosch CompactTube, 400 Wh, 36 V

 Bosch Mini Remote, Bluetooth

 Bosch Charger, 4 A

 Shimano Cues, LG, RD-U6000, 11-S

 Shimano Cues, SL-U6000, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 Shimano CN-LG500

 Raymon FC58, forged alloy, ISIS
Raymon, Narrow Wide, 42T, CG

 Shimano BR-UR300, 2-piston, hydr. disc brakee

 Shimano SM-RT54, 180 mm, Center Lock
Shimano SM-RT54, 180 mm, Center Lock

 Raymon VR32/DA210 12x100/12x142 mm

 Continental Terra Trail ,45-622

 Raymon alloy 31,8 mm

 Raymon, 31,8mm

 Selle Italia Model X Evo

 Raymon, 31,6 mm

 Raymon, thermoplastic

 IC44, compatible

 130 kg

 17,6 kg

 -

 Alloy

 B&M Briq-S E, 60 lx

 Litemove TL-FD

*EUR 4.299

CHF 4.299

PLN 18.299

CZK 107.490

Artikelnummer / Item#

oceanblue

2402600230	S
2402600250	M
2402600270	L
2402600290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

TAVANO

Tech Facts

- langlebiger Aluminiumrahmen
- Bosch und Panasonic GXM System
- entnehmbare Batterie bis zu 800 Wh
- komfortable 120 mm Luftfederung
- wendige 27.5" Laufräder
- MIK Gepäckträger mit integriertem Licht
- stabile Aluminium Schutzbleche
- versenkbare Sattelstütze

- durable aluminum frame
- Bosch and Panasonic GXM system
- removable battery up to 800 Wh
- comfortable 120 mm air suspension
- MIK carrier with light integration
- sturdy aluminium fenders
- dropper seatpost



BOSCH

Panasonic®

Tavano Ultra

ALLROAD



under development

27.5", Alloy 6061, removable battery, boost, 120 mm

RockShox Recon Gold RL, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Bosch Performance Line CX, 250/750 W, 120 Nm

Bosch PowerTube, 800 Wh, 36 V

Bosch Kiox 300
Bosch LED Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore XT Di2, RD-M8260, 12-S

Shimano Deore, SW-M6250, shift switch

Shimano CS-M6100, 10-51T

Shimano CN-M6100

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 40T, CG

Shimano BR-U8020, 4-piston, hydr. disc brake

Shimano SM-RT64, 203 mm, Center Lock
Shimano SM-RT64, 180 mm, Center Lock

Raymon VR24/DT210, 15x110/12x148 mm

Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

Raymon 31.8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, Aluminium

Ursus INTEGRALE ANS, IC44, adjustable

150 kg

30,3 kg

Raymon, MIK, 25 kg

Curana Apollo

LiteMOVE SC-160, 160 lx

LiteMOVE TX3, brake light

*EUR 5.999

CHF 5.999

PLN 25.499

CZK 149.990

Artikelnummer / Item#

smokeblue

Diamond

Wave

2302603430	S	2302600430	S
2302603450	M	2302600450	M
2302603470	L	2302600470	L
2302603490	XL	2302600490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Pro

ALLROAD



under development

27.5", Alloy 6061, removable battery, boost, 120 mm

SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Bosch Performance Line PX, 250/700 W, 90 Nm

Bosch PowerTube, 800 Wh, 36 V

Bosch Kiox 300
Bosch LED Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore Di2, RD-M6260, 12-S

Shimano Deore, SW-M6250, shift switch

Shimano CS-M6100, 10-51T

Shimano CN-M6100

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M5140, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

Raymon VR24/DT210, 15x110/12x148 mm

Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

Raymon 31.8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, Aluminium

Ursus INTEGRALE ANS, IC44, adjustable

150 kg

30,9 kg

Raymon, MIK, 25 kg

Curana Apollo

LiteMOVE SC-160, 160 lx

LiteMOVE TX3 Raymon

*EUR 5.499	CHF 5.499	PLN 23.399	CZK 137.490
------------	-----------	------------	-------------

Artikelnummer / Item#

metalgrey		wildberry	
2302600330	S	2302600830	S
2302600350	M	2302600850	M
2302600370	L	2302600870	L
2302600390	XL	2302600890	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Sport

ALLROAD



under development

27.5", Alloy 6061, removable battery, boost, 120 mm

SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Bosch Performance Line CX, 250/750 W, 120 Nm

Bosch PowerTube, 800 Wh, 36 V

Bosch Kiox 300
Bosch LED Remote, Bluetooth

Bosch Charger, 4 A

Shimano Deore, RD-M6100, Shadow Plus, 12-S

Shimano Deore, SL-M6100, Rapidfire Plus

Shimano CS-M6100, 10-51T

Shimano CN-M6100

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M5140, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

Raymon VR24/DT210, 15x110/12x148 mm

Schwalbe Smart Sam, Reflex, 60-584

Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

Raymon 31.8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, Aluminium

Ursus INTEGRALE ANS, IC44, adjustable

150 kg

28,5 kg

-

Mini Fenders

Litemove RLX-100, 100 lx

Litemove TX3 Raymon

*EUR 4.999	CHF 4.999	PLN 21.299	CZK 124.990
------------	-----------	------------	-------------

Artikelnummer / Item#

silver/black

2302602730	S
2302602750	M
2302602770	L
2302602790	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Comp

ALLROAD



under development

27.5", Alloy 6061, removable battery, boost, 120 mm

SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Bosch Performance Line PX, 250/700 W, 90 Nm

Bosch Kiox 300
Bosch LED Remote, Bluetooth

Bosch PowerTube, 800 Wh, 36 V

Bosch Charger, 4 A

Shimano Cues, RD-U6000, Shadow, 11-S

Shimano Cues, SL-U6000, Rapidfire Plus

Shimano CS-LG400, 11-50T

Shimano CN-LG500

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR52, 203 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

Raymon VR24/DT210, 15x110/12x148 mm

Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

Raymon 31.8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, Aluminium

Ursus INTEGRALE ANS, IC44, adjustable

150 kg

31,1 kg

Raymon, MIK, 25 kg

Curana Apollo

LiteMOVE RLX-100, 100 lx

LiteMOVE TX3 Raymon

*EUR 4.999

CHF 4.999

PLN 21.299

CZK 124.990

Artikelnummer / Item#

black stealth

Diamond

Wave

2302603230	S	2302600230	S
2302603250	M	2302600250	M
2302603270	L	2302600270	L
2302603290	XL	2302600290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Comp

ALLROAD



under development

27.5", Alloy 6061, removable battery, boost, 120 mm

SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Bosch Performance Line PX, 250/700 W, 90 Nm

Bosch Kiox 300
Bosch LED Remote, Bluetooth

Bosch PowerTube, 800 Wh, 36 V

Bosch Charger, 4 A

Shimano Cues, RD-U6000, Shadow, 11-S

Shimano Cues, SL-U6000, Rapidfire Plus

Shimano CS-LG400, 11-50T

Shimano CN-LG500

Raymon FC02, forged alloy, BIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR52, 203 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

Raymon VR24/DT210, 15x110/12x148 mm

Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

Raymon 31.8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, Aluminium

Ursus INTEGRALE ANS, IC44, adjustable

150 kg

31,1 kg

Raymon, MIK, 25 kg

Curana Apollo

Litemove RLX-100, 100 lx

Litemove TX3 Raymon

*EUR 4.999	CHF 4.999	PLN 21.299	CZK 124.990
------------	-----------	------------	-------------

Artikelnummer / Item#

stormwhite

Wave

2302600730	S
2302600750	M
2302600770	L
2302600790	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Flow

ALLROAD



under development

 AL61-T6 Aluminium, smooth welding, 120 mm

 SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

 SR Suntour EdgeX R, air, 190x45 mm

 Panasonic GXM, 250/700 W, 100 Nm

 GW 800 Wh, 36 V

 Panasonic Display 501, Bluetooth
Panasonic Remote 501

 GW Charger, 4 A

 Shimano Nexus, SG-C7010, 5-S

 Shimano Nexus, SL-C7000, Revoshift

 Gates CDX 28T

 Gates CDX 130T

 Raymon FC40, forged alloy, ISIS
Raymon, Gates CDX 42T, CG

 Tektro HD-M5140, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR24/DT210/SG-C7010-5D, 15x110/12x148 mm,
tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

 Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Selle Royal Explora Plus

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 150



 Raymon, MIK, 25 kg

 Curana Apollo

 B&M Briq-S Premium E, 110 lx

 Litemove TX3 Raymon

*EUR 4.499

CHF 4.499

PLN 18.999

CZK 112.490

Artikelnummer / Item#

anthracite

2302702030	S
2302702050	M
2302702070	L
2302702090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Base

ALLROAD



under development

AL61-T6 Aluminium, smooth welding, 120 mm

SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

SR Suntour EdgeX R, air, 190x45 mm

Panasonic GXMmg, 250/700 W, 115 Nm

GW 800 Wh, 36 V

Panasonic Display 501, Bluetooth
Panasonic Remote 501

GW Charger, 4 A

Shimano Cues, LG, RD-U6000, 11-S

Shimano Cues, SL-U6000, Rapidfire Plus

Shimano Cues, CS-LG400, 11-50T

KMC eGlide

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M5140, 4-piston, hydr. disc brake

Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

Raymon VR24/DT210, 15x110/12x148 mm, tubeless compatible

Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Selle Royal Explora Plus

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

Raymon, KSA40, adjustable

150

Raymon, MIK, 25 kg

Curana Apollo

B&M Briq-S E, 60 lx

Litemove TX3 Raymon

*EUR 3.999

CHF 3.999

PLN 16.999

CZK 99.990

Artikelnummer / Item#

dustylilac

2302701230	S
2302701250	M
2302701270	L
2302701290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Base

ALLROAD



under development

 AL61-T6 Aluminium, smooth welding, 120 mm

 SR Suntour XCR34X Boost 2CR, air, 120 mm, tapered

 SR Suntour EdgeX R, air, 190x45 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Display 501, Bluetooth
Panasonic Remote 501

 GW Charger, 4 A

 Shimano Cues, LG, RD-U6000, 11-S

 Shimano Cues, SL-U6000, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 KMC eGlide

 Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

 Tektro HD-M5140, 4-piston, hydr. disc brake

 Tektro TR54, 203 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR24/DT210, 15x110/12x148 mm, tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

 Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Selle Royal Explora Plus

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 150



 Raymon, MIK, 25 kg

 Curana Apollo

 B&M Briq-S E, 60 lx

 Litemove TX3 Raymon

*EUR 3.999

CHF 3.999

PLN 16.999

CZK 99.990

Artikelnummer / Item#

taupegrey

2302701030	S
2302701050	M
2302701070	L
2302701090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tavano Pure

ALLROAD



under development

 AL61-T6 Aluminium, smooth welding, 120 mm

 SR Suntour MAG32 Boost LO, air, 120 mm, tapered

 SR Suntour EdgeX R, air, 190x45 mm

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 720 Wh, 36 V

 Panasonic Remote 801, Bluetooth
Panasonic Remote 801

 GW Charger, 4 A

 Shimano Cues, LG, RD-U4000, 9-S

 Shimano Cues, SL-U4001, Rapidfire Plus

 Shimano Cues, CS-LG300-9, 11-46T

 KMC eGlide

 Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

 Tektro HD-M3120, 2-piston, hydr. disc brake

 Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

 Raymon VR24/DT210, 15x110/12x148 mm, tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 60-584, 27.5x2.35

 Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Selle Royal Explora Plus

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 150



 Raymon, MIK, 25 kg

 Curana Apollo

 B&M Briq-S E, 60 lx

 Litemove TX3 Raymon

*EUR 3.799

CHF 3.799

PLN 15.999

CZK 94.990

Artikelnummer / Item#

mushroom

2302700030	S
2302700050	M
2302700070	L
2302700090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

VARNO

Tech Facts

- AL61-T6 Rahmen mit geglätteten Schweißnähten
- Avinox, Panasonic und Oli Antriebsoptionen
- leistungsstarke Batterie mit bis zu 800 Wh
- 27.5 Diamond und Wave
- MIK HD Gepäckträger mit integriertem Licht
- Steckachse vorne und hinten
- integrierte Kabelführung
- Anhängerkompatibel

- AL61-T6 with smoothed weld seams
- Avinox, Panasonic and Oli drive unit options
- powerful battery with up to 800 Wh
- 27.5 Diamond und Wave
- MIK HD Carrier with light integration
- Through Axle
- Integrated cable routing
- Ready for Trailer

AVINOX

Panasonic

 **OLI** - eBike Systems

Through town and country in style.

Du gleitest sanft durch die morgendliche Brise, während die Stadt zum Leben erwacht. Mit jedem Pedaltritt spürst du, wie dich dein Varno mühelos zum Ziel bringt – ideal für den schnellen Sprung zum Bäcker oder den Weg zum Sport.

Am Wochenende begleitet dich dein Varno auch auf lange Touren: Schnall die Picknickdecke oder den Kindersitz auf deinen multifunktionalen Gepäckträger und entdecke zusammen mit deinen Liebsten die Welt.

You glide gently through the morning breeze as the city comes to life. With every pedal stroke, you can feel how your Varno effortlessly takes you to your destination – ideal for a quick hop to the bakery or on the way to the gym.

At the weekend, your Varno will also accompany you on long tours: strap the picnic blanket or child seat onto your multifunctional luggage carrier and discover the world together with your loved ones.

Varno Elite

ALLROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  RockShox Recon Gold RL, air, 100 mm, tapered
-  -

-  Avinox M2S, 250/1500W, 150Nm
-  Avinox RS800, 800 Wh, 36 V
-  Avinox DP200, Bluetooth, Apple Find My integrated in display
-  Avinox Fast Charger, 12 A
-  Sram S1000 Eagle Transmission AXS, 12-S
-  Sram AXS Pod Controller
-  Sram XS-1270, 10-52T
-  Sram GX Eagle Transmission Flattop
-  Raymon FC40, forged alloy, ISIS
Sram Eagle Transmission E-MTB, 38T, CG

-  Raymon, MIK HD, 27 kg
-  SKS Alu
-  B&M Briq-S Premium E, 110 lx
-  Sate-lite M16, brake light

-  Shimano XT, BR-M8220, 4-piston, hydr. disc brake
-  Shimano SM-RT66, 180 mm, 6-bolt
Shimano SM-RT66, 180 mm, 6-bolt
-  Raymon VR28/DE207, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25
-  Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon VacTech
-  Raymon, 34,9 mm, Dropper Post
-  Raymon, thermoplastic
-  Ursus MOOI, KSA40, adjustable
-  150
- 

*EUR 5.299	CHF 5.299	PLN 22.499	CZK 132.490
------------	-----------	------------	-------------

Artikelnummer / Item#

moonblack stealth

Diamond		Wave	
2302725030	S	2302725130	S
2302725050	M	2302725150	M
2302725070	L	2302725170	L
2302725090	XL	2302725190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Ultimate

ALLROAD



under development

- AL61-T6 Aluminium, seamless welding
- RockShox Recon Gold RL, air, 100 mm, tapered
-

Avinox M2, 250/1100W, 125Nm

Avinox RS800, 800 Wh, 36 V

Avinox DP200, Bluetooth, Apple Find My integrated in display

Avinox Charger, 4 A

- Shimano Deore XT, LG, RD-M8230, 11-S
- Shimano Deore XT, SL-M8230, Rapidfire Plus
- Shimano Cues, CS-LG400, 11-50T
- Shimano CN-LG500
- Raymon FC40, forged alloy, ISIS
- Raymon, Narrow Wide, 40T, CG

Raymon, MIK HD, 27 kg

SKS Alu

B&M Briq-S Premium E, 110 lx

Sate-lite M16, brake light

- Shimano XT, BR-M8220, 4-piston, hydr. disc brake
- Shimano SM-RT66, 180 mm, 6-bolt
- Shimano SM-RT66, 180 mm, 6-bolt
- Raymon VR28/DE207, 15x110/12x148 mm, tubeless compatible
- Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25
- Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm
- Raymon 31,8, Ahead, adjustable
- Raymon VacTech
- Raymon, 34,9 mm, Dropper Post
- Raymon, thermoplastic
- Ursus MOOI, KSA40, adjustable
- 150

*EUR 4.299 | CHF 4.299 | PLN 18.299 | CZK 107.490

Artikelnummer / Item#

titansilver

Diamond

Wave

2302724030	S	2302724130	S
2302724050	M	2302724150	M
2302724070	L	2302724170	L
2302724090	XL	2302724190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Ultra

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 SR Suntour MAG32 TR Boost LO, air, 100 mm, tapered

 -

 Avinox M2, 250/1100W, 125Nm

 Avinox RS800, 800 Wh, 36 V

 Avinox DP200, Bluetooth, Apple Find My integrated in display

 Avinox Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-48T

 Shimano CN-LG500

 Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

 Tektro HD-M5140, 4-piston, hydr. disc brake

 Tektro TR54, 180 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR28/DE207, 15x110/12x148 mm, tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25

 Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 Ursus MOOI, KSA40, adjustable

 150



 Raymon, MIK HD, 27 kg

 SKS Alu

 B&M Briq-S E, 60 lx

 Sate-lite M16, brake light

*EUR 3.799

CHF 3.799

PLN 16.199

CZK 94.990

Artikelnummer / Item#

anthracite

Diamond

Wave

2302723030	S	2302723130	S
2302723050	M	2302723150	M
2302723070	L	2302723170	L
2302723090	XL	2302723190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Ultra

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

SR Suntour MAG32 TR Boost LO, air, 100 mm, tapered



Avinox M2, 250/1100W, 125Nm

Avinox RS800, 800 Wh, 36 V

Avinox DP200, Bluetooth, Apple Find My integrated in display

Avinox Charger, 4 A

Shimano Cues, LG, RD-U6000, 10-S

Shimano Cues, SL-U6001, Rapidfire Plus

Shimano Cues, CS-LG300, 11-48T

Shimano CN-LG500

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M5140, 4-piston, hydr. disc brake

Tektro TR54, 180 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

Raymon VR28/DE207, 15x110/12x148 mm, tubeless compatible

Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25

Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

Ursus MOOI, KSA40, adjustable

150



Raymon, MIK HD, 27 kg

SKS Alu

B&M Briq-S E, 60 lx

Sate-lite M16, brake light

*EUR 3.799

CHF 3.799

PLN 16.199

CZK 94.990

Artikelnummer / Item#

plum noir

Wave

2302723330	S
2302723350	M
2302723370	L
2302723390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Pro

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 SR Suntour MAG32 TR Boost LO, air, 100 mm, tapered

 -

 Panasonic GXMmg, 250/700 W, 115 Nm

 GW 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth
Panasonic Remote 801

 GW Charger, 4 A

 Shimano Cues, LG, RD-U6000, 10-S

 Shimano Cues, SL-U6001, Rapidfire Plus

 Shimano Cues, CS-LG300, 11-48T

 KMC eGlide

 Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

 Tektro HD-M3120, 2-piston, hydr. disc brake

 Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

 Raymon VR28/DT210, 15x110/12x148 mm, tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25

 Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 34,9 mm, Dropper Post

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 150



 Raymon, MIK HD, 27 kg

 SKS PET

 B&M Briq-S E, 60 lx

 Sate-lite M16

*EUR 2.999

CHF 2.999

PLN 12.799

CZK 74.990

Artikelnummer / Item#

mudgrey

Diamond

Wave

2302722030	S	2302722130	S
2302722050	M	2302722150	M
2302722070	L	2302722170	L
2302722090	XL	2302722190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Pro

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

SR Suntour MAG32 TR Boost LO, air, 100 mm, tapered

-

Panasonic GXMmg, 250/700 W, 115 Nm

GW 800 Wh, 36 V

Panasonic Remote 801, Bluetooth
Panasonic Remote 801

GW Charger, 4 A

Shimano Cues, LG, RD-U6000, 10-S

Shimano Cues, SL-U6001, Rapidfire Plus

Shimano Cues, CS-LG300, 11-48T

KMC eGlide

Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt

Raymon VR28/DT210, 15x110/12x148 mm, tubeless compatible

Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25

Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 34,9 mm, Dropper Post

Raymon, thermoplastic

Raymon, KSA40, adjustable

150

Raymon, MIK HD, 27 kg

SKS PET

B&M Briq-S E, 60 lx

Sate-lite M16

*EUR 2.999

CHF 2.999

PLN 12.799

CZK 74.990

Artikelnummer / Item#

seafoam green

Wave

2302722330	S
2302722350	M
2302722370	L
2302722390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Comp

ALLROAD



under development

- AL61-T6 Aluminium, seamless welding
- SR Suntour NVX32-5TA LO, coil, 100mm, tapered
-

- Panasonic GXM, 250/700 W, 105 Nm
- GW 720 Wh, 36 V
- Panasonic Remote 801, Bluetooth
Panasonic Remote 801
- GW Charger, 4 A

- Shimano Cues, LG, RD-U4000, 9-S
- Shimano Cues, SL-U4001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-46T
- KMC eGlide
- Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

- Raymon, MIK HD, 27 kg
- SKS PET
- B&M Briq-S E, 60 lx
- Sate-lite M16

- Tektro HD-M3120, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR28/DT210, 9x100/12x148 mm, tubeless compatible
- Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25
- Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm
- Raymon 31,8, Ahead, adjustable
- Raymon VacTech
- Raymon, 34,9 mm
- Raymon, thermoplastic
- Raymon, KSA40, adjustable
- 150

*EUR 2.699	CHF 2.699	PLN 11.499	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

highlandgreen

Diamond		Wave	
2302721030	S	2302721130	S
2302721050	M	2302721150	M
2302721070	L	2302721170	L
2302721090	XL	2302721190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Comp

ALLROAD



under development

- AL61-T6 Aluminium, seamless welding
- SR Suntour NVX32-5TA LO, coil, 100mm, tapered
-

- Panasonic GXM, 250/700 W, 105 Nm
- GW 720 Wh, 36 V
- Panasonic Remote 801, Bluetooth
Panasonic Remote 801
- GW Charger, 4 A

- Shimano Cues, LG, RD-U4000, 9-S
- Shimano Cues, SL-U4001, Rapidfire Plus
- Shimano Cues, CS-LG300, 11-46T
- KMC eGlide
- Raymon FC40, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

- Raymon, MIK HD, 27 kg
- SKS PET
- B&M Briq-S E, 60 lx
- Sate-lite M16

- Tektro HD-M3120, 2-piston, hydr. disc brake
- Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
- Raymon VR28/DT210, 9x100/12x148 mm, tubeless compatible
- Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25
- Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm
- Raymon 31,8, Ahead, adjustable
- Raymon VacTech
- Raymon, 34,9 mm
- Raymon, thermoplastic
- Raymon, KSA40, adjustable
- 150
-

*EUR 2.699	CHF 2.699	PLN 11.499	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

galaxygrey

Wave

2302721330	S
2302721350	M
2302721370	L
2302721390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Pure

ALLROAD



under development

- AL61-T6 Aluminium, seamless welding
- SR Suntour NVX32-5TA LO, coil, 100mm, tapered
-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Essa, RD-U2000, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG300-8, 11-45T

KMC e8S

Raymon FC05, forged alloy, JIS
Raymon, Narrow Wide, 40T, CG

Raymon, MIK HD, 27 kg

SKS PET

-

-

- Tektro HD-M3120, 2-piston, hydr. disc brake
- Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock
- Raymon VR28/DN622/KRA210, 9x100/12x148 mm, tubeless compatible
- Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25
- Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm
- Raymon 31,8, Ahead, adjustable
- Raymon VacTech
- Raymon, 31,6 mm
- Raymon, thermoplastic
- Raymon, KSA40, adjustable
- 150
- 25,7

*EUR 2.299

CHF 2.299

PLN 9.799

CZK 57.490

Artikelnummer / Item#

northgrey

Diamond

Wave

2302720030	S	2302720130	S
2302720050	M	2302720150	M
2302720070	L	2302720170	L
2302720090	XL	2302720190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Varno Pure

ALLROAD



under development

- AL61-T6 Aluminium, seamless welding
- SR Suntour NVX32-5TA LO, coil, 100mm, tapered
-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Essa, RD-U2000, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG300-8, 11-45T

KMC e8S

Raymon FC05, forged alloy, JIS
Raymon, Narrow Wide, 40T, CG

Raymon, MIK HD, 27 kg

SKS PET



Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

Raymon VR28/DN622/KRA210, 9x100/12x148 mm, tubeless compatible

Schwalbe Advancer Hybrid, Reflex, 57-584, 27.5x2.25

Raymon Riser 31,8 mm, Sweep: 12 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

150

26

*EUR 2.299

CHF 2.299

PLN 9.799

CZK 57.490

Artikelnummer / Item#

glacierwhite

Wave

2302720330	S
2302720350	M
2302720370	L
2302720390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

TAHONA

Tech Facts

- langlebiger Aluminiumrahmen
- bewährtes Bosch Smart System
- entnehmbare Batterie bis zu 800 Wh
- laufruhige 29" Bereifung
- MIK HD Gepäckträger mit integriertem Licht
- stabile Schutzbleche

- durable aluminum frame
- established Bosch Smart system
- removable battery up to 800 Wh
- smooth running 29" wheels
- MIK HD carrier with light integration
- sturdy fenders

Tahona Ultra

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 RockShox Recon Gold RL, air, 80 mm, tapered

 -

 Bosch Performance Line CX, 250/750 W, 120 Nm

 Bosch PowerTube, 800 Wh, 36 V

 Bosch Kiox 500
Bosch LED Controller

 Bosch Charger, 4 A

 Shimano Deore XT, LG, RD-M8230, 11-S

 Shimano Deore, SL-M6230, Rapidfire Plus

 Shimano Cues, CS-LG400, 11-50T

 KMC eGlide

 Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

 Raymon, MIK HD, 27 kg

 SKS PET

 Herrmans Nordic MR9, 60 lx

 Spanninga Glow

 Shimano BR-MT420, 4-piston, hydr. disc brake

 Shimano SM-RT30, 180 mm, Center Lock
Shimano SM-RT30, 180 mm, Center Lock

 Raymon VR28/KRA210, 15x110/12x148 mm, tubeless compatible

 Schwalbe Advancer Hybrid, Reflex, 57-622, 29x2.25

 Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 30,9 mm, Dropper Post

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 150

 28

*EUR 4.799

CHF 4.799

PLN 20.399

CZK 119.990

Artikelnummer / Item#

micablack

Wave

2302712130	S
2302712150	M
2302712170	L
2302712190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tahona Pro

ALLROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  SR Suntour MAG32 TR Boost LO, air, 80 mm, tapered
-  -
-  Bosch Performance Line CX, 250/750 W, 120 Nm
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Kiox 300
Bosch LED Controller
-  Bosch Charger, 4 A
-  Shimano Cues, LG, RD-U4000, 9-S
-  Shimano Cues, SL-U4001, Rapidfire Plus
-  Shimano Cues, CS-LG300-9, 11-46T
-  KMC eGlide
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

-  Tektro HD-M5140, 4-piston, hydr. disc brake
-  Tektro TR54, 180 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt
-  Raymon VR28/DA210, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Advancer Hybrid, Reflex, 57-622, 29x2.25
-  Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon VacTech
-  Raymon, 30,9 mm
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  150
-  28,3

-  Raymon, MIK HD, 27 kg belastbar
-  Curana Apollo
-  Litemove HKSE-70, 70 lx
-  Spanninga Glow

*EUR	4.299	CHF	4.299	PLN	18.299	CZK	107.490
------	-------	-----	-------	-----	--------	-----	---------

Artikelnummer /Item#

seafoam green

Wave

2302711330	S
2302711350	M
2302711370	L
2302711390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tahona Pro

ALLROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  SR Suntour MAG32 TR Boost LO, air, 80 mm, tapered
-  -
-  Bosch Performance Line CX, 250/750 W, 120 Nm
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Kiox 300
Bosch LED Controller
-  Bosch Charger, 4 A
-  Shimano Cues, LG, RD-U4000, 9-S
-  Shimano Cues, SL-U4001, Rapidfire Plus
-  Shimano Cues, CS-LG300-9, 11-46T
-  KMC eGlide
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

-  Tektro HD-M5140, 4-piston, hydr. disc brake
-  Tektro TR54, 180 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt
-  Raymon VR28/DA210, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Advancer Hybrid, Reflex, 57-622, 29x2.25
-  Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon VacTech
-  Raymon, 30,9 mm
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  150
-  28,3

-  Raymon, MIK HD, 27 kg
-  SKS PET
-  Herrmans Nordic MR9, 60 lx
-  Spanninga Glow

*EUR 4.299	CHF 4.299	PLN 18.299	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer /Item#

anthracite

Wave

2302711130	S
2302711150	M
2302711170	L
2302711190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tahona Comp

ALLROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  SR Suntour NVX32-5TA LO, coil, 80mm, tapered
-  -
-  Bosch Performance Line PX, 250/700 W, 90 Nm
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Purion 200, Bluetooth integrated in display
-  Bosch Charger, 4 A
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300-8, 11-45T
-  KMC e8S
-  Raymon FC32, forged alloy, ISIS
-  Raymon, Narrow Wide, 40T, CG

-  Tektro HD-M3120, 2-piston, hydr. disc brake
-  Tektro TR52, 180 mm, 6-bolt
-  Tektro TR52, 180 mm, 6-bolt
-  Raymon VR28/DN622/DA210, 9x100/12x148 mm, tubeless compatible
-  Schwalbe Advancer Hybrid, Reflex, 57-622, 29x2.25
-  Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon VacTech
-  Raymon, 30,9 mm
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  150
-  29,2

-  Raymon, MIK HD, 27 kg
-  SKS PET
-  Herrmans Nordic MR5, 40 lx
-  Spanninga Glow

*EUR	3.999	CHF	3.999	PLN	16.999	CZK	99.990
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

plum noir

Wave

2302710330	S
2302710350	M
2302710370	L
2302710390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Tahona Comp

ALLROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  SR Suntour NVX32-5TA LO, coil, 80mm, tapered
-  -
-  Bosch Performance Line PX, 250/700 W, 90 Nm
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Purion 200, Bluetooth integrated in display
-  Bosch Charger, 4 A
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300-8, 11-45T
-  KMC e8S
-  Raymon FC32, forged alloy, ISIS
Raymon, Narrow Wide, 40T, CG

-  Tektro HD-M3120, 2-piston, hydr. disc brake
-  Tektro TR52, 180 mm, 6-bolt
Tektro TR52, 180 mm, 6-bolt
-  Raymon VR28/DN622/DA210, 9x100/12x148 mm, tubeless compatible
-  Schwalbe Advancer Hybrid, Reflex, 57-622, 29x2.25
-  Raymon Riser 31,8 mm, Sweep: 15 °, Rise: 30 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon VacTech
-  Raymon, 30,9 mm
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  150
-  29,2

-  Raymon, MIK HD, 27 kg
-  SKS PET
-  Herrmans Nordic MR5, 40 lx
-  Spanninga Glow

*EUR 3.999	CHF 3.999	PLN 16.999	CZK 99.990
------------	-----------	------------	------------

Artikelnummer / Item#

mudgrey

Diamond

Wave

2302710030	S	2302710130	S
2302710050	M	2302710150	M
2302710070	L	2302710170	L
2302710090	XL	2302710190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

NUMA

Tech Facts

- AL61-T6 Rahmen mit geglätteten Schweißnähten
- wahlweise Panasonic oder OLI PICO
- removable battery up to 800 Wh
- Riemenantrieb bei Nabenschaltung-Modellen
- 26" und 28" Laufradoptionen
- MIK HD Gepäckträger mit integriertem Licht

- AL61-T6 frame with smoothed weld seams
- optionally Panasonic oder OLI PICO
- removable battery up to 800 Wh
- Belt drive at internal gear
- 26" and 28" wheels option
- MIK HD Carrier with light integration

Comfort and freedom on every kilometer.

Die Vögel zwitschern und du rollst ruhig und genussvoll mit deinem Numa zum Markt. Durch den tiefen Rahmen steigst du leicht und sicher ab und schiebst es durch die Stände. Dein Korb ist schnell mit Leckereien gefüllt und du freust dich auf den Heimweg, weil dein Numa dir die Fahrt so leicht macht.

Ob im Alltag oder im Urlaub: Mit dem Numa wird jede Fahrt zu einer Entdeckungstour, die dich lächeln lässt.

The birds are chirping and you roll calmly and enjoyably to the market on your Numa. The low frame allows you to get off easily and safely and push it through the stalls. Your basket is quickly filled with goodies and you look forward to the journey home because your Numa makes the ride so easy.

Whether for everyday use or on vacation: with the Numa, every ride becomes a discovery tour that makes you smile

Numa Ultimate

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 28": SR Suntour NCX32-D, air, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

 -

 Panasonic GXM, 250/700 W, 100 Nm

 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth
Panasonic Remote 801

 GW Charger, 4 A

 Enviolo Automatic, Trekking v4

 Enviolo CliQ Pro

 Gates CDX, 22T

 28": Gates CDX 120T
26": Gates CDX 118T

 Raymon FC40, forged alloy, ISIS
Gates CDX 46T

 Raymon, MIK HD, 27 kg

 SKS PET

 B&M Briq-S E, 60 lx

 Sate-lite M16

 Tektro HD-T390, 2-piston, hydr. disc brake

 Tektro TR54, 180 mm, 6-bolt
Tektro TR54, 180 mm, 6-bolt

 Raymon VR18/DN622/Trekking v4

 28": Continental Contact Plus, Reflex, 47-622, 28x1.75
26": Continental Contact Plus, Reflex, 47-559, 26x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 34,9 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



*EUR	3.999	CHF	3.999	PLN	16.999	CZK	99.990
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

highlandgreen

2202716110	XS	26"
2202716130	S	
2202716150	M	
2202716170	L	
2202716190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Ultra

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

28": SR Suntour NCX32-D, air, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

-

Panasonic GXM, 250/700 W, 100 Nm

800 Wh, 36 V

Panasonic Remote 801, Bluetooth
Panasonic Remote 801

GW Charger, 4 A

Shimano Nexus, SG-C7000, 5-S

Shimano Nexus, SL-C7000, Revoshift

Gates CDX:BLACK, 32T

28": Gates CDX 125T
26": Gates CDX 122T

Raymon FC40, forged alloy, ISIS
Gates CDX 46T

Tektro HD-T390, 2-piston, hydr. disc brake

Tektro TR45A, 180 mm, Center Lock
Tektro TR45A, 180 mm, Center Lock

Raymon VR18/DN622/C7000-5D

28": Continental Contact Plus, Reflex, 47-622, 28x1.75
26": Continental Contact Plus, Reflex, 47-559, 26x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 34,9 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

Raymon, MIK HD, 27 kg

SKS PET

B&M Briq-S E, 60 lx

Sate-lite M16

*EUR 3.499

CHF 3.499

PLN 14.899

CZK 87.490

Artikelnummer / Item#

northgrey

2202715110	XS	26"
2202715130	S	
2202715150	M	
2202715170	L	
2202715190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Ultra

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 28": SR Suntour NCX32-D, air, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

 -

 Panasonic GXM, 250/700 W, 100 Nm

 800 Wh, 36 V

 Panasonic Remote 801, Bluetooth
Panasonic Remote 801

 GW Charger, 4 A

 Shimano Nexus, SG-C7000, 5-S

 Shimano Nexus, SL-C7000, Revoshift

 Gates CDX:BLACK, 32T

 28": Gates CDX 125T
26": Gates CDX 122T

 Raymon FC40, forged alloy, ISIS
Gates CDX 46T

 Tektro HD-T390, 2-piston, hydr. disc brake

 Tektro TR45A, 180 mm, Center Lock
Tektro TR45A, 180 mm, Center Lock

 Raymon VR18/DN622/C7000-5D

 28": Continental Contact Plus, Reflex, 47-622, 28x1.75
26": Continental Contact Plus, Reflex, 47-559, 26x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 34,9 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



 Raymon, MIK HD, 27 kg

 SKS PET

 B&M Briq-S E, 60 lx

 Sate-lite M16

*EUR 3.499

CHF 3.499

PLN 14.899

CZK 87.490

Artikelnummer / Item#

smokeblue

2202715310	XS	26"
2202715330	S	
2202715350	M	
2202715370	L	
2202715390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pro

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 28": SR Suntour NCX32-D, air, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

 -

 Panasonic GXM, 250/700 W, 100 Nm

 720 Wh, 36 V

 Panasonic Remote 801, Bluetooth
Panasonic Remote 801

 GW Charger, 4 A

 Shimano Nexus, SG-C7000, 5-S

 Shimano Nexus, SL-C7000, Revoshift

 Gates CDX:BLACK, 32T

 28": Gates CDX 125T
26": Gates CDX 122T

 Raymon FC40, forged alloy, ISIS
Gates CDX 46T

 Tektro HD-T390, 2-piston, hydr. disc brake

 Tektro TR45A, 180 mm, Center Lock
Tektro TR45A, 180 mm, Center Lock

 Raymon VR18/DN622/C7000-5D

 28": Continental Contact Plus, Reflex, 47-622, 28x1.75
26": Continental Contact Plus, Reflex, 47-559, 26x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 34,9 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



 Raymon, MIK HD, 27 kg

 SKS PET

 B&M Briq-S E, 60 lx

 Sate-lite M16

*EUR	3.299	CHF	3.299	PLN	13.999	CZK	82.490
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

titansilver

2202714110	XS	26"
2202714130	S	
2202714150	M	
2202714170	L	
2202714190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Comp FW

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Nexus, SG-C7000, 5-S

Shimano Nexus, SL-C7000, Revoshift

Gates CDX:BLACK, 32T

28": Gates CDC 125T
26": Gates CDC 122T

Raymon FC18, forged alloy, JIS
Gates CDC 46T

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

Raymon VR18/Shimano MT200/C7000-5D

28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

*EUR 2.699

CHF 2.699

PLN 11.399

CZK 67.490

Artikelnummer / Item#

black

2202713710	XS	26"
2202713730	S	
2202713750	M	
2202713770	L	
2202713790	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Comp FW

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 504 Wh, 36 V

 Oli D500, Bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Nexus, SG-C7000, 5-S

 Shimano Nexus, SL-C7000, Revoshift

 Gates CDX:BLACK, 32T

 28": Gates CDC 125T
26": Gates CDC 122T

 Raymon FC18, forged alloy, JIS
Gates CDC 46T

 Raymon, MIK HD, 27 kg

 SKS PET

 Herrmans Nordic CL3 E, 30 lx

 Sate-lite M16

 Tektro HD-M3121, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

 Raymon VR18/Shimano MT200/C7000-5D

 28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 31,6 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



*EUR 2.699	CHF 2.699	PLN 11.399	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

pearl silver

2202713510	XS	26"
2202713530	S	
2202713550	M	
2202713570	L	
2202713590	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Comp CB

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Nexus, SG-C7002, 5-S

Shimano Nexus, SL-C7000, Revoshift

Gates CDX:BLACK, 32T

28": Gates CDC 125T
26": Gates CDC 122T

Raymon FC18, forged alloy, JIS
Gates CDC 46T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR47, 160 mm, 5-Loch

Raymon VR18/Shimano MT200/C7002-5CD

28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR 2.699

CHF 2.699

PLN 11.399

CZK 67.490

Artikelnummer / Item#

black

2202713310	XS	26"
2202713330	S	
2202713350	M	
2202713370	L	
2202713390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Comp CB

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Nexus, SG-C7002, 5-S

Shimano Nexus, SL-C7000, Revoshift

Gates CDX:BLACK, 32T

28": Gates CDC 125T
26": Gates CDC 122T

Raymon FC18, forged alloy, JIS
Gates CDC 46T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR47, 160 mm, 5-Loch

Raymon VR18/Shimano MT200/C7002-5CD

28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR 2.699	CHF 2.699	PLN 11.399	CZK 67.490
------------	-----------	------------	------------

Artikelnummer / Item#

pearl silver

2202713110	XS	26"
2202713130	S	
2202713150	M	
2202713170	L	
2202713190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 26": SR Suntour NEX-E25, coil, 63 mm
28": SR Suntour NEX-E25, coil, 75 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 504 Wh, 36 V

 Oli D500, Bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Acera, RD-M3020-8, 8-S

 Shimano SL-M315, Rapidfire Plus

 Shimano CS-HG400-8, 11-40T

 KMC e8S

 Raymon FC18, forged alloy, JIS
Raymon, 38T

 Raymon, MIK HD, 27 kg

 SKS PET

 Herrmans Nordic CL3 E, 30 lx

 Sate-lite M16

 Tektro HD-M3121, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

 Raymon VR18/Shimano MT200/M3050

 26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75
28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 31,6 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#

cashmere

2202710110	XS	26"
2202710130	S	
2202710150	M	
2202710170	L	
2202710190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

26": SR Suntour NEX-E25, coil, 63 mm
28": SR Suntour NEX-E25, coil, 75 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Acera, RD-M3020-8, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG400-8, 11-40T

KMC e8S

Raymon FC18, forged alloy, JIS
Raymon, 38T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

Raymon VR18/Shimano MT200/M3050

26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75
28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR	2.299	CHF	2.299	PLN	9.999	CZK	57.490
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

pearl lilac

2202710310	XS	26"
2202710330	S	
2202710350	M	
2202710370	L	
2202710390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure FW

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Nexus, SG-C7000, 5-S

Shimano Nexus, SL-C7000, Revoshift

Shimano CS-7000, 27T

KMC e1

Raymon FC18, forged alloy, JIS
Raymon, 38T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

Raymon VR18/Shimano MT200/C7000-5D

28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#

mudgrey

2202712110	XS	26"
2202712130	S	
2202712150	M	
2202712170	L	
2202712190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure FW

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

26": SR Suntour NEX-E25, coil, 63 mm
28": SR Suntour NEX-E25, coil, 75 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Acera, RD-M3020-8, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG400-8, 11-40T

KMC e8S

Raymon FC18, forged alloy, JIS
Raymon, 38T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

Raymon VR18/Shimano MT200/M3050

26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75
28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#

glacierwhite

2202712310	XS	26"
2202712330	S	
2202712350	M	
2202712370	L	
2202712390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure CB

ALLROAD



under development

 AL61-T6 Aluminium, seamless welding

 28": SR Suntour NEX-E25, coil, 75 mm
26": SR Suntour NEX-E25, coil, 63 mm

 -

 Oli Pico, 250/650 W, 70 Nm

 PH 504 Wh, 36 V

 Oli D500, Bluetooth
Oli Remote K31

 PH Charger, 2 A

 Shimano Nexus, SG-C7002, 5-S

 Shimano Nexus, SL-C7000, Revoshift

 Shimano CS-7000, 27T

 KMC e1

 Raymon FC18, forged alloy, JIS
Raymon, 38T

 Raymon, MIK HD, 27 kg

 SKS PET

 Herrmans Nordic CL3 E, 30 lx

 Sate-lite M16

 Tektro HD-M3121, 2-piston, hydr. disc brake

 Tektro TR35A, 180 mm, Center Lock
Tektro TR47, 160 mm, 5-Loch

 Raymon VR18/Shimano MT200/C7002-5CD

 28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75
26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75

 Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

 Raymon 31,8, Ahead, adjustable

 Raymon VacTech

 Raymon, 31,6 mm

 Raymon, thermoplastic

 Raymon, KSA40, adjustable

 140



*EUR	2.299	CHF	2.299	PLN	9.999	CZK	57.490
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

mudgrey

2202711110	XS	26"
2202711130	S	
2202711150	M	
2202711170	L	
2202711190	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Numa Pure CB

ALLROAD



under development

AL61-T6 Aluminium, seamless welding

26": SR Suntour NEX-E25, coil, 63 mm
28": SR Suntour NEX-E25, coil, 75 mm

-

Oli Pico, 250/650 W, 70 Nm

PH 504 Wh, 36 V

Oli D500, Bluetooth
Oli Remote K31

PH Charger, 2 A

Shimano Acera, RD-M3020-8, 8-S

Shimano SL-M315, Rapidfire Plus

Shimano CS-HG400-8, 11-40T

KMC e8S

Raymon FC18, forged alloy, JIS
Raymon, 38T

Raymon, MIK HD, 27 kg

SKS PET

Herrmans Nordic CL3 E, 30 lx

Sate-lite M16

Tektro HD-M3121, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 160 mm, Center Lock

Raymon VR18/Shimano MT200/M3050

26": Schwalbe Road Cruiser, Reflex, 47-559, 26x1.75
28": Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 20 mm

Raymon 31,8, Ahead, adjustable

Raymon VacTech

Raymon, 31,6 mm

Raymon, thermoplastic

Raymon, KSA40, adjustable

140

*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#

glacierwhite

2202711310	XS	26"
2202711330	S	
2202711350	M	
2202711370	L	
2202711390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

METMO

Tech Facts

- langlebiger Aluminiumrahmen
- bewährtes Bosch Smart system
- entnehmbare 800 Wh Batterie
- Riemenantrieb bei Nabenschaltung-Modellen
- wendige 27.5" Laufräder
- MIK HD Gepäckträger mit integriertem Licht

- durable aluminum frame
- established Bosch Smart system
- removable battery up to 800 Wh
- Belt drive at internal gear
- agile 27.5" wheels
- MIK HD Carrier with light integration

Metmo Ultra

ALLROAD



under development

27.5", Alloy 6061, removable battery

SR Suntour MOBIE-A34 NLO, air, 80mm, tapered

-

Bosch Performance Line PX, 250/700 W, 90 Nm

Bosch Kiox 500
Bosch LED Remote, Bluetooth

Bosch PowerTube, 800 Wh, 36 V

Bosch Charger, 4 A

Shimano Nexus, SG-C7050, Di2, 5-S

Shimano SW-EN605, shift switch

Gates CDX 34T

Gates CDX128T

Raymon FC02, forged alloy, BIS
Gates CDX 46T

Raymon, MIK HD, 27 kg

Curana Apollo

Litemove RLX-100, 100 lx

Litemove TX3, brake light

Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR47, 180 mm, 5-Loch

Raymon VR18/DN622/C7002-5CD

Continental eContact Plus, Reflex, 55-584, 27.5x2.20

Raymon Ergo 31,8 mm, Sweep: 35 °, Rise: 25 mm

Raymon 31.8, Ahead, adjustable

Raymon 197 HM Fit

Raymon, 30.9 mm, Dropper Post

Raymon, Aluminium

Raymon, KSA18, adjustable

150 kg

-

*EUR 4.999

CHF 4.999

PLN 21.299

CZK 124.990

Artikelnummer / Item#

darkblue

FW

2302602230

S

2302602250

M

2302602270

L

2302602290

XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Metmo Pro

ALLROAD



90
Nm
max. Torque

under development

-  27.5", Alloy 6061, removable battery
-  SR Suntour NVX32-5TA LO, coil, 80mm, tapered
-  -
-  Bosch Performance Line PX, 250/700 W, 90 Nm
-  Bosch Kiox 300
Bosch LED Remote, Bluetooth
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Charger, 4 A
-  Shimano Nexus, SG-C7000, 5-S
-  Shimano Nexus, SL-C7000, Revoshift
-  Gates CDX 34T
-  Gates CDX 128T
-  Raymon FC02, forged alloy, BIS
Gates CDX 46T

-  Tektro HD-M3120, 2-piston, hydr. disc brake
-  Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock
-  Raymon VR18/DN622/C7000-5D
-  Continental eContact Plus, Reflex, 55-584, 27.5x2.20
-  Raymon Ergo 31,8 mm, Sweep: 35 °, Rise: 25 mm
-  Raymon, 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 34,9 mm
-  Raymon, Aluminium
-  Raymon, KSA18, adjustable
-  150 kg
-  29,4 kg

-  Raymon, MIK HD, 27 kg
-  Curana Apollo
-  Litemove RLX-60, 60 lx
-  Litemove TX3 Raymon

*EUR 4.499	CHF 4.499	PLN 18.999	CZK 112.490
------------	-----------	------------	-------------

Artikelnummer / Item#

vintage red

CB		FW	
2302601930	S	2302602030	S
2302601950	M	2302602050	M
2302601970	L	2302602070	L
2302601990	XL	2302602090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Metmo Pro

ALLROAD



under development

-  27.5", Alloy 6061, removable battery
-  SR Suntour NVX32-5TA LO, coil, 80mm, tapered
-  -
-  Bosch Performance Line PX, 250/700 W, 90 Nm
-  Bosch Kiox 300
Bosch LED Remote, Bluetooth
-  Bosch PowerTube, 800 Wh, 36 V
-  Bosch Charger, 4 A
-  Shimano Nexus, SG-C7000, 5-S
-  Shimano Nexus, SL-C7000, Revoshift
-  Gates CDX 34T
-  Gates CDX 128T
-  Raymon FC02, forged alloy, BIS
Gates CDX 46T

-  Raymon, MIK HD, 27 kg
-  Curana Apollo
-  Litemove RLX-60, 60 lx
-  Litemove TX3 Raymon

-  Tektro HD-M3120, 2-piston, hydr. disc brake
-  Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock
-  Raymon VR18/DN622/C7000-5D
-  Continental eContact Plus, Reflex, 55-584, 27.5x2.20
-  Raymon Ergo 31,8 mm, Sweep: 35 °, Rise: 25 mm
-  Raymon, 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 34,9 mm
-  Raymon, Aluminium
-  Raymon, KSA18, adjustable
-  150 kg
-  29,4 kg

*EUR 4.499	CHF 4.499	PLN 18.999	CZK 112.490
------------	-----------	------------	-------------

Artikelnummer / Item#

black stealth / Wave

Diamond

CB		FW		FW	
2302602930	S	2302603030	S		
2302602950	M	2302603050	M	2302602150	M
2302602970	L	2302603070	L	2302602170	L
2302602990	XL	2302603090	XL	2302602190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Metmo Comp

ALLROAD



under development

27.5", Alloy 6061, removable battery

SR Suntour NVX32-5TA, coil, 80mm, tapered

-

Bosch Performance Line, 250/600 W, 75 Nm

Bosch Purion 200, Bluetooth integrated in display

Bosch PowerTube, 600 Wh, 36 V
Bosch PowerTube, 800 Wh, 36 V

Bosch Charger, 4 A

Shimano Nexus, SG-C7000, 5-S

Shimano Nexus, SL-C7000, Revoshift

Gates CDX 34T

Gates RCDC 128To

Raymon FC02, forged alloy, BIS
Gates CDC 46T

Tektro HD-M3120, 2-piston, hydr. disc brake

Tektro TR35A, 180 mm, Center Lock
Tektro TR35A, 180 mm, Center Lock

CB: Raymon VR18/DN622/C7002-5CD
FW: Raymon VR18/DN622/C7000-5D

Continental eContact Plus, Reflex, 55-584, 27.5x2.20

Raymon Ergo 31,8 mm, Sweep: 35 °, Rise: 25 mm

Raymon, 31,8, Ahead, adjustable

Raymon 197 HM Fit

Raymon, 34,9 mm

Raymon, Aluminium

Raymon, KSA18, adjustable

150 kg

800 Wh: 29,2 kg, 600 Wh: 28,2 kg

*EUR 3.899 CHF 3.899 PLN 16.499 CZK 97.490

Artikelnummer / Item# 600 Wh

highlandgreen

CB		FW	
2302601530	S	2302601630	S
2302601550	M	2302601650	M
2302601570	L	2302601670	L
2302601590	XL	2302601690	XL

*EUR 4.199 CHF 4.199 PLN 17.799 CZK 104.990

Artikelnummer / Item# 800 Wh


highlandgreen

CB		FW	
2302601730	S	2302601830	S
2302601750	M	2302601850	M
2302601770	L	2302601870	L
2302601790	XL	2302601890	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Raymon factor: Ready to Ride



Winkelverstellbarer Vorbau

Komfortables fahren durch den winkelverstellbaren Vorbau. Leicht und easy lässt sich der Vorbau auf deinen Körperbau anpassen.

Angle-adjustable stem

Comfortable riding thanks to the angle-adjustable stem. The stem is light and easy to adjust to your physique.




MIK-HD Gepäckträger für flexible Nutzung.

Der Gepäckträger mit der MIK HD-Technologie ist extrem vielseitig und schaut gut aus. Durch das Klicksystem kann man verschiedenes Zubehör anklicken: Von der Fahrradtasche, über den Kindersitz bis zum Einkaufskorb..

MIK-HD luggage carrier for flexible use

The carrier with MIK HD technology is extremely versatile and also looks good. The click system allows you to click on various accessories: from panniers and child seats to shopping baskets.



Stabile Schutzbleche: Bei Regen sauber und trocken.

Das Metmo ist mit extra langen Aluminium Schutzblechen ausgestattet, die dich auch an nassen Tagen effektiv vor Spritzwasser schützen. Diese robusten Schutzbleche sorgen dafür, dass du immer sauber und trocken bleibst


Stable mudguards: Clean and dry when it rains.

The Metmo is equipped with extra-long aluminium mudguards that effectively protect you from splashing water even on wet days. These robust mudguards ensure that you always stay clean and dry.





Bike

A cyclist wearing a white helmet and dark jersey is riding a red and black road bike through a tunnel. The tunnel has concrete walls and a road with white lane markings. In the top left corner, there are two red signs: one with a fire extinguisher icon and another with a spiral icon. A white road sign with the number '98' is visible on the left side of the road.

ARVA

Tech Facts

- Carbon UHT-Rahmen
- optimierter Strömungswiderstand
- UCI Freigabe
- integrierte Aero-Sattelstütze mit verschiedenen Offsets
- Race Geometrie
- Di2 Batteriefach hinter dem Tretlager
- UDH Ausfallende

- carbon UHT frame
- optimized aerodynamic drag
- UCI approved
- integrated Aero-seat post with 2 different offset
- Race geometry
- Di2 battery compartment behind BB
- UDH Dropout

RAYMON

Sculpted by speed. **Made for victory.**

Du schneidest durch den Wind. Hörst, wie der Asphalt unter dir summt. Jeder Tritt feuert dich nach vorne. Denn das Arva ist dein Windschattenbrecher. Dein Vorsprung auf zwei Rädern. Dein verlängertes Ich, geformt aus Ultra High Tensile Carbon und Sehnsucht nach Geschwindigkeit.

Der UCI-zertifizierte Aero-Rahmen ist aus 100 Jahren Erfahrung geboren und gemacht für Höchstleistung. Weil jede Sekunde zählt, ist jedes Detail auf Performance ausgelegt. Dein Blick klebt an der Ideallinie, dein Puls jagt voraus. Und wenn du über die Ziellinie fliegst, weißt du: Das war kein Zufall, denn das Arva is made for Victory.

You cut through the wind. You can hear the asphalt humming beneath you. With every pedal stroke, you move forward. The Arva is your slipstream breaker. It's your advantage on two wheels. It's your extended self, shaped from Ultra High Tensile Carbon and a longing for speed.

The UCI-certified aero frame was born from 100 years of experience and is built for peak performance. Every detail is designed for performance because every second counts. Your eyes are glued to the racing line and your pulse races ahead. When you fly over the finish line, you know: It was no accident because the Arva is built for victory.

Arva Ultimate

ALLROAD/ROAD



under development

- 28", Carbon UHT Composite, Aero, UCI
- Carbon Road Disc
-
- Shimano Dura Ace Di2, RD-9250, 24-S
- Shimano Dura Ace Di2, ST-R9270
- Shimano Dura Ace, CS-R9200, 11-34T
- Shimano CN-M6100
- Shimano Dura Ace, FC-R9200-P, 52/36T, Powermeter
- Shimano BR-R9270, 2-piston, hydr. disc brake
- Shimano RT-CL900, 160 mm, Center Lock
Shimano RT-CL900, 160 mm, Center Lock
- Vision Metron 60RS, Center Lock, 12x100/12x142 mm
- Continental Grand Prix 5000, 28-622

- Vision 5D SMR one piece carbon
- Vision 5D ACR EVO one piece carbon
- Fizik Vento Antares R1 Lite 140mm
- Arva carbon, offset: 15 mm
-
-
-
-
-
-
- 120 kg
- 7,1 kg

*EUR 8.999	CHF 8.999	PLN 38.499	CZK 224.990
------------	-----------	------------	-------------

Artikelnummer / Item#	
carbon / champagne	
7402601649	49
7402601652	52
7402601654	54
7402601656	56
7402601658	58
7402601660	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arva Elite

ALLROAD/ROAD



under development

-  HSC Carbon, Aero, UCI
-  HSC Carbon, Aero, UCI
-  -
-  Campagnolo Record WRL, 26-S
-  Campagnolo Record WRL
-  Campagnolo Record WRL, 11-36T
-  Campagnolo Record WRL
-  Campagnolo Record WRL, 52/36T
-  Campagnolo Record, 2-piston, hydr. disc brake
-  Campagnolo Record, 160 mm, Center Lock
-  Campagnolo Record, 160 mm, Center Lock
-  Fulcrum WIND 57, carbon, 12x100/12x142 mm, tubeless compatible
-  Continental Grand Prix 5000, 28-622, 28x1.10

-  Vision 5D SMR one piece carbon
-  integrated in handlebar
-  Fizik Vento Antares R5 140mm
-  Arva carbon, offset: 15 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  7,6

*EUR 6.999	CHF 6.999	PLN 29.999	CZK 174.990
------------	-----------	------------	-------------

Artikelnummer / Item#

multigold/carbon

7402772449	49
7402772452	52
7402772454	54
7402772456	56
7402772458	58
7402772460	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arva Evo

ALLROAD/ROAD



under development

-  HSC Carbon, Aero, UCI
-  HSC Carbon, Aero, UCI
-  -
-  Sram Force AXS E1, 24-S
-  Sram Force AXS E1
-  Sram XG 1250 D1, 10-36T
-  Sram Rival E1 Flattop
-  Sram Force E1, 50/37T
-  Sram Force, 2-piston, hydr. disc brake
-  Sram Paceline, 160 mm, Center Lock
-  Sram Paceline, 160 mm, Center Lock
-  Vision SC60 i23, carbon, 12x100/12x142 mm, tubeless compatible
-  Continental Grand Prix 5000, 28-622, 28x1.10

-  Vision 5D SMR one piece carbon
-  integrated in handlebar
-  Fizik Vento Antares R5 140mm
-  Arva carbon, offset: 15 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  7,6

*EUR 5.999	CHF 5.999	PLN 25.499	CZK 149.990
------------	-----------	------------	-------------

Artikelnummer / Item#	
ocean fade/chrome	
7402772049	49
7402772052	52
7402772054	54
7402772056	56
7402772058	58
7402772060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arva Ultra

ALLROAD/ROAD



under development

-  HSC Carbon, Aero, UCI
-  HSC Carbon, Aero, UCI
-  -
-  Shimano Ultegra Di2, RD-R8150, 24-S
-  Shimano Ultegra Di2, ST-R8170
-  Shimano Ultegra, CS-R8101, 11-34T
-  Shimano CN-M8100
-  Shimano Ultegra, FC-R8100, 52/36T
-  Shimano Ultegra, BR-R8170, 2-piston, hydr. disc brake
-  Shimano RT-CL800, 160 mm, Center Lock
-  Shimano RT-CL800, 160 mm, Center Lock
-  Vision SC60 i23, carbon, 12x100/12x142 mm, tubeless compatible
-  Continental Grand Prix 5000, 28-622, 28x1.10

-  Vision 5D SMR one piece carbon
-  integrated in handlebar
-  Fizik Vento Antares R5 140mm
-  Arva carbon, offset: 15 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  7,6

*EUR 5.499	CHF 5.499	PLN 23.399	CZK 137.490
------------	-----------	------------	-------------



Artikelnummer / Item#			
carbon stealth		rubyred/carbon	
7402772849	49	7402601549	49
7402772852	52	7402601552	52
7402772854	54	7402601554	54
7402772856	56	7402601556	56
7402772858	58	7402601558	58
7402772860	60	7402601560	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arva Pro

ALLROAD/ROAD



under development

-  HSC Carbon, Aero, UCI
-  HSC Carbon, Aero, UCI
-  -
-  Shimano Ultegra Di2, RD-R8150, 24-S
-  Shimano Ultegra Di2, ST-R8170
-  Shimano 105, CS-R7101, 11-34T
-  Shimano CN-M6100
-  Shimano FC-RS520, 50/34T
-  Shimano Ultegra, BR-R8170, 2-piston, hydr. disc brake
-  Shimano SM-RT70, 160 mm, Center Lock
-  Shimano SM-RT70, 160 mm, Center Lock
-  Raymon CR55, carbon, 12x100/12x142 mm, tubeless ready
-  Continental Grand Prix TR, 30-622, 28x1.20, tubeless ready

-  Raymon CRH10, one piece carbon
-  integrated in handlebar
-  Fizik Vento Antares R7 140mm
-  Arva carbon, offset: 15 mm
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  8,2

*EUR 4.799	CHF 4.799	PLN 20.399	CZK 119.990
------------	-----------	------------	-------------

Artikelnummer / Item#

starwhite/silver

7402771049	49
7402771052	52
7402771054	54
7402771056	56
7402771058	58
7402771060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arva Comp

ALLROAD/ROAD



under development

- HSC Carbon, Aero, UCI
- HSC Carbon, Aero, UCI
-
- Shimano 105 Di2, RD-R7150, 24-S
- Shimano 105 Di2, ST-R7170
- Shimano 105, CS-R7101, 11-34T
- Shimano CN-M6100
- Shimano FC-RS520, 50/34T
- Shimano BR-R7170, 2-piston, hydr. disc brake
- Shimano SM-RT70, 160 mm, Center Lock
- Shimano SM-RT70, 160 mm, Center Lock
- Raymon CR55, carbon, 12x100/12x142 mm, tubeless ready
- Continental Grand Prix TR, 30-622, 28x1.20, tubeless ready

- Raymon CRH10, one piece carbon
- integrated in handlebar
- Fizik Vento Antares R7 140mm
- Arva carbon, offset: 15 mm
-
-
-
-
-
-
- not compatible
- 120
- 8,3

*EUR 4.299	CHF 4.299	PLN 17.999	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
timelessgrey/carbon	
7402770049	49
7402770052	52
7402770054	54
7402770056	56
7402770058	58
7402770060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

KIRANA

An aerial photograph of a winding asphalt road on a steep, rocky mountain slope. Two cyclists are riding on the road, one slightly ahead of the other. The road is bordered by a white line on the left and a gravel shoulder on the right. The surrounding landscape is rugged with sparse vegetation and a small stream or waterfall visible in the lower right corner.

Tech Facts

- Carbon MLC-Rahmen
- UCI Freigabe
- 6 Rahmenhöhen in 28"
- integrierte Kabelführung
- integrierte Sattelstütze
- Endurance Geometrie

- Carbon MLC frame
- UCI approved
- 6 sizes in 28"
- Integrated Cable routing
- integrated seatpin
- Endurance geometry

Kirana Ultimate

ALLROAD/ROAD



under development

- MLC Carbon, UCI
- MLC Carbon, UCI
-
- Shimano Dura Ace Di2, RD-R9250, 24-S
- Shimano Dura Ace Di2, ST-R9270
- Shimano Dura Ace, CS-R9200, 11-34T
- Shimano CN-M9100
- Shimano Dura Ace, FC-R9200, 52/36T
- Shimano Dura Ace, BR-R9270, 2-piston, hydr. disc brake
- Shimano RT-CL800, 160 mm, Center Lock
Shimano RT-CL800, 160 mm, Center Lock
- Raymon CR45, carbon, 12x100/12x142 mm, tubeless ready
- Continental Grand Prix 5000S TR, 30-622, 28x1.20, tubeless ready

- Raymon CRH10, one piece carbon
- integrated in handlebar
- Selle Italia SLR Elite Superflow
- Raymon carbon, offset: 15 mm, 27,2 mm
-
-
-
-
-
- not compatible
- 120
- 7,4

*EUR 5.999	CHF 5.999	PLN 25.499	CZK 149.990
------------	-----------	------------	-------------

Artikelnummer / Item#	
starwhite	
7402763048	48
7402763052	52
7402763054	54
7402763056	56
7402763058	58
7402763060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kirana Ultra

ALLROAD/ROAD



under development

-  MLC Carbon, UCI
-  MLC Carbon, UCI
-  -
-  Shimano Ultegra Di2, RD-R8150, 24-S
-  Shimano Ultegra Di2, ST-R8170
-  Shimano Ultegra, CS-R8101, 11-34T
-  Shimano CN-M6100
-  Shimano Ultegra, FC-R8100, 52/36T
-  Shimano Ultegra, BR-R8170, 2-piston, hydr. disc brake
-  Shimano RT-CL800, 160 mm, Center Lock
-  Shimano RT-CL800, 160 mm, Center Lock
-  Raymon CR45, carbon, 12x100/12x142 mm, tubeless ready
-  Continental Grand Prix 5000S TR, 30-622, 28x1.20, tubeless ready

-  Raymon CRH10, one piece carbon
-  integrated in handlebar
-  Selle Italia SLR Elite Superflow
-  Raymon carbon, offset: 15 mm, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  7,7

*EUR 4.299	CHF 4.299	PLN 18.299	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
micablack	
7402762048	48
7402762052	52
7402762054	54
7402762056	56
7402762058	58
7402762060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kirana Pro

ALLROAD/ROAD



under development

- MLC Carbon, UCI
- MLC Carbon, UCI
-
- Shimano 105 Di2, RD-R7150, 24-S
- Shimano 105 Di2, ST-R7170
- Shimano 105, CS-R7101, 11-34T
- Shimano CN-M6100
- Shimano 105, FC-R7100, 52/36T
- Shimano 105, BR-R7170, 2-piston, hydr. disc brake
- Shimano SM-RT54, 160 mm, Center Lock
Shimano SM-RT54, 160 mm, Center Lock
- Vision Team30 i23, alloy, 12x100/12x142 mm, tubeless compatible
- Continental Grand Prix TR, 30-622, 28x1.20, tubeless ready

- Raymon CRH10, one piece carbon
- integrated in handlebar
- Selle Italia Model X
- Raymon carbon, offset: 15 mm, 27,2 mm
-
-
-
-
- not compatible
- 120
- 8,7

*EUR 3.199	CHF 3.199	PLN 13.599	CZK 79.990
------------	-----------	------------	------------

Artikelnummer / Item#	
galaxygrey	
7402761048	48
7402761052	52
7402761054	54
7402761056	56
7402761058	58
7402761060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kirana Comp

ALLROAD/ROAD



under development

-  MLC Carbon, UCI
-  MLC Carbon, UCI
-  -
-  Shimano 105, RD-R7100, 24-S
-  Shimano 105, ST-R7120
-  Shimano 105, CS-R7101, 11-34T
-  Shimano CN-M6100
-  Shimano, FC-RS520, 50/34T
-  Shimano 105, BR-R7170, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon A325D/Shimano TC500, alloy, 12x100/12x142 mm
-  Kenda Kadence, 30-622, 28x1.20

-  Raymon alloy, 31,8mm, flare: 8°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon carbon, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  9,2

*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#	
UD carbon	
7402760248	48
7402760252	52
7402760254	54
7402760256	56
7402760258	58
7402760260	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kirana Comp

ALLROAD/ROAD



under development

-  MLC Carbon, UCI
-  MLC Carbon, UCI
-  -
-  Shimano 105, RD-R7100, 24-S
-  Shimano 105, ST-R7120
-  Shimano 105, CS-R7101, 11-34T
-  Shimano CN-M6100
-  Shimano, FC-RS520, 50/34T
-  Shimano 105, BR-R7170, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon A325D/Shimano TC500, alloy, 12x100/12x142 mm
-  Kenda Kadence, 30-622, 28x1.20

-  Raymon alloy, 31,8mm, flare: 8°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon carbon, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  9,2

*EUR 2.299	CHF 2.299	PLN 9.999	CZK 57.490
------------	-----------	-----------	------------

Artikelnummer / Item#

dustylilac	
7402760048	48
7402760052	52
7402760054	54
7402760056	56
7402760058	58
7402760060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.



C

—



—



—



—



—



—

7402601148	48
7402601152	52
7402601154	54
7402601156	56
7402601158	58
7402601160	60

172



①

0



—

—



—

—



—

✓

2.

90

1

granite white

7402602748	48
7402602752	52
7402602754	54
7402602756	56
7402602758	58
7402602760	60

173

SCORENA

Tech Facts

- AL61-T6 Rahmen with smoothed weld seams
 - MLC Carbon Gabel
 - integrierte Kabelführung
 - Endurance Geometrie
-
- AL61-T6 frame mit geglätteten Schweißnähten
 - MLC carbon fork
 - Integrated Cable routing
 - Endurance geometry



RAYMON

Dare to drive beyond boundaries.

Das Scorena ist deine schnelle Spaßmaschine, die Straße und Schotter gleichermaßen liebt. Flieg durch die Stadt oder erobere den Feldweg. Es gibt dir nicht nur den Flow, sondern auch die Freiheit, jederzeit den Weg zu ändern.

Mit dem schlanken Alurahmen und den griffigen Allround-Reifen holst du dir Speed, wo du ihn brauchst und hast durch die Scheibenbremsen Kontrolle, wenn es darauf ankommt. Für alle, die auf und abseits der Straße ihre Grenzen verschieben wollen.

The Scorena is your fast fun machine that loves both road and gravel. Fly through the city or conquer the dirt track. It not only gives you the flow, but also the freedom to change route at any time.

The slim aluminum frame and grippy all-round tires give you speed where you need it and the disc brakes give you control when you need it. For all those who want to push their limits on and off the road.

Scorena Pro
ALLROAD/ROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  MLC Carbon
-  -
-  Shimano 105, RD-R7100, 24-S
-  Shimano 105, ST-R7120
-  Shimano 105, CS-R7101, 11-34T
-  Shimano CN-M6100
-  Shimano, FC-RS520, 50/34T
-  Shimano 105, BR-R7170, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon A325D/Shimano TC500, alloy, 12x100/12x142 mm
-  Pirelli P7 Sport, 35-622, 28x1.35

-  Raymon alloy, 31,8mm, flare: 2°
-  Raymon 31,8, -7°, Ahead
-  Raymon 143 VM Fit
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  KSA18, compatible
-  120
-  -

*EUR 1.799	CHF 1.799	PLN 7.699	CZK 44.990
------------	-----------	-----------	------------

Artikelnummer / Item#	
starwhite	
7402751048	48
7402751052	52
7402751054	54
7402751056	56
7402751058	58
7402751060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Scorena Comp

ALLROAD/ROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  MLC Carbon
-  -
-  Shimano Cues, LG, RD-U3020, 18-S
-  Shimano Cues, ST-U4030
-  Shimano Cues, CS-LG300, 11-36T
-  Shimano CN-LG500
-  Shimano Cues, FC-U6030-2, 50/34T
-  Shimano Cues, BR-RS405, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon A325D/Shimano TC500, alloy, 12x100/12x142 mm
-  Pirelli P7 Sport, 35-622, 28x1.35

-  Raymon alloy, 31,8mm, flare: 2°
-  Raymon 31,8, -7°, Ahead
-  Raymon 143 VM Fit
-  Raymon, 27,2 mm
-  .
-  .
-  .
-  .
-  .
-  KSA18, compatible
-  120
-  10,8

*EUR 1.299	CHF 1.299	PLN 5.499	CZK 32.490
------------	-----------	-----------	------------

Artikelnummer / Item#

northgrey

7402750048	48
7402750052	52
7402750054	54
7402750056	56
7402750058	58
7402750060	60

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

LYRA



Tech Facts

- Carbon MLC-Rahmen
- UCI Freigabe
- optimierter Strömungswiderstand
- integrierte Aero-Sattelstütze
- Triathlon Geometrie

- carbon MLC frame
- UCI approved
- optimized aerodynamic drag
- integrated Aero-seat post
- Race geometry

Find Harmony – on Wheels.

Helm auf, Klicks an. Schwing dich auf's Lyra und entfliehe der Realität. Mit dem leichten Carbonrahmen und den komfortablen Continental 28 mm Breitreifen rollst du harmonisch über den Asphalt und legst die Kilometer in Rekordzeit zurück.

Es ist dein Moment der Ruhe und Konzentration. Eine Zeit, in der du allein mit dem Rhythmus deines Atems und dem Summen des Windes bist.

Helmet on, clicks on. Get on the Lyra and escape from reality. With the lightweight carbon frame and comfortable Continental 28 mm wide tires, you'll roll smoothly over the asphalt and cover the kilometers in record time.

It's your moment of peace and concentration. A time when you are alone with the rhythm of your breathing and the hum of the wind.

Lyra Ultra
ALLROAD/ROAD



under development

-  MLC Carbon, UCI
-  MLC Carbon, UCI
-  -
-  Sram Force AXS E1, 12-S
-  Sram AXS Wireless Blip B1
-  Sram XG 1270 E1, 10-33T
-  Sram Rival E1 Flattop
-  Sram Force E1, 50T
-  Sram Force, 2-piston, hydr. disc brake
-  Sram Paceline, 160 mm, Center Lock
Sram Paceline, 140mm, Center Lock
-  Raymon CR65, carbon, 12x100/12x142 mm, tubeless ready
-  Continental Grand Prix TR, 28-622, 28x1.10, tubeless ready

-  Raymon CRT20, carbon
-  integrated in handlebar
-  Prologo Dimension Tirox
-  Lyra carbon
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 6.999	CHF 6.999	PLN 29.999	CZK 174.990
------------	-----------	------------	-------------

Artikelnummer / Item#	
carbon stealth	
7402782010	XS
7402782030	S
7402782050	M
7402782070	L
7402782090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Lyra Pro

ALLROAD/ROAD



under development

-  MLC Carbon, UCI
-  MLC Carbon, UCI
-  -
-  Sram Rival AXS E1, 24-S
-  Sram AXS Wireless Blip B1
-  Sram XG 1250 D1, 10-30T
-  Sram Rival E1 Flattop
-  Sram Rival E1, 48/35T
-  Sram Rival E1, 2-piston, hydr. disc brake
-  Sram Paceline, 160 mm, Center Lock
Sram Paceline, 140mm, Center Lock
-  Raymon CR65, carbon, 12x100/12x142 mm, tubeless ready
-  Continental Grand Prix TR, 28-622, 28x1.10, tubeless ready

-  Raymon CRT20, carbon
-  integrated in handlebar
-  Prologo Dimension Tirox
-  Lyra carbon
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 5.999	CHF 5.999	PLN 25.499	CZK 149.990
------------	-----------	------------	-------------

Artikelnummer / Item#

white/carbon

7402780010	XS
7402780030	S
7402780050	M
7402780070	L
7402780090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

KENTHII

Tech Facts

- MLC Carbon-Rahmen
- UCI Freigabe
- integrierte Kabelführung
- integrierter Sattelklemme
- abgesenkte Kettenstrebe
- UDH Ausfallende
- integriertes Staufach mit 2 Taschen
- MLC carbon frame
- UCI approved
- integrated Cable routing
- integrated seat clamp
- dropped Chainstay
- UDH
- integrated storage compartment with 2 pockets

Kenthii Ultimate

ALLROAD/GRAVEL



under development

-  MLC Carbon, UCI, integrated storage
-  MLC Carbon, UCI
-  -
-  Sram Force XPLR AXS, 13-S
-  Sram Force XPLR AXS
-  Sram XG 1371 E1 XPLR, 10-46T
-  Sram Rival E1 Flattop
-  Sram Force XPLR E1, 42T
-  Sram Force, 2-piston, hydr. disc brake
-  Sram Paceline, 160 mm, Center Lock
-  Sram Paceline, 160 mm, Center Lock
-  Fulcrum Sharq 57, carbon, 12x100/12x142 mm, tubeless compatible
-  Continental Dubnital, Race, 50-622, 29x2.0, tubeless ready

-  Raymon CGH15, one piece carbon
-  integrated in handlebar
-  Selle Italia Model A
-  Raymon carbon, offset: 15 mm, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 6.499	CHF 6.499	PLN 27.699	CZK 162.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
hyacinth/carbon	
7402732030	48
7402732050	52
7402732070	54
7402732090	56

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kenthii Ultra

ALLROAD/GRAVEL



under development

- MLC Carbon, UCI, integrated storage
- MLC Carbon, UCI
-
- Shimano GRX Di2, RD-RX827, 12-S
- Shimano GRX Di2, ST-RX825
- Shimano Deore, CS-M6100, 10-51T
- Shimano CN-M6100
- Shimano GRX, FC-RX820-1, 40T
- Shimano BR-RX820, 2-piston, hydr. disc brake
- Shimano RT-CL700, 160 mm, Center Lock
- Shimano RT-CL700, 160 mm, Center Lock
- Fulcrum Soniq CF, carbon, 12x100/12x142 mm, tubeless compatible
- Vittoria Terreno T50, 50-622, 29x2.0, tubeless ready

- Raymon CGH15, one piece carbon
- integrated in handlebar
- Selle Italia Model A
- Raymon carbon, offset: 15 mm, 27,2 mm
-
-
-
-
-
- not compatible
- 120
-

*EUR 4.499	CHF 4.499	PLN 18.999	CZK 112.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
blue/carbon	
7402731030	48
7402731050	52
7402731070	54
7402731090	56

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Kenthii Pro

ALLROAD/GRAVEL



under development

-  MLC Carbon, UCI, integrated storage
-  MLC Carbon, UCI
-  -
-  Shimano GRX Di2, RD-RX717, 12-S
-  Shimano GRX Di2, ST-RX715
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon CG30, carbon, 12x100/12x142 mm, tubeless ready
-  Vittoria Terreno T50, 50-622, 29x2.0, tubeless ready

-  Raymon CGH15, one piece carbon
-  integrated in handlebar
-  Selle Italia Model A
-  Raymon carbon, offset: 15 mm, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 3.799	CHF 3.799	PLN 15.999	CZK 94.990
------------	-----------	------------	------------

Artikelnummer / Item#

starblack/carbon

7402730030	48
7402730050	52
7402730070	54
7402730090	56

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

SORENO

A man and a woman are riding road bikes on a paved mountain road. The woman is in the foreground, wearing a black short-sleeved jersey, black shorts, white socks, and a white helmet. She is smiling and looking towards the man. The man is slightly behind her, wearing a black short-sleeved jersey, green shorts, white socks, and a white helmet. He is also smiling and looking towards the camera. The road is paved and curves to the right. On the left side of the road is a steep, rocky cliff face. On the right side, there are green trees and a low stone wall. The background shows a hazy mountain landscape under a clear sky.

Tech Facts

- Carbon-Rahmen
- 4 Rahmenhöhen in 28"
- integrierte Kabelführung
- integrierter Sattelklemme
- abgesenkte Kettenstrebe
- UDH

- Carbon frame
- 4 sizes in 28"
- Integrated Cable routing
- Integrated seat clamp
- dropped Chainstay
- UDH

Soreno Ultra

ALLROAD/GRAVEL



under development

- MLC Carbon
- MLC Carbon
-
- Shimano GRX Di2, RD-RX717, 12-S
- Shimano GRX Di2, ST-RX715
- Shimano Deore, CS-M6100, 10-51T
- Shimano CN-M6100
- Shimano GRX, FC-RX610-1, 40T
- Shimano BR-RX410, 2-piston, hydr. disc brake
- Shimano RT-CL700, 160 mm, Center Lock
Shimano RT-CL700, 160 mm, Center Lock
- Raymon CG30, carbon, 12x100/12x142 mm, tubeless ready
- Continental Terra Trail, 45-622, 28x1.70, tubeless ready

- Raymon alloy, 31,8mm, flare: 16°
- Raymon 31,8, -7°, Ahead
- Raymon 140 SL VM Fit
- Raymon carbon, offset: 8 mm, 31,6 mm
-
-
-
-
-
-
- not compatible
- 130
- 9,3

*EUR 3.299	CHF 3.299	PLN 13.999	CZK 82.490
------------	-----------	------------	------------

Artikelnummer / Item#	
ud jadegreen	
7402723030	S
7402723050	M
7402723070	L
7402723090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Pro

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano GRX Di2, RD-RX717, 12-S
-  Shimano GRX Di2, ST-RX715
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon VR32/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Continental Terra Trail, 45-622, 28x1.70, tubeless ready

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon 140 SL VM Fit
-  Raymon carbon, offset: 8 mm, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,2

*EUR 2.599	CHF 2.599	PLN 10.999	CZK 64.990
------------	-----------	------------	------------

Artikelnummer / Item#

black stone

7402722030	S
7402722050	M
7402722070	L
7402722090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Pro
ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano GRX Di2, RD-RX717, 12-S
-  Shimano GRX Di2, ST-RX715
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon VR32/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Continental Terra Trail, 45-622, 28x1.70, tubeless ready

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon 140 SL VM Fit
-  Raymon carbon, offset: 8 mm, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,2

*EUR 2.599	CHF 2.599	PLN 10.999	CZK 64.990
------------	-----------	------------	------------

Artikelnummer / Item#	
white sparkle	
7402722230	S
7402722250	M
7402722270	L
7402722290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Comp

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano GRX, RD-RX822, 12-S
-  Shimano GRX, ST-RX610
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT64, 160 mm, Center Lock
-  Shimano SM-RT64, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,2

*EUR 1.999	CHF 1.999	PLN 8.499	CZK 49.990
------------	-----------	-----------	------------

Artikelnummer / Item#

carbon matt

7402721030	S
7402721050	M
7402721070	L
7402721090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Comp

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano GRX, RD-RX822, 12-S
-  Shimano GRX, ST-RX610
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT64, 160 mm, Center Lock
-  Shimano SM-RT64, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,2

*EUR	1.999	CHF	1.999	PLN	8.499	CZK	49.990
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

marble white

7402721230	S
7402721250	M
7402721270	L
7402721290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Comp

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano GRX, RD-RX822, 12-S
-  Shimano GRX, ST-RX610
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT64, 160 mm, Center Lock
-  Shimano SM-RT64, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,2

*EUR 1.999	CHF 1.999	PLN 8.499	CZK 49.990
------------	-----------	-----------	------------

Artikelnummer / Item#

mohair pink

7402721430	S
7402721450	M
7402721470	L
7402721490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Pure

ALLROAD/GRAVEL



under development

	MLC Carbon		Raymon alloy, 31,8mm, flare: 16°
	MLC Carbon		Raymon 31,8, -7°, Ahead
	-		Raymon ErgoLite 143
	Shimano Cues, LG, RD-U6020-10, 20-S		Raymon, 31,6 mm
	Shimano Cues, ST-U6030		-
	Shimano Cues, CS-LG300, 11-39T		-
	Shimano CN-LG500		-
	Shimano Cues, FC-U6030-2, 46/32T		-
	Shimano Cues, BR-RS405, 2-piston, hydr. disc brake		-
	Shimano SM-RT54, 160 mm, Center Lock		not compatible
	Shimano SM-RT54, 160 mm, Center Lock		130
	Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible		10,5
	Maxxis Reaver, 45-622, 28x1.70		

*EUR 1.799	CHF 1.799	PLN 7.499	CZK 44.990
------------	-----------	-----------	------------

Artikelnummer / Item#

starblack

7402720030	S
7402720050	M
7402720070	L
7402720090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Pure

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano Cues, LG, RD-U6020-10, 20-S
-  Shimano Cues, ST-U6030
-  Shimano Cues, CS-LG300, 11-39T
-  Shimano CN-LG500
-  Shimano Cues, FC-U6030-2, 46/32T
-  Shimano Cues, BR-RS405, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon, 31,6 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  130
-  10,5

*EUR 1.799	CHF 1.799	PLN 7.499	CZK 44.990
------------	-----------	-----------	------------

Artikelnummer / Item#

heatherlilac

7402720230	S
7402720250	M
7402720270	L
7402720290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Soreno Sport

ALLROAD/GRAVEL



under development

-  MLC Carbon
-  MLC Carbon
-  -
-  Shimano Deore, RD-M6200, 12-S
-  Shimano Deore, SL-M6200, Rapidfire Plus
-  Shimano Deore, CS-M6100, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano BR-UR300, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon S260/PL-7/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 40-622, 28x1.50

-  Raymon alloy, 31,8mm
-  Raymon 31,8, -7°, Ahead
-  Raymon ErgoLite 143
-  Raymon, 31,6 mm
-  -
-  Raymon alloy
-  -
-  -
-  -
-  not compatible
-  130
-  130
-  130

*EUR 1.699	CHF 1.699	PLN 7.199	CZK 42.490
------------	-----------	-----------	------------

Artikelnummer / Item#

timeless grey

7402720630	S
7402720650	M
7402720670	L
7402720690	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

TERRIT

Tech Facts

- langlebiger Aluminiumrahmen
 - integrierte Kabelführung für einen aufgeräumten look
 - Vollcarbongabel mit Steckachse
 - viele Anschraubpunkte für Zubehör
 - UDH Ausfallende
 - neueste TrueSize Rahmengeometrie
-
- durable aluminum frame
 - integrated cable routing for a clean look
 - carbon fork with through axle
 - multiple mounting points for accessories
 - UDH Dropout
 - latest TrueSize frame geometry

Territ Ultra

ALLROAD/GRAVEL



under development

-  AL61-T6 Aluminium, seamless welding
-  MLC Carbon
-  -
-  Shimano GRX Di2, RD-RX717, 12-S
-  Shimano GRX Di2, ST-RX715
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano GRX, BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon, thermoplastic
-  KSA18, compatible
-  120
-  -

*EUR 2.199	CHF 2.199	PLN 8.999	CZK 54.990
------------	-----------	-----------	------------

Artikelnummer / Item#

star black stealth

7402716010	XS
7402716030	S
7402716050	M
7402716070	L
7402716090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Pro Street

ALLROAD/GRAVEL



under development

-  28", Alloy 6061, smooth welding
-  Carbon Gravel Disc
-  -
-  Shimano GRX, RD-RX810, 22-S
-  Shimano GRX, ST-RX600
-  Shimano CS-HG700, 11-34T
-  Shimano CN-HG601
-  Shimano GRX, FC-RX600, 46/30T
-  Shimano GRX BR-RX400, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon S260/PL-7/DA210 12x100/12x142 mm
-  Maxxis Reaver, 40-622

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon, 31,8mm
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  Raymon, MIKside, convertible MIK, 15 kg
-  Alloy
-  AXA Nxt 60, 60 lx
-  AXA LS 423 COB LINE
-  Raymon, thermoplastic
-  Raymon, KSA18, adjustable
-  120 kg
-  -

*EUR 1.899	CHF 1.899	PLN 7.999	CZK 47.490
------------	-----------	-----------	------------

Artikelnummer / Item#

maroonbrown / brick

7402602430	S
7402602450	M
7402602470	L
7402602490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Pro

ALLROAD/GRAVEL



under development

	AL61-T6 Aluminium, seamless welding		Raymon alloy, 31,8mm, flare: 16°
	MLC Carbon		Raymon 31,8, -7°, Ahead
	-		Raymon 147 VacTech
	Shimano GRX, RD-RX822, 12-S		Raymon, 27,2 mm
	Shimano GRX, ST-RX610		.
	Shimano Deore, CS-M6200, 10-51T		.
	Shimano CN-M6100		.
	Shimano GRX, FC-RX610-1, 40T		.
	Shimano GRX, BR-RX410, 2-piston, hydr. disc brake		Raymon, thermoplastic
	Shimano SM-RT54, 160 mm, Center Lock		KSA18, compatible
	Shimano SM-RT54, 160 mm, Center Lock		
	Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible		120
	Maxxis Reaver, 45-622, 28x1.70		

*EUR 1.699	CHF 1.699	PLN 6.999	CZK 42.490
------------	-----------	-----------	------------

Artikelnummer / Item#

black stealth

7402714010	XS
7402714030	S
7402714050	M
7402714070	L
7402714090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Pro

ALLROAD/GRAVEL



under development

-  AL61-T6 Aluminium, seamless welding
-  MLC Carbon
-  -
-  Shimano GRX, RD-RX822, 12-S
-  Shimano GRX, ST-RX610
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano GRX, FC-RX610-1, 40T
-  Shimano GRX, BR-RX410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 160 mm, Center Lock
-  Shimano SM-RT54, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, -7°, Ahead
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  .
-  .
-  .
-  .
-  Raymon, thermoplastic
-  KSA18, compatible
-  120
-  .
-  .

*EUR 1.699	CHF 1.699	PLN 6.999	CZK 42.490
------------	-----------	-----------	------------

Artikelnummer / Item#	
pastel purple	
7402714210	XS
7402714220	S
7402714250	M
7402714270	L
7402714290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Comp

ALLROAD/GRAVEL



under development

-  28", Alloy 6061, smooth welding
-  Carbon Gravel Disc
-  -
-  Shimano Cues, RD-U6000, Shadow, 10-S
-  Shimano Cues, ST-U6030
-  Shimano Cues, CS-LG400, 11-48T
-  Shimano CN-LG500
-  Shimano Cues, FC-U6030-1, 40T
-  Shimano Cues BR-U6030, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon S260/DA210 12x100/12x142 mm
-  Maxxis Reaper, 45-622

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon, 31,8mm
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  Raymon, thermoplastic
-  KSA18, compatible
-  120 kg
-  11,5 kg

*EUR 1.299	CHF 1.299	PLN 5.499	CZK 32.490
------------	-----------	-----------	------------



Artikelnummer / Item#

agave green / chrome		black / forestgreen	
7402601910	XS	7402602010	XS
7402601930	S	7402602030	S
7402601950	M	7402602050	M
7402601970	L	7402602070	L
7402601990	XL	7402602090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Comp Commute

ALLROAD/GRAVEL



under development

-  28", Alloy 6061, smooth welding
-  Carbon Gravel Disc
-  -
-  Shimano Cues, RD-U6000, Shadow, 10-S
-  Shimano Cues, ST-U6030
-  Shimano Cues, CS-LG400, 11-48T
-  Shimano CN-LG500
-  Shimano Cues, FC-U6030-1, 40T
-  Shimano Cues BR-UR300, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon S260/PL-7/DA210 12x100/12x142 mm
-  Maxxis Reaver, 40-622

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon, 31,8mm
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  Raymon, MIKside, convertible MIK, 15 kg
-  Alloy
-  AXA NXT 30, 30 lx
-  AXA LS 423 COB LINE
-  Raymon, thermoplastic
-  Raymon, KSA18, adjustable
-  120 kg
-  13,2 kg

*EUR	1.299	CHF	1.299	PLN	5.499	CZK	32.490
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

black stealth

7402602130	S
7402602150	M
7402602170	L
7402602190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Pure

ALLROAD/GRAVEL



under development

-  AL61-T6 Aluminium, smooth welding
-  AL61-T6 Aluminium
-  -
-  Shimano Cues, LG, RD-U3020, 18-S
-  Shimano Cues, ST-U4030
-  Shimano Cues, CS-LG300, 11-36T
-  KMC X-Glide
-  Shimano Cues, FC-U6030-2, 50/34T
-  Shimano Cues, BR-U6030, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
-  Maxxis Reaver, 45-622, 28x1.70

-  Raymon alloy, 31,8mm, flare: 16°
-  Raymon 31,8, Ahead
-  Raymon 147 VacTech
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon, thermoplastic
-  KSA18, compatible
-  120
-  -

*EUR 1.099	CHF 1.099	PLN 4.499	CZK 27.490
------------	-----------	-----------	------------

Artikelnummer / Item#	
sand	
7402711030	S
7402711050	M
7402711070	L
7402711090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Pure

ALLROAD/GRAVEL



under development

- AL61-T6 Aluminium, smooth welding
- AL61-T6 Aluminium
-
- Shimano Cues, LG, RD-U3020, 18-S
- Shimano Cues, ST-U4030
- Shimano Cues, CS-LG300, 11-36T
- KMC X-Glide
- Shimano Cues, FC-U6030-2, 50/34T
- Shimano Cues, BR-U6030, 2-piston, hydr. disc brake
- Shimano SM-RT10, 160 mm, Center Lock
- Shimano SM-RT10, 160 mm, Center Lock
- Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible
- Maxxis Reaver, 45-622, 28x1.70

- Raymon alloy, 31,8mm, flare: 16°
- Raymon 31,8, Ahead
- Raymon 147 VacTech
- Raymon, 27,2 mm
-
-
-
-
-
- Raymon, thermoplastic
- KSA18, compatible
- 120
-

*EUR 1.099	CHF 1.099	PLN 4.499	CZK 27.490
------------	-----------	-----------	------------

Artikelnummer / Item#	
pinegreen	
7402711130	S
7402711150	M
7402711170	L
7402711190	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Territ Sport

ALLROAD/GRAVEL



under development

	AL61-T6 Aluminium, smooth welding		Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 15 mm				
	AL61-T6 Aluminium		Raymon 31,8, Ahead				
	-		Raymon 147 VacTech				
	Shimano Essa, RD-U2000, 8-S		Raymon, 27,2 mm				
	Shimano SL-M315, Rapidfire Plus		-				
	Shimano CS-HG300, 11-45T		-				
	KMC X8		-				
	Shimano Essa, FC-U2000-1, 40T		-				
	Shimano BR-UR300, 2-piston, hydr. disc brake		Raymon, thermoplastic				
	Shimano SM-RT10, 160 mm, Center Lock		KSA18, compatible				
	Shimano SM-RT10, 160 mm, Center Lock		120				
	Raymon S260/KRA210, alloy, 12x100/12x142 mm, tubeless compatible		11,5				
	Maxxis Reaver, 45-622, 28x1.70						
		<table><tr><td>*EUR 799</td><td>CHF 799</td><td>PLN 3.399</td><td>CZK 19.990</td></tr></table>		*EUR 799	CHF 799	PLN 3.399	CZK 19.990
*EUR 799	CHF 799	PLN 3.399	CZK 19.990				

Artikelnummer / Item#

pipegrey

7402710030	S
7402710050	M
7402710070	L
7402710090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

ZAYN

Tech Facts

- Aluminium-Rahmen mit geglätteten Schweißnähten
- bewährte 28" Laufräder
- verstellbare Vorbauten
- auch mit Riemenantrieb erhältlich
- MIK Gepäckträger
- integrierte Kabelführung

- Aluminium frame smooth welded
- proven 28" wheels
- adjustable stem
- available also with belt drive
- MIK carrier
- integrated cable routing

Zayn Ultra

ALLROAD/TREKKING

BELT DRIVE



under development <https://www.radfahren.de/test-technik/raymon-zayn-ultra-test/>

- 28", Alloy 6061
- SR Suntour NEX HLO, coil, 63 mm
-
- Shimano Nexus, SG-C6001, 8-S
- Shimano Alfine, SL-S503, Rapidfire Plus
- Gates CDN 24T
- Gates CDN 120T
- Gates CDN S150, 50T
- Shimano BR-MT200, 2-piston, hydr. disc brake
- Shimano SM-RT10, 180/160 mm, Center Lock
- Ryde Disc19/Shimano 3D37/C6001-8D
- Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

- Raymon Ergo 31,8 mm, Sweep: 15 °, Rise: 20 mm
- Raymon 31.8, Ahead, adjustable
- Raymon MIMA VM fit
- Raymon, 27,2 mm
- Raymon, MIK, Federklappe
- Raymon 28 PET
- AXA Nxt 60, 60 lx
- AXA BlueLine Steady
- Raymon, thermoplastic
- Alu adjustable
- 120 kg
- 17,3 kg



*EUR 1.299	CHF 1.299	PLN 5.499	CZK 32.490
------------	-----------	-----------	------------

Artikelnummer / Item#

black stealth

Diamond		Trapez		Wave	
7202500530	S	7202500730	S	7202500630	S
7202500550	M	7202500750	M	7202500650	M
7202500570	L	7202500770	L	7202500670	L
7202500590	XL			7202500690	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Pro

ALLROAD/TREKKING



under development

-  28", Alloy 6061
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Cues, RD-U3020, 18-S
-  Shimano Cues, SL-U4000, Rapidfire Plus
-  Shimano CS-LG300, 11-36T
-  Shimano CN-LG500
-  Shimano Cues, FC-U4010, 46/30T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Ryde Disc19/Shimano 3D37/QC300, QR
-  Schwalbe Road Cruiser, Reflex, 47-622, 28x1.75

-  Raymon Ergo 31,8 mm, Sweep: 15 ø, Rise: 20 mm
-  Raymon 31.8, Ahead, adjustable
-  Raymon MIMA VM fit
-  Raymon, 27,2 mm
-  Raymon, MIK, Federklappe
-  Raymon 28 PET
-  AXA Nxt 30, 30 lx
-  AXA BlueLine Steady
-  Raymon, thermoplastic
-  Alu adjustable
-  120 kg
-  17,3 kg



*EUR 999	CHF 999	PLN 4.249	CZK 24.990
----------	---------	-----------	------------

Artikelnummer /Item#					
anthracite					
Diamond		Trapez		Wave	
7202500330	S	7202500830	S	7202500430	S
7202500350	M	7202500850	M	7202500450	M
7202500370	L	7202500870	L	7202500470	L
7202500390	XL			7202500490	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Comp

ALLROAD/TREKKING



under development

-  28", Alloy 6061
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Tourney, RD-TX800, 16-S
-  Shimano ST-EF515, EZfire Plus
-  Shimano CS-HG200, 12-32T
-  KMC Z8
-  Shimano Tourney, FC-TY501-2, 46/30T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano BR-MT200, 2-piston, hydr. disc brake Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano 3D37/TY505-7, QR
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75

-  Raymon Ergo 31,8 mm, Sweep: 15 °, Rise: 20 mm
-  Raymon 31.8, Ahead, adjustable
-  Raymon ArcTech
-  Raymon, 27,2 mm
-  Raymon, MIK, clamp
-  Raymon 28 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  Alu adjustable
-  120 kg
-  Wave: 16,7 kg, Trapez: 16,6 kg, Diamond: 16,6 kg



*EUR 849	CHF 849	PLN 3.599	CZK 21.290
----------	---------	-----------	------------

Artikelnummer /Item#

taupegrey/black

Diamond		Trapez		Wave	
7202601030	S	7202601130	S	7202601230	S
7202601050	M	7202601150	M	7202601250	M
7202601070	L	7202601170	L	7202601270	L
7202601090	XL			7202601290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Flow FW

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Nexus, SG-C6001, 8-S
-  Shimano Nexus, SL-C6001, Revoshift
-  Shimano SM-GEAR, 19T
-  KMC Z7
-  Wheeltop, 38T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano 3D37/C60018-D
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75
Maxxis Overdrive Excel, Reflex, 50-559, 26x2.00
-  Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 25 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 26 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  120
- 

*EUR 849	CHF 849	PLN 3.599	CZK 21.290
----------	---------	-----------	------------



Artikelnummer /Item#

highlandgreen **desert sand**

Wave

Wave

7202712010	XS	7202712210	XS
7202712030	S	7202712230	S
7202712050	M	7202712250	M
7202712070	L	7202712270	L
7202712090	XL	7202712290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Flow CB

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Nexus, SG-C6001, 8-S
-  Shimano Nexus, SL-C6001, Revoshift
-  Shimano SM-GEAR, 19T
-  KMC Z7
-  Wheeltop, 38T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
Shimano SM-RTC60, 160 mm, 5-Loch
-  Raymon X21/Shimano 3D37/C60018-CD
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75
Maxxis Overdrive Excel, Reflex, 50-559, 26x2.00

-  Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 25 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 26 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  120
- 

*EUR 849	CHF 849	PLN 3.599	CZK 21.290
----------	---------	-----------	------------



Artikelnummer /Item#			
highlandgreen		desert sand	
Wave		Wave	
7202711010	XS	7202711210	XS
7202711030	S	7202711230	S
7202711050	M	7202711250	M
7202711070	L	7202711270	L
7202711090	XL	7202711290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Ease FW

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Nexus, SG-C6001, 8-S
-  Shimano Nexus, SL-C6001, Revoshift
-  Shimano SM-GEAR, 19T
-  KMC Z7
-  Wheeltop, 38T
-  V-Brake
-  -
-  Raymon Z21/Shimano C3000/C60018-V
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75
-  Maxxis Overdrive Excel, Reflex, 50-559, 26x2.00

-  Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 25 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 26 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  central, adjustable
-  120
-  120

*EUR 749	CHF 749	PLN 3.199	CZK 18.790
----------	---------	-----------	------------

Artikelnummer /Item#

metalgrey

pastel purple

Wave

Wave

7202710610	XS	7202710810	XS
7202710630	S	7202710830	S
7202710650	M	7202710850	M
7202710670	L	7202710870	L
7202710690	XL	7202710890	XL



*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Ease CB

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Nexus, SG-C6001, 8-S
-  Shimano Nexus, SL-C6001, Revoshift
-  Shimano SM-GEAR, 19T
-  KMC Z7
-  Wheeltop, 38T
-  V-Brake
-  -
-  Raymon Z21/Shimano C3000/C60018-C
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75
Maxxis Overdrive Excel, Reflex, 50-559, 26x2.00

-  Raymon Ergo 31,8 mm, Sweep: 30 °, Rise: 25 mm
-  Raymon 31,8, Ahead, adjustable
-  Raymon 197 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 26 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  central, adjustable
-  120
- 



*EUR 749	CHF 749	PLN 3.199	CZK 18.790
----------	---------	-----------	------------

Artikelnummer /Item#

metalgrey

pastel purple

Wave

Wave

7202710010	XS	7202710210	XS
7202710030	S	7202710230	S
7202710050	M	7202710250	M
7202710070	L	7202710270	L
7202710090	XL	7202710290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Pure

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300, 11-45T
-  Shimano CN-HG40
-  Shimano Essa, FC-U2000-1, 40T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano 3D37/QC300
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75

-  Raymon Ergo 31,8 mm, Sweep: 15 °, Rise: 20 mm
-  Raymon 31,8, 25°, Ahead
-  Raymon ArcTech
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 28 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  120
- 



*EUR 749	CHF 749	PLN 3.199	CZK 18.990
----------	---------	-----------	------------

Artikelnummer /Item#

smokeblue

Diamond		Trapez		Wave	
7302700030	S	7302700130	S	7302700330	S
7302700050	M	7302700150	M	7302700350	M
7302700070	L	7302700170	L	7302700370	L
7302700090	XL			7302700390	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Pure

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300, 11-45T
-  Shimano CN-HG40
-  Shimano Essa, FC-U2000-1, 40T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano 3D37/QC300
-  Maxxis Overdrive Excel, Reflex, 47-622, 28x1.75

-  Raymon Ergo 31,8 mm, Sweep: 15 °, Rise: 20 mm
-  Raymon 31,8, 25°, Ahead
-  Raymon ArcTech
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 28 PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo safe stop
-  Raymon, thermoplastic
-  Raymon, KSA40, adjustable
-  120
- 



*EUR 749	CHF 749	PLN 3.199	CZK 18.990
----------	---------	-----------	------------

Artikelnummer /Item#

titansilver

Diamond		Trapez		Wave	
7302700630	S	7302700730	S	7302700930	S
7302700650	M	7302700750	M	7302700950	M
7302700670	L	7302700770	L	7302700970	L
7302700690	XL			7302700990	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Sport

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300, 11-45T
-  Shimano CN-HG40
-  Shimano Essa, FC-U2000-1, 40T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano QC300
-  Schwalbe G-One Comp, 50-622, 28x2.00

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon ArcTech
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 28 PET
-  -
-  -
-  Raymon, thermoplastic
-  KSA40, compatible
-  120
-  -

*EUR 649	CHF 649	PLN 2.799	CZK 16.290
----------	---------	-----------	------------



Artikelnummer /Item#

black stealth

Diamond

Trapez

7302701030	S	7302701130	S
7302701050	M	7302701150	M
7302701070	L	7302701170	L
7302701090	XL		

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Zayn Sport

ALLROAD/TREKKING



under development

-  AL61-T6 Aluminium
-  SR Suntour NEX, coil, 63 mm
-  -
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300, 11-45T
-  Shimano CN-HG40
-  Shimano Essa, FC-U2000-1, 40T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon X21/Shimano QC300
-  Schwalbe G-One Comp, 50-622, 28x2.00

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon ArcTech
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon 28 PET
-  Raymon, thermoplastic
-  KSA40, compatible
-  120
-  120

*EUR 649	CHF 649	PLN 2.799	CZK 16.290
----------	---------	-----------	------------

Artikelnummer /Item#

heatherlilac

Trapez

7302701730	S
7302701750	M
7302701770	L

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

ROKUA

Tech Facts

- Carbon Full Suspension
- 29" Bereifung
- 150 mm und 170 mm Federweg
- State of the art Bike Geometrie
- integrierte Kabelführung
- Überarbeitete Kinematik
- 4-Gelenk-Hinterbau (Horst-Link)
- UDH

- Carbon Full Suspension
- 29" front and rear
- 150 mm and 170 mm Travel
- State of the art bike Geometry
- Integrated cable routing
- Refined kinematics
- 4-Bar linkage (Horst link)
- UDH

RAYMON

The ultimate Thrill-Machine.

Ein Blick nach unten: Erdweg, enge Kurven – genau dein Revier. Du löst die Bremsen und schießt mit deinem Rokua in die Trails. Die ultraleichten 14,7 kg lassen dich spüren, dass echt jedes Gramm zählt. Kein Ballast, pure Performance. Deine 29" Bereifung überrollen alles, dein High-End-Fahrwerk schluckt die fettesten Hindernisse.

Die Abfahrt wird zum Rausch. Dein Herz klopft, alles kribbelt. Achtung: Das Rokua macht süchtig!

A look down: Dirt road, tight bends - exactly your territory. You release the brakes and shoot off into the trails on your Rokua. The ultra-light 14.7 kg lets you feel that every gram counts. No ballast, pure performance. Your 29" tires roll over everything, your high-end suspension swallows the fattest obstacles.

The descent becomes a rush. Your heart is pounding, everything is tingling. Warning: the Rokua is addictive!

Rokua LT Ultra

OFFROAD



under development

-  MLC Carbon, 170 mm
-  FOX 38 Factory Grip X2, air, 170mm, tapered
-  FOX Float X Factory, air, 225x75 mm
-  Shimano Deore XT Di2, RD-M8250, 12-S
-  Shimano Deore XT Di2, SW-M8250, shfit switch
-  Shimano Deore XT, CS-M8200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 34T
-  Shimano BR-M8220, 4-piston, hydr. disc brake
-  Shimano, RT-CL750, 200 mm, Center Lock
Shimano, RT-CL750, 200 mm, Center Lock
-  Raymon CO30, carbon, 15x110/12x148 mm, tubeless ready
-  Continental Kryptotal-F, Enduro, Super Soft, 60-622, 29x2.40, tubeless ready
Continental Kryptotal-R, Enduro, Soft, 60-622, 29x2.40, tubeless ready

-  FSA Comet OS35 Riser, 35mm, Sweep: 8°, Rise: 25mm
-  FSA Comet OS35, 35, 0°
-  Raymon 150 VacTech
-  Raymon, 31,6 mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
- 

*EUR 5.499	CHF 5.499	PLN 23.399	CZK 137.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
northgrey/stormwhite	
7102766030	S
7102766050	M
7102766070	L

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Rokua LT Pro

OFFROAD



under development

-  MLC Carbon, 170 mm
-  DVO Diamond 36 Core, air, 170 mm, tapered
-  DVO Topaz X Core, air, 225x75 mm
-  Shimano Deore XT Di2, RD-M8250, 12-S
-  Shimano Deore XT Di2, SW-M8250, shfit switch
-  Shimano Deore, CS-M7200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 34T
-  Shimano BR-MT620, 4-piston, hydr. disc brake
-  Shimano SM-RT64, 203 mm, Center Lock
-  Shimano, SM-RT64, 203 mm, Center Lock
-  Rodi Blackjack Aeron30, alloy, 15x110/12x148 mm, tubeless compatible
-  Continental Kryptotal-F, Enduro, Soft, 60-622, 29x2.40, tubeless ready
-  Continental Kryptotal-R, Enduro, Soft, 60-622, 29x2.40, tubeless ready

-  Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 35, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6 mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 4.299	CHF 4.299	PLN 18.299	CZK 107.490
------------	-----------	------------	-------------

Artikelnummer / Item#	
black stone/carbon	
7102765030	S
7102765050	M
7102765070	L

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Rokua AM Pro

OFFROAD



under development

-  MLC Carbon, 150 mm
-  RockShox Lyrik Base, air, 150 mm, tapered
-  RockShox Deluxe Select, air, 205x60 mm
-  Shimano Deore XT Di2, RD-M8250, 12-S
-  Shimano Deore XT Di2, SW-M8250, shfit switch
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 34T
-  Shimano BR-MT620, 4-piston, hydr. disc brake
-  Shimano SM-RT64, 203 mm, Center Lock
-  Shimano, SM-RT64, 203 mm, Center Lock
-  Raymon VR33/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Romy Trail, TLR, 62-622, 29x2.4, tubeless ready

-  Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 35, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6 mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
- 

*EUR	3.999	CHF	3.999	PLN	16.999	CZK	99.990
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

galaxygrey/carbon

7102761030	S
7102761050	M
7102761070	L

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Rokua AM Comp

OFFROAD



under development

-  MLC Carbon, 150 mm
-  RockShox Psylo Gold RC, air, 150 mm, tapered
-  RockShox Deluxe Select, air, 205x60 mm
-  Shimano Deore XT, RD-M8200, 12-S
-  Shimano Deore XT, SL-M8200, Rapidfire Plus
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore, FC-MT620, 32T
-  Shimano BR-MT420, 4-piston, hydr. disc brake
-  Shimano SM-RT64, 203 mm, Center Lock
-  Shimano, SM-RT64, 203 mm, Center Lock
-  Raymon VR33/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Romy Trail, TLR, 62-622, 29x2.4, tubeless ready

-  Raymon Riser 35 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 35, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6 mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR	3.299	CHF	3.299	PLN	13.999	CZK	82.490
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

grey marble/black

7102760030	S
7102760050	M
7102760070	L

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

YARA

Tech Facts

- Aluminium-Full Suspension Rahmen
- 27.5" oder 29" Varianten
- 150 oder 120 mm Federweg

- Aluminum full suspension frame
- 27.5" or 29"
- 150 or 120 mm travel

Get ready for big adventures.

Samstagmorgen. Die Sonne lacht und du kannst es kaum erwarten, loszufahren. Ob du mit Freunden die Trails erkundest, neue Lines findest oder einfach nur durch den Wald cruisest - egal, was kommt - du hast heute richtig Bock auf's Biken!

Du schwingst dich auf dein Yara und federst erstmal schön ein. Ohja, es ist einfach was anderes mit Fulsuspension. Und dann ist er da: Der perfekte Trail. Gemeinsam mit der 4-Gelenk-Kinematik und der Luftfederung rockst du die Abfahrt. Woah, gleich nochmal!

Saturday morning. The sun is shining and you can hardly wait to get going. Whether you're exploring the trails with friends, finding new lines or simply cruising through the forest - no matter what - you're in the mood for biking today!

You get on your Yara and start off with a nice suspension. Oh yes, it's just different with full suspension. And then there it is: the perfect trail. Together with the 4-bar kinematics and the air suspension, you rock the descent. Woah, do it again!

Yara LT Ultra

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding, 150 mm
-  RockShox Psylo Gold RC, air, 150 mm, tapered
-  RockShox Deluxe Select+ , air, 210x50mm
-  Shimano Deore XT Di2, RD-M8250, 12-S
-  Shimano Deore XT Di2, SW-M8250, shfit switch
-  Shimano Deore, CS-M7200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 32T
-  Shimano BR-MT620, 4-piston, hydr. disc brake
-  Shimano SM-RT64, 203 mm, Center Lock
Shimano SM-RT64, 180mm, Center Lock
-  Raymon VR23/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Romy Trail, TLR, 62-622, 29x2.4

-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  16,7

*EUR 2.999	CHF 2.999	PLN 12.799	CZK 74.990
------------	-----------	------------	------------

Artikelnummer / Item#

black/raw

7102756030	S
7102756050	M
7102756070	L
7102756090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yara LT Pro

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding, 150 mm
-  RockShox Psylo Silver RC, Solo AIR, air, 150mm, tapered
-  RockShox Deluxe Select, air, 210x50mm
-  Shimano Deore XT, RD-M8200, 12-S
-  Shimano Deore XT, SL-M8200, Rapidfire Plus
-  Shimano Deore, CS-M7200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 32T
-  Shimano BR-MT420, 4-piston, hydr. disc brake
-  Shimano SM-RT64, 203 mm, Center Lock
Shimano SM-RT64, 180mm, Center Lock
-  Raymon VR23/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Smart Sam, 60-622, 29x2.35

-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  17,1

*EUR	2.299	CHF	2.299	PLN	9.799	CZK	57.490
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

taupe/black

7102755030	S
7102755050	M
7102755070	L
7102755090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yara Pro

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding, 130 mm
-  RockShox Recon Silver RL, Solo Air, air, 130 mm, tapered
-  RockShox Deluxe Select, air, 210x50mm
-  Shimano Deore XT, RD-M8200, 12-S
-  Shimano Deore, SL-M6200, Rapidfire Plus
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 32T
-  Shimano BR-MT410, 2-piston, hydr. disc brake
-  Shimano SM-RT54, 180mm, Center Lock
-  Shimano SM-RT54, 180mm, Center Lock
-  Raymon VR23/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Smart Sam, 60-584, 27.5x2.35
-  Schwalbe Smart Sam, 60-622, 29x2.35

-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  16,4

*EUR	1.999	CHF	1.999	PLN	8.499	CZK	49.990
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

starwhite/raw

7102751030	S	27.5"
7102751050	M	
7102751070	L	
7102751090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yara Comp

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding, 130 mm
-  SR Suntour MAG32 Boost LO, air, 120 mm, tapered
-  SR Suntour Raidon R, air, 210x50 mm
-  Shimano Cues, LG, RD-U6000, 10-S
-  Shimano Cues, SL-U6000, Rapidfire Plus
-  Shimano Cues, CS-LG300-10, 11-48T
-  KMC eGlide
-  Shimano Cues, FC-U6000-1, 32T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 180 mm, Center Lock
-  Shimano SM-RT10, 180 mm, Center Lock
-  Raymon VR23/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Smart Sam, 60-584, 27.5x2.35
-  Schwalbe Smart Sam, 60-622, 29x2.35

-  Raymon Riser 35 mm, Sweep: 7 °, Rise: 25 mm
-  Raymon 35, ICS, 0°, Ahead
-  Raymon 150 VacTech
-  Raymon, 31,6mm, Dropper Post
-  -
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  16,9

*EUR	1.599	CHF	1.599	PLN	6.799	CZK	39.990
------	-------	-----	-------	-----	-------	-----	--------

Artikelnummer / Item#

purple/lightgrey

7102750030	S	27.5"
7102750050	M	
7102750070	L	
7102750090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

ARID

Tech Facts

- Carbon Hardtail-Rahmen
- 29" Bereifung
- 100 mm Federweg
- integrierte Kabelführung
- UDH

- Carbon Hardtail frame
- 29" front and rear
- 100 mm travel at fork
- Integrated Cable routing
- UDH

Arid Ultra

OFFROAD



under development

-  MLC Carbon
-  FOX Float SC 32 Factory, Grip SL, air, 100 mm, tapered
-  -
-  Shimano Deore XT Di2, RD-M8250, 12-S
-  Shimano Deore XT Di2, SW-M8250, shfit switch
-  Shimano Deore XT, CS-M8200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore XT, FC-M8200, 34T
-  Shimano XT, BR-M8220, 4-piston, hydr. disc brake
-  Shimano RT-CL800, 180 mm, Center Lock
Shimano RT-CL800, 160 mm, Center Lock
-  Raymon CO30, carbon, 15x110/12x148 mm, tubeless ready
-  Schwalbe Racing Ralph Evo, Super Race, TLE, 57-622, tubeless ready
Schwalbe Racing Ray Evo, Super Race, TLE, 57-622, tubeless ready

-  Raymon COR5, one piece carbon
-  integrated in handlebar
-  Selle Italia Model A
-  Raymon carbon, 30,9 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 4.599	CHF 4.599	PLN 19.499	CZK 114.990
------------	-----------	------------	-------------

Artikelnummer / Item#

hyacinth/carbon

7102722030	S
7102722050	M
7102722070	L
7102722090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arid Pro

OFFROAD



under development

-  MLC Carbon
-  RockShox Recon Gold RL, air, 100 mm, tapered
-  -
-  Shimano Deore XT, RD-M8200, 12-S
-  Shimano Deore Di2, SW-M6250, shift switch
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore, FC-MT520, 32T
-  Magura MT A2 Sport, 2-piston, hydr. disc brake
-  Magura MDR-A, 180 mm, Center Lock
-  Magura MDR-A, 160 mm, Center Lock
-  Raymon AO29, 15x110/12x148 mm, tubeless ready
-  Schwalbe Racing Ralph Evo, Super Race, TLE, 57-622, tubeless ready
-  Schwalbe Racing Ray Evo, Super Race, TLE, 57-622, tubeless ready

-  Raymon alloy, 31,8mm, Sweep: 6°, Rise: 10 mm
-  Raymon 31,8, Ahead
-  Selle Italia Model A
-  Raymon, 30,9 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR	2.599	CHF	2.599	PLN	10.999	CZK	64.990
------	-------	-----	-------	-----	--------	-----	--------

Artikelnummer / Item#

carbon stealth

7102721030	S
7102721050	M
7102721070	L
7102721090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Arid Comp

OFFROAD



under development

-  MLC Carbon
-  SR Suntour MAG32 Boost LO, air, 100 mm, tapered
-  -
-  Shimano Deore, RD-M6200, 12-S
-  Shimano Deore, SL-M6200, Rapidfire Plus
-  Shimano Deore, CS-M6200, 10-51T
-  Shimano CN-M6100
-  Shimano Deore, FC-MT520, 32T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 180 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon VR33/KRA210, Center Lock, 15x110/12x148 mm, tubeless compatible
-  Schwalbe Smart Sam, 57-622

-  Raymon alloy, 31,8mm, Sweep: 6°, Rise: 10 mm
-  Raymon 31,8, Ahead
-  Raymon 150 VacTech
-  Raymon, 30,9 mm
-  -
-  -
-  -
-  -
-  -
-  not compatible
-  120
-  -

*EUR 1.599	CHF 1.599	PLN 6.799	CZK 39.990
------------	-----------	-----------	------------

Artikelnummer / Item#

stormwhite/carbon

7102720030	S
7102720050	M
7102720070	L
7102720090	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

NAYTA

Tech Facts

- AL61-T6 Aluminiumrahmen
- 27.5" oder 29" Bereifung
- 100 mm Federweg
- integrierte Kabelführung
- Seitenständer/Schutzbleche/Gepäckträger nachrüstbar

- AL61-T6 Aluminum frame
- 27.5" or 29" front and rear
- 100 mm travel at fork
- Integrated Cable routing
- Ready for Kickstand/Fender/Carrier

Nayta Ultra

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  RockShox Judy Silver TK, air, 100 mm, tapered
-  -
-  Shimano Deore, RD-M6200, 12-S
-  Shimano Deore, SL-M6200, Rapidfire Plus
-  Shimano Deore, CS-M6200, 10-51T
-  KMC X12
-  Shimano Deore FC-MT520-1, 32T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 180 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon J21/Shimano TC500, 15x110/12x148 mm
-  Maxxis Ikon, 27.5x2.2
Maxxis Ikon, 29x2.2

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon 145 HM Fit
-  KSA40, compatible
-  120 kg
-  -

*EUR 999	CHF 999	PLN 4.199	CZK 24.990
----------	---------	-----------	------------

Artikelnummer / Item#

rawsilver

7102714030	S	27.5
7102714050	M	
7102714070	L	
7102714090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pro

OFFROAD



under development

	AL61-T6 Aluminium, seamless welding		Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
	SR Suntour MAG32 Boost air LO, 100 mm, tapered		Raymon 31,8, Ahead
	-		Raymon 145 HM Fit
	Shimano Cues, LG, RD-U6000, 11-S		Raymon, 27,2 mm
	Shimano Cues, SL-U6001, Rapidfire Plus		-
	Shimano Cues, CS-LG400, 11-50T		-
	Shimano CN-LG500		-
	Shimano FC-UT400-1, 32T		-
	Shimano BR-MT200, 2-piston, hydr. disc brake		Raymon 145 HM Fit
	Shimano SM-RT10, 180 mm, Center Lock Shimano SM-RT10, 160 mm, Center Lock		KSA40, compatible
	Raymon J21/Shimano TC500, 15x110/12x148 mm		120 kg
	Maxxis Ikon, 27.5x2.2 Maxxis Ikon, 29x2.2		-

*EUR 849	CHF 849	PLN 3.499	CZK 20.990
----------	---------	-----------	------------

Artikelnummer / Item#

black stealth

7102713030	S	27.5
7102713050	M	
7102713070	L	
7102713090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pro

OFFROAD



under development

-  AL61-T6 Aluminium, seamless welding
-  SR Suntour MAG32 Boost air LO, 100 mm, tapered
-  -
-  Shimano Cues, LG, RD-U6000, 11-S
-  Shimano Cues, SL-U6001, Rapidfire Plus
-  Shimano Cues, CS-LG400, 11-50T
-  Shimano CN-LG500
-  Shimano FC-UT400-1, 32T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 180 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon J21/Shimano TC500, 15x110/12x148 mm
-  Maxxis Ikon, 27.5x2.2
Maxxis Ikon, 29x2.2

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  -
-  Raymon 145 HM Fit
-  KSA40, compatible
-  120 kg
-  -

*EUR 849	CHF 849	PLN 3.499	CZK 20.990
----------	---------	-----------	------------

Artikelnummer / Item#

grey marble

7102713230	S	27.5
7102713250	M	
7102713270	L	
7102713290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Comp

OFFROAD



under development

- | | | | |
|---|--|---|---|
|  | AL61-T6 Aluminium |  | Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm |
|  | SR Suntour XCT30, 100 mm |  | Raymon 31,8, Ahead |
|  | - |  | Raymon 145 HM Fit |
|  | Shimano Essa, RD-U2000, 8-S |  | Raymon, 27,2 mm |
|  | Shimano SL-M315, Rapidfire Plus |  | - |
|  | Shimano CS-HG300, 11-45T |  | - |
|  | KMC X8 |  | - |
|  | Shimano Essa, FC-U2000-1, 32T |  | - |
|  | Shimano BR-MT200, 2-piston, hydr. disc brake |  | Raymon 145 HM Fit |
|  | Shimano SM-RT10, 180 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock |  | KSA40, compatible |
|  | Raymon J21/Shimano QC300, QR |  | 120 kg |
|  | Maxxis Ikon, 27.5x2.2
Maxxis Ikon, 29x2.2 |  | - |

*EUR 649	CHF 649	PLN 2.799	CZK 15.990
----------	---------	-----------	------------

Artikelnummer / Item#

black/chrome

7102712030	S	27.5
7102712050	M	
7102712070	L	
7102712090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Comp

OFFROAD



under development

-  AL61-T6 Aluminium
-  SR Suntour XCT30, 100 mm
-  -
-  Shimano Essa, RD-U2000, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG300, 11-45T
-  KMC X8
-  Shimano Essa, FC-U2000-1, 32T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 180 mm, Center Lock
Shimano SM-RT10, 160 mm, Center Lock
-  Raymon J21/Shimano QC300, QR
-  Maxxis Ikon, 27.5x2.2
Maxxis Ikon, 29x2.2

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon 145 HM Fit
-  KSA40, compatible
-  120 kg
-  -

*EUR 649	CHF 649	PLN 2.799	CZK 15.990
----------	---------	-----------	------------

Artikelnummer / Item#

heatherlilac

7102712230	S	27.5
7102712250	M	
7102712270	L	
7102712290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pure

OFFROAD



under development

	AL61-T6 Aluminium		Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
	SR Suntour XCS28, 100 mm		Raymon 31,8, Ahead
	-		Raymon 145 HM Fit
	Shimano Tourney, RD-TX800, 21-S		Raymon, 27,2 mm
	Shimano ST-EF515, EZfire Plus		-
	Shimano CS-HG210, 12-32T		-
	KMC Z7		-
	Shimano Tourney, FC-TY301, 42/34/24T		-
	Shimano BR-MT200, 2-piston, hydr. disc brake		Raymon 145 HM Fit
	Shimano SM-RT10, 160 mm, Center Lock		KSA40, compatible
	Shimano SM-RT10, 160 mm, Center Lock		120 kg
	Raymon J21/Shimano QC300, QR		-
	Maxxis Ikon, 27.5x2.2		
	Maxxis Ikon, 29x2.2		

*EUR 549	CHF 549	PLN 2.299	CZK 13.790
----------	---------	-----------	------------

Artikelnummer / Item#

starblack stealth

7102710030	S	27.5
7102710050	M	
7102710070	L	
7102710090	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pure

OFFROAD



under development

	AL61-T6 Aluminium		Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
	SR Suntour XCS28, 100 mm		Raymon 31,8, Ahead
	-		Raymon 145 HM Fit
	Shimano Tourney, RD-TX800, 21-S		Raymon, 27,2 mm
	Shimano ST-EF515, EZfire Plus		-
	Shimano CS-HG210, 12-32T		-
	KMC Z7		-
	Shimano Tourney, FC-TY301, 42/34/24T		-
	Shimano BR-MT200, 2-piston, hydr. disc brake		Raymon 145 HM Fit
	Shimano SM-RT10, 160 mm, Center Lock		KSA40, compatible
	Shimano SM-RT10, 160 mm, Center Lock		-
	Raymon J21/Shimano QC300, QR		120 kg
	Maxxis Ikon, 27.5x2.2		-
	Maxxis Ikon, 29x2.2		-

*EUR 549	CHF 549	PLN 2.299	CZK 13.790
----------	---------	-----------	------------

Artikelnummer / Item#

pastel purple

7102710230	S	27.5
7102710250	M	
7102710270	L	
7102710290	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pure

OFFROAD



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 100 mm
-  -
-  Shimano Tourney, RD-TX800, 21-S
-  Shimano ST-EF515, EZfire Plus
-  Shimano CS-HG210, 12-32T
-  KMC Z7
-  Shimano Tourney, FC-TY301, 42/34/24T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon J21/Shimano QC300, QR
-  Maxxis Ikon, 27.5x2.2
-  Maxxis Ikon, 29x2.2

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon 145 HM Fit
-  KSA40, compatible
-  120 kg
-  -

*EUR 549	CHF 549	PLN 2.299	CZK 13.790
----------	---------	-----------	------------

Artikelnummer / Item#

sportsblue

7102710330	S	27.5
7102710350	M	
7102710370	L	
7102710390	XL	

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta Pure Street

OFFROAD



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 100 mm
-  -
-  Shimano Tourney, RD-TX800, 21-S
-  Shimano ST-EF515, EZfire Plus
-  Shimano CS-HG210, 12-32T
-  KMC Z7
-  Shimano Tourney, FC-TY301, 42/34/24T
-  Shimano BR-MT200, 2-piston, hydr. disc brake
-  Shimano SM-RT10, 160 mm, Center Lock
-  Shimano SM-RT10, 160 mm, Center Lock
-  Raymon J21/Shimano 3D37/QC300, QR
-  Maxxis Ikon, 27.5x2.2
-  Maxxis Ikon, 29x2.2

-  Raymon Riser 31,8 mm, Sweep: 9 °, Rise: 20 mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon, PET
-  Spanninga X&O, 15 lx
-  Spanninga Solo, safe stop
-  Raymon 145 HM Fit
-  Raymon, KSA40, adjustable
-  120 kg
-  -

*EUR 679	CHF 679	PLN 2.899	CZK 16.990
----------	---------	-----------	------------



Artikelnummer / Item#				
anthracite			sand	
7102711030	S	27.5	7102711230	S 27.5
7102711050	M		7102711250	M
7102711070	L		7102711270	L
7102711090	XL		7102711290	XL

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.



KIDS

Tech Facts

- langlebiger Aluminiumrahmen
- 20", 24" und 26" Ausführungen
- Straßenausführung optional
- Pro level mit Scheibenbremsen

- durable aluminum frame
- 20", 24" and 26" options
- street Option
- Pro level with disc brake

Nayta 26 Pro

KIDS



under development

- AL61-T6 Aluminium
- SR Suntour XCS28, 80 mm
-
- Shimano Acera, RD-M3020-8, 8-S
- Shimano SL-M315, Rapidfire Plus
- Shimano CS-HG400, 11-40T
- KMC Z8.3
- Samox, 36T
- Tektro J2820, 2-piston, hydr. disc brake
- Tektro, 160mm, 6-bolt
- Raymon A-M1/CU8R, QR
- Maxxis New Pace, 26x2.2

- Raymon Riser 31,8 mm, Rise: 20mm
- Raymon 31,8, Ahead
- Raymon 145 HM Fit
- Raymon, 27,2 mm
-
-
-
-
-
- Raymon, Kid
- central, adjustable
- 100 kg
-

*EUR 579	CHF 579	PLN 2.399	CZK 14.490
----------	---------	-----------	------------



Artikelnummer / Item#			
rawsilver		heatherlilac	
7002736400	26	7002736600	26

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 26 Pro Street

KIDS



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 80 mm
-  -
-  Shimano Acera, RD-M3020-8, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG400, 11-40T
-  KMC Z8.3
-  Samox, 36T
-  Tektro J2820, 2-piston, hydr. disc brake
-  Tektro, 160mm, 6-bolt
-  Raymon A-M1/Shimano 3D32/CU8R, QR
-  Maxxis New Pace, 26x2.2

-  Raymon Riser 31,8 mm, Rise: 20mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 26 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  100 kg
-  -

*EUR 679	CHF 679	PLN 2.899	CZK 16.990
----------	---------	-----------	------------

Artikelnummer / Item#

starwhite

7002736800

26

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 26 Pro Street

KIDS



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 80 mm
-  -
-  Shimano Acera, RD-M3020-8, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG400, 11-40T
-  KMC Z8.3
-  Samox, 36T
-  Tektro J2820, 2-piston, hydr. disc brake
-  Tektro, 160mm, 6-bolt
-  Raymon A-M1/Shimano 3D32/CU8R, QR
-  Maxxis New Pace, 26x2.2

-  Raymon Riser 31,8 mm, Rise: 20mm
-  Raymon 31,8, Ahead
-  Raymon 145 HM Fit
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 26 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  100 kg
-  -

*EUR 679

CHF 679

PLN 2.899

CZK 16.990

Artikelnummer / Item#

black chameleon

7002737000

26

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 26 Comp

KIDS



under development

	AL61-T6 Aluminium		Raymon Riser 31,8 mm, Rise: 20mm
	SR Suntour XCS28, 80 mm		Raymon 31,8, Ahead
	-		Raymon 145 HM Fit
	Shimano Tourney, RD-TY200, 7-S		Raymon, 27,2 mm
	Shimano SL-RV300, RevoShift		-
	Shimano MF-TZ500, 14-34T		-
	KMC Z7		-
	Samox, 36T		-
	V-Brake		Raymon, Kid
	-		central, adjustable
	Raymon A-M1/A52, QR		100 kg
	Maxxis New Pace, 26x2.2		-

*EUR 479	CHF 479	PLN 1.999	CZK 11.990
----------	---------	-----------	------------



Artikelnummer / Item#			
grey marble		mohair pink	
7002736000	26	7002736200	26

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 24 Pro

KIDS



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 50 mm
-  -
-  Shimano Acera, RD-M3020-8, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG400, 11-40T
-  KMC Z8.3
-  Samox, 36T
-  Tektro J2820, 2-piston, hydr. disc brake
-  Tektro, 160mm, 6-bolt
-  Raymon A-M1/CU8R, QR
-  Maxxis New Pace, 24x2.25

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon, Kid
-  central, adjustable
-  80 kg
-  -

*EUR 579	CHF 579	PLN 2.399	CZK 14.490
----------	---------	-----------	------------



Artikelnummer / Item#

black chameleon

heatherlilac

7002734400	26	7002734600	26
------------	----	------------	----

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 24 Pro Street

KIDS



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 50 mm
-  -
-  Shimano Acera, RD-M3020-8, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG400, 11-40T
-  KMC Z8.3
-  Samox, 36T
-  Tektro J2820, 2-piston, hydr. disc brake
-  Tektro, 160mm, 6-bolt
-  Raymon A-M1/Shimano 3D32/CU8R, QR
-  Maxxis New Pace, 24x2.25

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 24 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  80 kg
-  -

*EUR 679	CHF 679	PLN 2.899	CZK 16.990
----------	---------	-----------	------------



Artikelnummer / Item#

rawsilver

lilac

7002734800

24

7002735000

24

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Nayta 24 Comp

KIDS



under development

-  AL61-T6 Aluminium
-  SR Suntour XCS28, 50 mm
-  -
-  Shimano Tourney, RD-TY200, 7-S
-  Shimano SL-RV300, RevoShift
-  Shimano MF-TZ500, 14-34T
-  KMC Z7
-  Samox, 36T
-  V-Brake
-  -
-  Raymon A-M1/A52, QR
-  Maxxis New Pace, 24x2.25

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon, Kid
-  central, adjustable
-  80 kg
-  -

*EUR 479	CHF 479	PLN 1.999	CZK 11.990
----------	---------	-----------	------------



Artikelnummer / Item#			
northgrey		floridplum	
7002734000	24	7002734200	24

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
 *Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga 24 Pure Street

KIDS



under development

-  AL61-T6 Aluminium
-  HiTen Steel
-  -
-  Shimano Tourney, RD-TY200, 7-S
-  Shimano SL-RV300, RevoShift
-  Shimano MF-TZ500, 14-34T
-  KMC Z7
-  Prowheel, 36T
-  V-Brake
-  -
-  Raymon A-M1/C3000/A52
-  Schwalbe Land Cruiser, 24x 2.2, Reflex

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 24 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  80 kg
-  -

*EUR 529	CHF 529	PLN 2.249	CZK 12.990
----------	---------	-----------	------------

Artikelnummer / Item#
northgrey

7002724400

24

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga 24 Pure Street

KIDS



under development

-  AL61-T6 Aluminium
-  HiTen Steel
-  -
-  Shimano Tourney, RD-TY200, 7-S
-  Shimano SL-RV300, RevoShift
-  Shimano MF-TZ500, 14-34T
-  KMC Z7
-  Prowheel, 36T
-  V-Brake
-  -
-  Raymon A-M1/C3000/A52
-  Schwalbe Land Cruiser, 24x 2.2, Reflex

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 24 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  80 kg
-  -

*EUR 529	CHF 529	PLN 2.249	CZK 12.990
----------	---------	-----------	------------

Artikelnummer / Item#

heatherlilac

7002724500

24

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga 20 Pro

KIDS



under development

-  AL61-T6 Aluminium
-  AL61-T6 Aluminium
-  -
-  Shimano Altus, RD-M310, 8-S
-  Shimano SL-M315, Rapidfire Plus
-  Shimano CS-HG31, 11-34T
-  KMC Z8.3
-  Prowheel, 36T
-  Tektro J2820, 2-piston, hydr. disc brake
-  Tektro, 160mm, 6-bolt
-  Raymon A-M1/CU8R, QR
-  Maxxis New Pace, 20x2.1

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  -
-  -
-  -
-  -
-  Raymon, Kid
-  central, adjustable
-  60 kg
-  -

*EUR 529	CHF 529	PLN 2.249	CZK 12.990
----------	---------	-----------	------------

Artikelnummer / Item#

rawsilver

7002720800

20

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga Pure

KIDS



under development

	AL61-T6 Aluminium		Raymon Riser 25,4 mm, Rise: 40mm
	HiTen Steel		Raymon 25,4, Ahead
	-		Raymon 134 active control
	Shimano Tourney, RD-TY200, 7-S		Raymon, 27,2 mm
	Shimano SL-RV300, RevoShift		-
	Shimano MF-TZ500, 14-34T		-
	KMC Z7		-
	Prowheel, 36T		-
	V-Brake		Raymon, Kid
	-		central, adjustable
	Raymon A-M1/A52, QR		60 kg
	Maxxis New Pace, 20x2.1		-

*EUR 429	CHF 429	PLN 1.799	CZK 10.790
----------	---------	-----------	------------



Artikelnummer / Item#			
black chameleon		pistachio green	
7002720000	20	7002720200	20

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.
*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga Pure Street

KIDS



under development

-  AL61-T6 Aluminium
-  HiTen Steel
-  -
-  Shimano Tourney, RD-TY200, 7-S
-  Shimano SL-RV300, RevoShift
-  Shimano MF-TZ500, 14-34T
-  KMC Z7
-  Prowheel, 36T
-  V-Brake
-  -
-  Raymon A-M1/C3000/A52
-  Schwalbe CX Comp, 20x1.9, Reflex

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 20 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  60 kg
-  -

*EUR 529	CHF 529	PLN 2.249	CZK 12.990
----------	---------	-----------	------------

Artikelnummer / Item#

stormwhite

7002720400

20

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.

Yanga Pure Street

KIDS



under development

-  AL61-T6 Aluminium
-  HiTen Steel
-  -
-  Shimano Tourney, RD-TY200, 7-S
-  Shimano SL-RV300, RevoShift
-  Shimano MF-TZ500, 14-34T
-  KMC Z7
-  Prowheel, 36T
-  V-Brake
-  -
-  Raymon A-M1/C3000/A52
-  Schwalbe CX Comp, 20x1.9, Reflex

-  Raymon Riser 25,4 mm, Rise: 40mm
-  Raymon 25,4, Ahead
-  Raymon 134 active control
-  Raymon, 27,2 mm
-  Raymon, clamp
-  Raymon Kid 20 PET
-  Spanninga Neos, 40 lx
-  Spanninga Solo, safe stop
-  Raymon, Kid
-  central, adjustable
-  60 kg
-  -

*EUR 529	CHF 529	PLN 2.249	CZK 12.990
----------	---------	-----------	------------

Artikelnummer / Item#
mohair pink

7002720500

20

*unverbindliche Preisempfehlung inklusive der gültigen gesetzlichen MwSt. Preis- und Ausstattungsänderungen vorbehalten. Keine Gewähr für Druckfehler.

*Manufacturer's suggested retail price (MSRP) inclusive the actual valid legal value-added tax per country Prices and equipment are subject to change. No guarantee for printing errors.



Geo- metry

A close-up, low-angle shot of a man with a beard and short dark hair, wearing a dark blue polo shirt. He is looking down, focused on his work. His hands are visible at the bottom left, holding a black handlebar. The background is a dimly lit workshop with various tools hanging on a wall. The lighting is dramatic, highlighting the man's face and the texture of his shirt.

RAYMON

E-Bike | Bike

GEOMETRY E-BIKE

OFFROAD

01

frame size	Tarok Ultimate				Tarok Ultra/Pro			
	S	M	L	XL	S	M	L	XL
seat tube length [mm]	400	420	440	460	400	420	440	460
reach [mm]	435	456	480	505	435	456	480	505
stack [mm]	643	643	652	661	643	643	652	661
top tube [mm]	572	593	620	647	572	593	620	647
steering angle [°]	64	64	64	64	64	64	64	64
seat tube angle [°]	78,3	77,9	77,6	77,3	78,3	77,9	77,6	77,3
head tube [mm]	115	115	125	135	115	115	125	135
BB drop [mm]	19	19	19	19	19	19	19	19
wheelbase [mm]	1.223	1.244	1.273	1.302	1.223	1.244	1.273	1.302
chain stay [mm]	445	445	445	445	445	445	445	445
crank length [mm]	160	160	160	165	160	160	160	165
stem length [mm]	40	40	40	40	35	35	35	35
handlebar width [mm]	800	800	800	800	800	800	800	800
seat post length [mm]	-	-	-	-	-	-	-	-
seat post dropper length [mm]	120	150	180	210	125	150	170	200

Ravor LT			
S	M	L	XL
400	420	440	460
435	455	480	505
639	639	648	657
575	595	622	650
64	64	64	64
77,7	77,7	77,7	77,7
115	115	125	135
25	25	25	25
1,234	1,254	1,283	1,312
450	450	450	450
160	165	165	165
40	40	40	40
780	780	780	780
-	-	-	-
125	150	170	200

Vamok				
frame size	S	M	L	XL
seat tube length [mm]	400	420	440	460
reach [mm]	435	460	485	510
stack [mm]	625	625	634	643
top tube [mm]	563	588	616	644
steering angle [°]	64,3	64,3	64,3	64,3
seat tube angle [°]	78,7	78,2	77,8	77,4
head tube [mm]	110	110	120	130
BB drop [mm]	22	22	22	22
wheelbase [mm]	1,219	1,244	1,273	1,303
chain stay [mm]	445	445	445	445
crank length [mm]	160	165	165	165
stem length [mm]	40	40	40	40
handlebar width [mm]	780	780	780	780
seat post length [mm]	-	-	-	-
seat post dropper length [mm]	125	150	170	200

Durok			
S	M	L	XL
400	420	440	460
435	455	480	505
593	628	637	646
553	584	612	940
64,5	64,5	64,5	64,5
78,7	78,2	77,8	77,4
110	110	120	130
15	35	35	35
1.209	1.239	1.268	1.297
450	452	452	452
160	165	165	165
35	35	35	35
800	800	800	800
-	-	-	-
125	150	170	200

Ravor			
S	M	L	XL
400	420	440	460
435	455	480	505
629	629	638	647
572	592	619	647
64,7	64,7	64,7	64,7
77,7	77,7	77,7	77,7
115	115	125	135
30	30	30	30
1.226	1.246	1.276	1.305
460	460	460	460
160	165	165	165
40	40	40	40
780	780	780	780
-	-	-	-
125	150	170	200

Airok				
frame size	S	M	L	XL
seat tube length [mm]	400	420	440	460
reach [mm]	430	455	475	500
stack [mm]	610	619	628	637
top tube [mm]	551	584	611	642
steering angle [°]	65	65	65	65
seat tube angle [°]	73	73	73	73
head tube [mm]	100	110	120	130
BB drop [mm]	25	25	25	25
wheelbase [mm]	1.199	1.228	1.252	1.281
chain stay [mm]	448	448	448	448
crank length [mm]	160	165	165	165
stem length [mm]	40	40	40	40
handlebar width [mm]	800	800	800	800
seat post length [mm]	-	-	-	-
seat post dropper length [mm]	125	150	170	200

Korak			
S	M	L	XL
400	420	440	460
435	460	485	510
621	621	630	639
562	587	615	643
65,7	65,7	65,7	65,7
78,7	78,2	77,8	77,4
110	110	120	130
32	32	32	32
1.198	1.223	1.252	1.281
450	450	450	450
160	165	165	165
40	40	40	40
780	780	780	780
-	-	-	-
125	150	170	200

Size	From	To
S	153 cm	168 cm
M	163 cm	178 cm
L	173 cm	188 cm
XL	183 cm	198 cm

GEOMETRY E-BIKE

ALLROAD

02

frame size	Ridok				Ridok Comp				Ridok Comp Street			
	S	M	L	XL	S	M	L	XL	S	M	L	XL
seat tube length [mm]	400	420	440	460	400	420	440	460	400	420	440	460
reach [mm]	440	455	480	505	440	455	480	505	440	455	480	505
stack [mm]	613	622	631	640	613	622	631	640	613	622	631	640
top tube [mm]	565	583	610	638	565	583	610	638	565	583	610	638
steering angle [°]	66	66	66	66	66	66	66	66	66	66	66	66
seat tube angle [°]	78,5	78,2	77,8	77,4	78,5	78,2	77,8	77,4	78,5	78,2	77,8	77,4
head tube [mm]	100	110	120	130	100	110	120	130	100	110	120	130
BB drop [mm]	35	35	35	35	35	35	35	35	35	35	35	35
wheelbase [mm]	1.200	1.219	1.249	1.278	1.200	1.219	1.249	1.278	1.200	1.219	1.249	1.278
chain stay [mm]	455	455	455	455	455	455	455	455	455	455	455	455
crank length [mm]	160	165	165	165	160	165	165	165	160	165	165	165
stem length [mm]	35	35	35	35	35	35	35	35	40	40	40	40
handlebar width [mm]	800	800	800	800	800	800	800	800	780	780	780	780
seat post length [mm]	-	-	-	-	-	-	-	-	-	-	-	-
seat post dropper length [mm]	125	150	170	200	125	150	170	200	125	150	170	200

frame size	Zorq Pure						Zorq Comp/Pro/Ultra						Zorq Ultimate/Elite			
	24"	26"	S	M	L	XL	S	M	L	XL	S	M	L	XL		
seat tube length [mm]	325	350	340	420	470	520	370	420	470	520	370	420	470	520		
reach [mm]	363	385	400	421	435	448	460	430	445	460	445	430	445	460		
stack [mm]	542	550	618	639	649	667	598	647	656	665	589	647	656	665		
top tube [mm]	513	553	577	610	627	646	600	617	635	653	600	622	640	658		
steering angle [°]	66,5	67	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5	67,5		
seat tube angle [°]	74,5	73	73,5	73,5	73,5	73,5	76,8	73,9	73,9	73,8	75,26	73,5	73,4	73,4		
head tube [mm]	130	110	115	100	110	130	120	110	120	130	110	110	120	130		
BB drop [mm]	30	30	45	65	65	65	45	65	65	65	45	65	65	65		
wheelbase [mm]	1.041	1.073	1.129	1.172	1.190	1.211	1.187	1.184	1.202	1.221	1.158	1.169	1.187	1.206		
chain stay [mm]	411	421	455	470	470	470	450	465	465	465	440	450	450	450		
crank length [mm]	140	165	170	170	170	170	165	170	170	170	165	170	170	170		
stem length [mm]	40	50	50	50	60	60	35	35	35	35	35	35	35	35		
handlebar width [mm]	600	640	720	720	720	720	800	800	800	800	800	800	800	800		
seat post length [mm]	300	300	350	350	400	400	350	350	400	400	-	-	-	-		
seat post dropper length [mm]	-	-	-	-	-	-	-	-	-	-	125	150	170	200		

frame size	Norza			
	S	M	L	XL
seat tube length [mm]	415	450	486	522
reach [mm]	380	390	400	410
stack [mm]	561	580	599	622
top tube [mm]	538	554	577	593
steering angle [°]	71	71	71	71
seat tube angle [°]	-	-	73,5	-
head tube [mm]	120	140	160	185
BB drop [mm]	23,4	23,4	23,4	23,4
wheelbase [mm]	-	-	-	-
chain stay [mm]	435	435	435	435
crank length [mm]	165	165	170	170
stem length [mm]	70	70	80	90
handlebar width [mm]	400	400	420	440
seat post length [mm]	350	350	350	400
seat post dropper length [mm]	75	75	75	75

Diamond/Wave	Tavano Pure/Base/Flow							
	Wave							
S	M	L	XL	S	M	L	XL	
445	470	505	526	445	470	505	526	
427	440	447	455	427	440	447	455	
636	646	655	664	636	646	655	664	
610	625	635	646	610	625	635	646	
68	68	68	68	68	68	68	68	
74	74	74	74	74	74	74	74	
150	160	170	180	150	160	170	180	
28	28	28	28	28	28	28	28	
1.220	1.236	1.243	1.259	1.220	1.236	1.243	1.259	
500	500	500	500	500	500	500	500	
165	165	165	165	165	165	165	165	
100	100	100	100	90	90	90	90	
680	680	680	680	680	680	680	680	
-	-	-	-	-	-	-	-	
75	100	125	150	75	100	125	150	

GEOMETRY E-BIKE

ALLROAD

03

Varno

frame size	Diamond				Wave			
	S	M	L	XL	S	M	L	XL
seat tube length [mm]	460	490	520	550	440	470	500	530
reach [mm]	410	425	445	458	410	425	440	450
stack [mm]	628	647	665	679	670	670	684	689
top tube [mm]	595	617	644	661	602	617	636	648
steering angle [°]	68,5	68,5	68,5	68,5	68,5	68,5	68,5	68,5
seat tube angle [°]	74	74	74	74	74	74	74	74
head tube [mm]	120	140	160	175	160	160	175	180
BB drop [mm]	60	60	60	60	65	65	65	65
wheelbase [mm]	1.146	1.168	1.196	1.214	1.161	1.176	1.196	1.208
chain stay [mm]	465	465	465	465	465	465	465	465
crank length [mm]	170	170	170	170	170	170	170	170
stem length [mm]	90	90	90	90	90	90	90	90
handlebar width [mm]	680	680	680	680	680	680	680	680
seat post length [mm]	-	-	-	-	-	-	-	-
seat post dropper length [mm]	100	100	125	125	100	100	125	125

Size	From	To
S	153 cm	168 cm
M	163 cm	178 cm
L	173 cm	188 cm
XL	183 cm	198 cm

Tahona

frame size	Diamond				Wave			
	S	M	L	XL	S	M	L	XL
seat tube length [mm]	460	490	520	550	440	470	500	530
reach [mm]	402	413	423	433	406	417	429	439
stack [mm]	634	644	662	676	644	658	667	685
top tube [mm]	596	610	625	640	590	605	620	635
steering angle [°]	68	68	68	68	68	68	68	68
seat tube angle [°]	73	73	73	73	74	74	74	74
head tube [mm]	135	145	165	180	145	160	170	190
BB drop [mm]	65	65	65	65	65	65	65	65
wheelbase [mm]	1.148	1.163	1.180	1.190	1.155	1.172	1.188	1.205
chain stay [mm]	475	475	475	475	475	475	475	475
crank length [mm]	170	170	170	170	170	170	170	170
stem length [mm]	100	100	100	100	100	100	100	100
handlebar width [mm]	680	680	680	680	680	680	680	680
seat post length [mm]	300	350	350	350	300	300	350	350
seat post dropper length [mm]	100	100	100	100	100	100	100	100

Tahona Comp

frame size	Diamond				Wave			
	S	M	L	XL	S	M	L	XL
seat tube length [mm]	460	490	520	550	440	480	520	560
reach [mm]	414	430	445	460	405	420	435	450
stack [mm]	634	644	662	676	662	676	690	704
top tube [mm]	596	615	635	654	595	614	633	652
steering angle [°]	68	68	68	68	68	68	68	68
seat tube angle [°]	74	74	74	74	74	74	74	74
head tube [mm]	135	145	165	180	165	180	195	210
BB drop [mm]	65	65	65	65	65	65	65	65
wheelbase [mm]	1.168	1.187	1.209	1.230	1.170	1.190	1.211	1.231
chain stay [mm]	475	475	475	475	475	475	475	475
crank length [mm]	170	170	170	170	170	170	170	170
stem length [mm]	90	90	90	90	90	90	90	90
handlebar width [mm]	680	680	680	680	680	680	680	680
seat post length [mm]	300	350	350	350	300	300	350	350
seat post dropper length [mm]								

GEOMETRY E-BIKE


ALLROAD

04

	Numa					Numa Ultra/Ultimate				
frame size	XS	S	M	L	XL	XS	S	M	L	XL
seat tube length [mm]	420	440	470	500	530	420	440	470	500	530
reach [mm]	392	396	405	420	431	400	396	405	420	431
stack [mm]	603	660	660	665	678	603	660	660	665	678
top tube [mm]	574	585	594	610	625	582	585	594	610	625
steering angle [°]	68,5	68	68	68	68	68,5	68	68	68	68
seat tube angle [°]	73	74	74	74	74	73	74	74	74	74
head tube [mm]	160	165	165	170	185	160	165	165	170	185
BB drop [mm]	55	65	65	65	65	55	65	65	65	65
wheelbase [mm]	1.106	1.151	1.159	1.176	1.193	1.117	1.151	1.159	1.176	1.193
chain stay [mm]	456	472,5	472,5	472,5	472,5	458,5	472,5	472,5	472,5	472,5
crank length [mm]	160	170	170	170	170	165	170	170	170	170
stem length [mm]	90	90	90	90	90	90	90	90	90	90
handlebar width [mm]	680	680	680	680	680	680	680	680	680	680
seat post length [mm]	300	300	350	350	400	300	350	350	350	400
seat post dropper length [mm]	-	-	-	-	-	-	-	-	-	-

	Metmo			
frame size	S	M	L	XL
seat tube length [mm]	440	470	500	530
reach [mm]	395	407	419	431
stack [mm]	660	669	679	688
top tube [mm]	590	605	620	635
steering angle [°]	69	69	69	69
seat tube angle [°]	73,5	73,5	73,5	73,5
head tube [mm]	170	180	190	200
BB drop [mm]	65	65	65	65
wheelbase [mm]	1.144	1.159	1.175	1.191
chain stay [mm]	478	478	478	478
crank length [mm]	170	170	170	170
stem length [mm]	90	90	90	90
handlebar width [mm]	640	640	640	640
seat post length [mm]	350	350	350	350
seat post dropper length [mm]	-	-	-	-

AGENDA



frame size	Rahmengröße
seat tube length	A Sitzrohrlänge
reach	B Reach
stack	C Stack
top tube	D Oberrohr
steering angle	E Lenkwinkel
seat tube angle	F Sitzrohrwinkel
head tube	G Steuerrohr
BB drop	H Tretlagerabstand
wheelbase	I Radstand
chain stay	J Kettenstrebenlänge
crank length	Kurbellänge
stem length	Vorbaulänge
seat post length	Sattelstützelänge
seat post dropper length	Sattelstütze-Dropperlänge
handlebar width	Lenkerbreite

GEOMETRY BIKE

ROAD

01

Arva						
frame size	49	52	54	56	58	60
seat tube length [mm]	440	455	475	495	520	545
reach [mm]	373	380	386	396	404	410
stack [mm]	512	527	540	560	580	595
top tube [mm]	505	525	540	560	575	590
steering angle [°]	71,5	72	72,5	73	73	73,5
seat tube angle [°]	75,5	75	74,5	74	73,5	73,5
head tube [mm]	110	120	135	155	170	185
BB drop [mm]	72	72	70	70	70	70
wheelbase [mm]	973	979	986	998	1.010	1.016
chain stay [mm]	410	410	410	410	410	410
crank length [mm]	165	170	172,5	172,5	175	175
stem length [mm]	80	105	105	105	120	120
handlebar width [mm]	380	400	420	420	420	420
seat post length [mm]	300	300	350	350	400	400
seat post dropper length [mm]	-	-	-	-	-	-

Kirana					
48	52	54	56	58	60
463	470	494	513	533	556
368	373	379	386	397	402
512	529	545	564	585	613
510	525	535	553	570	590
71	72	73	73	73,5	73,5
74,5	74	74	73,5	73	73
110	125	140	160	180	210
72,5	72,5	70	70	70	70
975	978	980	993	1.005	1.020
415	415	415	415	415	415
165	170	170	172,5	172,5	175
80	90	100	100	110	120
380	400	400	420	420	420
350	350	350	350	400	400
-	-	-	-	-	-

Scorena						
frame size	48	52	54	56	58	60
seat tube length [mm]	420	460	480	500	520	540
reach [mm]	363	374	379	390	553	404
stack [mm]	541	557	579	593	610	664
top tube [mm]	508	529	545	560	575	592
steering angle [°]	70	71	72	72	72	72
seat tube angle [°]	75	74,5	74	74	73,5	73,5
head tube [mm]	110	125	145	160	180	205
BB drop [mm]	75	73	72	72	70	70
wheelbase [mm]	1.001	1.010	1.012	1.028	1.038	1.056
chain stay [mm]	425	425	425	425	425	425
crank length [mm]	165	170	172,5	172,5	175	175
stem length [mm]	80	90	100	100	110	120
handlebar width [mm]	380	400	420	420	420	440
seat post length [mm]	350	350	350	400	400	400
seat post dropper length [mm]	-	-	-	-	-	-

Lyra				
XS	S	M	L	XL
467	467	477	493	514
375	391	406	421	435
453	453	463	478	501
485	501	518	537	555
72	72	72	72	72
76,5	76,5	76,5	76,5	76,5
-	-	-	-	-
72	72	72	72	72
953	969	987	1.007	1.028
410	410	410	410	410
165	170	170	172,5	172,5
-	-	-	-	-
400	400	400	400	400
300	300	300	300	300
-	-	-	-	-

GRAVEL

Kenthii				
frame size	S	M	L	XL
seat tube length [mm]	435	466	496	521
reach [mm]	380	393	402	410
stack [mm]	541	565	585	606
top tube [mm]	525	550	570	590
steering angle [°]	71	71	71,5	72
seat tube angle [°]	75	74,5	74	73,5
head tube [mm]	110	135	155	175
BB drop [mm]	75	75	75	75
wheelbase [mm]	1.012	1.033	1.044	1.051
chain stay [mm]	425	425	425	425
crank length [mm]	165	170	172,5	175
stem length [mm]	70	90	90	100
handlebar width [mm]	400	400	400	420
seat post length [mm]	350	350	350	400
seat post dropper length [mm]	-	-	-	-

Soreno			
S	M	L	XL
434	471	500	525
360	375	390	405
547	574	603	632
512	534	563	586
70	71	71,5	71,5
74,5	74,5	74	74
125	150	180	210
70	70	68	68
1.006	1.021	1.041	1.066
425	425	425	425
165	170	172,5	175
70	70	80	90
380	400	420	440
350	350	350	400
-	-	-	-

Territ				
XS	S	M	L	XL
440	475	500	525	560
368	369	372	387	401
540	547	584	603	621
523	530	545	565	585
68,5	69	70	70	70
74	73,5	73,5	73,5	73,5
115	120	155	175	195
70	70	70	70	70
1.041	1.039	1.047	1.068	1.089
440	440	440	440	440
165	165	170	172,5	175
70	70	80	80	90
400	400	420	420	440
350	350	350	400	400
-	-	-	-	

GEOMETRY BIKE

ALLROAD

02

Zayn

frame size	Diamond				Trapez			Wave			
	S	M	L	XL	S	M	L	S	M	L	XL
seat tube length [mm]	460	490	520	550	460	490	520	440	470	500	530
reach [mm]	394	405	415	426	394	405	415	387	398	409	419
stack [mm]	625	640	654	668	625	640	654	630	644	658	672
top tube [mm]	585	600	615	630	585	600	615	580	595	610	625
steering angle [°]	70	70	70	70	70	70	70	70	70	70	70
seat tube angle [°]	73	73	73	73	73	73	73	73	73	73	73
head tube [mm]	135	150	165	180	135	150	165	140	155	170	185
BB drop [mm]	65	65	65	65	65	65	65	65	65	65	65
wheelbase [mm]	1089	1105	1120	1136	1089	1105	1120	1084	1100	1116	1132
chain stay [mm]	454	454	454	454	454	454	454	454	454	454	454
crank length [mm]	170	170	170	175	170	170	170	170	170	170	175
stem length [mm]	90	90	90	90	90	90	90	90	90	90	90
handlebar width [mm]	680	680	680	680	680	680	680	680	680	680	680
seat post length [mm]	350	350	350	350	350	350	350	350	350	350	350
seat post dropper length [mm]	-	-	-	-	-	-	-	-	-	-	-

OFFROAD

Rokua

frame size	S	M	L
seat tube length [mm]	400	430	460
reach [mm]	440	470	500
stack [mm]	613	617	626
top tube [mm]	580	618	650
steering angle [°]	65	65	65
seat tube angle [°]	76,5	76,5	76,5
head tube [mm]	100	105	115
BB drop [mm]	28	28	28
wheelbase [mm]	1.199	1.231	1.265
chain stay [mm]	440	440	440
crank length [mm]	170	170	175
stem length [mm]	40	40	40
handlebar width [mm]	780	780	780
seat post length [mm]	-	-	-
seat post dropper length [mm]	125	170	200

Yara

S	M	L	XL
370	420	470	520
420	440	460	480
571	626	635	644
552	585	607	629
66	66	66	66
77	77	77	77
100	110	120	130
	50	50	50
1.140	1.197	1.221	1.245
430	455	455	455
165	170	170	175
35	35	35	35
780	780	780	780
-	-	-	-
125	150	150	150

Arid

S	M	L	XL
400	444	470	520
405	430	455	480
608	608	622	636
579	604	634	125
68,5	68,5	68,5	68,5
72	72	72	72
95	95	110	125
63	63	63	63
1.091	1.115	1.147	1.176
430	430	430	430
170	170	175	175
70	80	80	80
740	740	740	740
350	350	400	400
-	-	-	-

Nayta


frame size	S	M	L	XL	24"	26"
seat tube length [mm]	370	420	450	500	300	330
reach [mm]	398	415	432	447	345	370
stack [mm]	597	624	633	662	504	567
top tube [mm]	575	600	620	640	504	535
steering angle [°]	67,5	67,5	67,5	67,5	70	68,5
seat tube angle [°]	73,5	73,5	73,5	73,5	72,5	73,5
head tube [mm]	110	110	120	140	90	100
BB drop [mm]	48	60	60	60	40	45
wheelbase [mm]	1.123	1.160	1.181	1.203	969	1.042
chain stay [mm]	455	465	465	465	415	430
crank length [mm]	170	170	170	170	140	165
stem length [mm]	40	50	50	60	40	40
handlebar width [mm]	680	680	680	680	580	640
seat post length [mm]	350	350	350	350	300	300
seat post dropper length [mm]	-	-	-	-	-	-

KIDS

Yanga

24" uni	20" uni
300	260
344	295
487	421
502	432
69	69
72	72
110	105
40	30
977	857
415	365
140	114
30	30
540	580
300	250
580	540

Size	From	To
S	153 cm	168 cm
M	163 cm	178 cm
L	173 cm	188 cm
XL	183 cm	198 cm



frame size	Rahmengröße
seat tube length	A Sitzrohrlänge
reach	B Reach
stack	C Stack
top tube	D Oberrohr
steering angle	E Lenkwinkel
seat tube angle	F Sitzrohrwinkel
head tube	G Steuerrohr
BB drop	H Tretlagerabstand
wheelbase	I Radstand
chain stay	J Kettenstrebenlänge
crank length	Kurbellänge
stem length	Vorbaulänge
seat post length	Sattelstützelänge
seat post dropper length	Sattelstütze-Dropperlänge
handlebar width	Lenkerbreite

ICON OVERVIEW

	Rahmen	Frame		Lenker	Handlebar
	Federgabel	Fork		Vorbau	Stem
	Dämpfer	Shock		Sattel	Saddle
	Motor	Drive Unit		Sattelstütze	Seatpost
	Display	Display		Gepäckträger	Carrier
	Batterie	Battery		Schutzblech	Fender
	Ladegerät	Charger		Licht vorne	Headlight
	Schaltwerk	Gear system		Licht hinten	Tail light
	Schalthebel	Shift lever		Pedal	Pedals
	Kassette	Cassette		Ständer	Kickstand
	Kette	Chain		max. Gesamtgewicht	max. permissible weight
	Kurbel	Crank set		Gewicht	Weight
	Bremse	Brake			
	Bremsscheibe	Brake disc			
	Laufgrad	Wheel set			
	Reifen	Tube			

raymon care

Leistung, Qualität und Fahrspaß – dafür steht RAYMON Bicycles.
Mit unserem neuen Garantieprogramm RAYMON Care unterstreichen
wir dieses Versprechen.

Performance, quality, and riding pleasure – that's what RAYMON Bicycles
stands for. With our new warranty program, RAYMON Care, we emphasize
this promise.

Jetzt registrieren:
Sicherheit, die mitfährt.



Register now:
Safety that travels with you.



RAYMON Care



Dein Rundum-Schutz.

Lebenslange Garantie auf alle RAYMON Rahmen – inklusive Ketten- und Sitzstrebe.



Dein Backup für jede Fahrt.

Schnelle Reparatur oder Austausch im Falle, dass doch mal etwas passiert.



Kostenlos für Erstkäufer.

Registrierte dein Bike innerhalb von 90 Tagen nach Kauf auf unserer Webseite www.raymon-bicycles.com/care.

Your all-round protection.

Lifetime warranty on your frame – including chainstay and seatstay.

Backup for every journey.

Quick repair or replacement if something happens.

Free for first-time buyers.

Simply register for RAYMON Care within 90 days of purchase on our website www.raymon-bicycles.com/care.

RAYMON CarePlus



RAYMON schenkt Dir **2+1 Jahr** Garantie auf elektronische Antriebssysteme der Modellreihen Trailray, Tourray, Hardray, Crossray und aller Select Modelle ab MY25.

Wir verlängern die Herstellergarantie: Alle Antriebssysteme inkl. Bedienelemente und Akkus sind gegen Material- und Herstellungsfehler im Rahmen der Herstellergarantie zwei Jahre abgesichert. Und wir legen mit RAYMON CarePlus noch ein weiteres Jahr oben drauf.


RAYMON gives you a **2+1 year** warranty on the drives of the Trailray, Tourray, Hardray, Crossray, and all Select models from MY25.

We extend the manufacturer's warranty: All drive systems, including control elements and batteries, are covered against material and manufacturing defects for two years under the manufacturer's warranty. And with RAYMON CarePlus, we add an additional year on top.



b2b Shop & Media Library

01 b2b Shop



Mit unserem B2B Shop bieten wir dir eine spezialisierte Online-Plattform, um Bestellungen, Aufträge, Lieferscheine, Rechnungen uvm. an einem Ort zu verwalten. Hier findest du nicht nur eine große Auswahl an Produkten, sondern auch maßgeschneiderte Lösungen, die den spezifischen Anforderungen von Fachhändlern gerecht werden.

With our B2B store, we offer you a specialized online platform to manage orders, purchase orders, delivery bills, invoices and much more in one place. Here you will not only find a large selection of products, but also customized solutions that meet the specific requirements of specialist retailers.

<https://b2b.raymon-bicycles.com/>



02

Media Library



Registrierte dich für unsere neue Mediendatenbank und tauche ein in die Welt von RAYMON Bicycles! Hier findest du die neuesten Bilder, umfassende Informationen zu unseren Bikes und spannende Neuigkeiten rund um unsere Marke.

Register for our new media library and dive into the world of RAYMON Bicycles! Here you will find the latest pictures, detailed information about our bikes and exciting news about our brand.

<https://media.raymon-bicycles.com/>



social media


UCI Continental Teams



Kasper Crypto4ME
📷 [kaspercrypto4me](#)



MaxSolar RAYMON cycling
📷 [maxsolar.cycling](#)



Fany Gastro
📷 [fanygastro_integray_127](#)




Off road collectif
📷 [offroadcollectif](#)




GOAT Collective
📷 [goat_cllctv](#)



RAYMON Factory Racing Team
📷 [raymon_factory_racing](#)



Luis Ayala
📷 [luchoayala](#)



Tomas Zejda
📷 [tomaszejda](#)



Johannes Fischbach
📷 [johannesfischbach88](#)




Sandra Mertl
📷 [sandrandrara](#)



Jule Kühnpast
📷 [julekuehnpast](#)




Diego Caverzasi
📷 [diemt看b](#)




Ricky Fadda
📷 [rickyfadda](#)




Vanni Oddera
📷 [vannioddera](#)




Luis Freitag
📷 [luis.freitag](#)



David Anot
📷 [david_anot](#)



Lisa Marie Krätschmer
📷 [lisamariakraetschmer](#)




Gavaggio Enak
📷 [enakgavaggio](#)




Marius Tenet
📷 [marius.tenet](#)



Maximilian Spies
📷 [the_spies_007](#)



Linus Gerber
📷 [gerber.linus](#)




Raymon van der Biezen
📷 [raymonvdbiezen](#)



Claudio Chiappucci Official
📷 [chiappucci_claudio_eldiablo](#)



The background of the advertisement is a photograph of a gravel path leading up a hill. The sky is a deep, dark blue, and the overall lighting is low, creating a moody and atmospheric scene. The gravel path is visible in the foreground and middle ground, leading the eye towards the top of the hill.

RAYMON

You want to get out. Fresh air, the
smell of the forest, gravel under
your tires - feel real life. Not at some
point. But now. Maybe after work.
Maybe on a Saturday morning when
everyone is still asleep. Maybe just
because you want to get out for a
moment. Get out of your head.
Get on your bike.



www.raymon-bicycles.com

R Raymon Bicycles GmbH, Rudolf-Diesel-Str. 35, 97424 Schweinfurt - Germany
© 2026, R Raymon Bicycles GmbH

Follow us

